



PUBLIC NOTICE

Federal Communications Commission
1919 M St., N.W.
Washington, D.C. 20554

News media information 202 / 418-0500
Fax-On-Demand 202 / 418-2830
Internet: <http://www.fcc.gov>
<ftp.fcc.gov>

DA 97-2568

Released December 8, 1997

MASS MEDIA BUREAU LISTS COMMERCIAL FM BROADCAST STATIONS POTENTIALLY ELIGIBLE TO INCREASE EFFECTIVE RADIATED POWER ON FORM 302-FM

In *Certain Minor Changes Without a Construction Permit*, Report and Order, MM Docket 96-58, 12 FCC Rcd 12371, 61 FR 51052 (1997), the Commission made changes to its rules to permit the licensing of certain minor changes in broadcast facilities without the prior requirement of a granted construction permit.¹ These rules became effective on December 1, 1997. Paragraph 9 of the *Report and Order* indicated that a Public Notice would be released listing FM commercial authorizations which, according to the Commission FM engineering database, (a) meet or exceed the minimum separation requirements of 47 CFR 73.207 with respect to all other FM broadcast stations, vacant allotments, and pending applications, including Canadian and Mexican assignments and vacant allotments, and (b) are operating with effective radiated powers (ERP) less than permitted for the station class.² These stations may be eligible to increase their ERP on FCC Form 302-FM, without the filing and grant of a construction permit application on Form 301.

Before increasing power, the station should verify that it is in compliance with all of the requirements contained in the revised rule 47 CFR 73.1690(c) (see Paragraph 7 through 10 and Appendix E of the *Report and Order* in Docket 96-58). Stations which increase ERP but are not in compliance with all of the requirements set forth in Section 73.1690 will be required to reduce the ERP to the authorized values on short notice.

Changes in the ERP may be accomplished by replacing the transmission line, replacing the antenna where the radiation center is no more than 2 meters above or 4 meters below the authorized values, changing the transmitter output power, or installing or removing components in the transmission line. The changed operation must comply with the revised radiofrequency exposure limits which went into effect on October 15, 1997.³

¹ The *Report and Order* may be obtained from the FCC's Internet site at http://www.fcc.gov/Bureaus/Mass_Media/Orders/1997/fcc97290.txt (text file version) or http://www.fcc.gov/Bureaus/Mass_Media/Orders/1997/fcc97290.wp (Word Perfect 5.1 version).

² The attached list was generated from data contained in the Commission's FM Engineering database. This database is an unofficial secondary source of information (47 CFR 0.434) and in a few instances may not agree with the primary source (e.g., the station authorization, application, petition for rulemaking, etc.) The Commission may issue errata as necessary to correct the list.

³ See *Guidelines for Evaluating the Environmental Effects of Radiofrequency Radiation*, Second Memorandum Opinion and Order and NPRM, ET Docket 92-62, FCC 97-303, 62 FR 48034 (September 12, 1997) and *OST Bulletin No. 65*, revised August 1997. These documents are available through the Internet at http://www.fcc.gov/Bureaus/Engineering_Technology/Orders/1997/fcc97303.txt (text version) or http://www.fcc.gov/Bureaus/Engineering_Technology/Orders/1997/fcc97303.wp (Word Perfect 5.1 version), and <http://www.fcc.gov/oet/info/documents/bulletins/#65>, respectively. The determination of compliance with the radiofrequency exposure limit must account for all colocated and nearby radiating sources, including sources from services other than FM.

Once the increased ERP has been accomplished, the licensee or permittee must immediately submit a letter to the Audio Services Division, MMB (1800B3), FCC, Washington, DC 20554 [fax (202)-418-1410] indicating that program test operations have commenced (*see* 47 CFR 73.1620). Within 10 days of commencing operations, the licensee or permittee must file FCC Form 302-FM to cover the changes. As stated in the *Report and Order*, the license application must contain a completed Appendix C from that *Order* (a copy is attached to this Public Notice for convenience) and any exhibits required therein.

License applications which modify an existing license are exempt from filing fees. Each copy of the license application (original + 2 duplicates) must have a cover letter noting the exemption. The modification-of-license application must be submitted to the Office of the Secretary (1800B3), Room 222, 1919 M Street NW, Washington DC 20554. If the license application also pertains to a granted construction permit, the license application fee must be submitted along with the application to the address specified in the *Mass Media Fee Filing Guide* (Mellon Bank).

Stations which are listed as contour protection stations on the attached list (YES in the 73.215 column) which are now fully spaced under 47 CFR 73.207 may request to delete the contour protection designation in addition to increasing power. Applications requesting deletion of the contour protection designation will be processed on a first come / first served basis with respect to earlier filed applications for construction permit or license.

Questions about this *Public Notice* or the *Report and Order* in MM Docket 96-58 may be directed to Dale Bickel, dbickel@fcc.gov, (202)-418-2720.

--- FCC ---

Supplement to FCC Form 302-FM

(Appendix C of the *Report and Order* in MM Docket 96-58, FCC 97-290, 12 FCC Rcd 12371 at 12420)
(OMB Approval Number 3060-0506)

This supplement is intended for use with the revised procedures adopted in the *Report and Order* in MM Docket 96-58. You may use this supplement to determine whether the new procedures are applicable to your particular situation. This supplement and any related exhibits must be attached to the Form 302-FM license application.

This FM license application is filed to:

- cover construction permit (permit number) _____
(the permit number starts with BPH-, BMPH-, BPED-, BMPED-)
- modify license (license number) _____
(the license number starts with BLH- , BMLH-, BLED- , BMLED)

Purpose of Application (Check applicable boxes and provide the requested information and exhibits):

1. **Increase in a Commercial FM station's Effective Radiated Power (ERP).** An FM commercial station (also including those noncommercial educational stations authorized to operate on Channels 221 through 300 (except Class D stations)), may increase ERP via a license application where EITHER (a), (b), or (c) BELOW ARE TRUE. [Noncommercial educational permittees or licensees operating on Channels 200 through 220, or Class D stations operating on any channel, may only increase the authorized maximum ERP after grant of a construction permit application on FCC Form 340 (but see Section 8 below).] An analysis to demonstrate compliance with the Commission's radiofrequency radiation requirements must be included with the Form 302-FM application for license to cover the increased power.

(a)(i). The **commercial** Class A station was authorized pursuant to MM Docket 88-375 to increase ERP in a modification of license application in one of the following Public Notices (*see* 47 CFR Section 73.1690(c)(5)). The ERP increase must not violate the multiple ownership provisions of 47 CFR Section 73.3555. The Form 302-FM application must include an analysis demonstrating compliance with the Commission's radiofrequency radiation requirements.

- _____ November 3, 1989 (Reference No. 451), Page No. _____ ***See Note
- _____ November 17, 1989 (Reference No. 640), Page No. _____
- _____ December 8, 1989 (Reference No. 886), Page No. _____
- _____ March 2, 1990 (Reference No. 2009), Page No. _____
- _____ February 11, 1991 (Reference No. 11615), Page No. _____

*** Note: Certain stations included on the November 3, 1989 Public Notice were deleted from the lists of eligible stations on the November 17, 1989 Public Notice. Applicants referring to the November 3, 1989 Public Notice should also check the November 17, 1989 Public Notice.

_____ ii) the installed height of the antenna radiation center is not increased by more than two meters nor decreased by more than four meters from the authorized height for the antenna radiation center.

_____ iii) The applicant must demonstrate compliance with the AM protection requirements of 47 CFR Section 73.1692 if the increase in ERP also involves replacement of an antenna on an AM antenna tower.

(b). The **commercial** FM station is fully spaced pursuant to 47 C.F.R. Section 73.207 of the Commission's rules. See 47 CFR Section 73.1690(c)(7). The ERP increase may only be implemented where ALL OF THE FOLLOWING ARE TRUE:

_____ i) A showing must be provided to demonstrate that the FM station complies with the minimum separation requirements of 47 CFR § 73.207. The FM station may not be "grandfathered" under 47 CFR Section 73.213 or authorized under the contour protection rule 47 CFR Section 73.215.

_____ ii) If located in or near a radio quiet zone, radio coordination zone, or a Commission monitoring station, written approval has been secured from that radio quiet zone, radio coordination zone, or the Commission's Compliance and Information Bureau in the case of a monitoring station, PRIOR to implementation of the ERP increase. See 47 CFR Sections 73.1030 and 0.121(c). A copy of the written approval must be attached to the Form 302-FM application.

_____ iii) The station does not require international coordination since

_____ the transmitter site is not within 320 km of the Canadian or Mexican border; or

_____ if the transmitter site is in a border zone, the station's International Class _____ is equal to or greater than the station's Domestic Class _____

_____ iv) The power increase does not require the consideration of a multiple ownership showing pursuant to 47 CFR Section 73.3555.

_____ v) The vertically polarized ERP will not exceed the horizontally polarized ERP.

_____ vi) the installed height of the antenna radiation center is not increased by more than two meters nor decreased by more than four meters from the authorized height for the antenna radiation center.

_____ vii) The applicant must demonstrate compliance with the AM protection requirements of 47 CFR Section 73.1692 if the increase in ERP also involves replacement of an antenna on an AM antenna tower.

_____ viii) An analysis to demonstrate compliance with the Commission's radiofrequency radiation requirements must be included with the Form 302-FM application for license to cover the increased power.

(c). The license application is filed to increase the ERP of an auxiliary facility. Complete Section 7 below.

2. **Decrease in a commercial FM station's ERP.** An FM station may decrease ERP via a license application where ALL OF THE FOLLOWING ARE TRUE. See 47 CFR Section 73.1690(c)(8).

_____ i) An exhibit must be provided to demonstrate that the station will continue to maintain the 70 dBu contour over the community of license, as required by 47 CFR Section 73.315(a). The location of the contour must be predicted using the standard contour prediction method in 47 CFR Section 73.313(b), (c), and (d). Supplemental contour prediction methods may not be used to predict the location of the 70 dBu contour in a license application.

_____ ii) An exhibit must be provided to demonstrate that the station will maintain the 70 dBu contour over the main studio location, or that the main studio is located within the community of license, as required by 47 CFR Section 73.1125. The location of the contour must be predicted using the standard contour prediction method in 47 CFR Section 73.313(b), (c), and (d). Supplemental contour prediction methods may not be used to predict the location of the 70 dBu contour in a license application.

_____ iii) The station class, as defined by 47 CFR Section 73.211, may not change from the station class authorized for the station.

_____ iv) The station's vertically polarized ERP will not exceed the horizontally polarized ERP.

_____ v) The licensee or permittee must certify that the power decrease is not requested or required to establish compliance with the multiple ownership rule, 47 CFR Section 73.3555.

_____ vi) The installed height of the antenna radiation center is not increased by more than two meters nor decreased by more than four meters from the authorized height for the antenna radiation center.

_____ vii) The reduction in power would not cause an authorized auxiliary facility of the station to violate 47 CFR Section 73.1675. If a violation would occur:

_____ an application must be submitted *simultaneously with the license to cover the power reduction* to bring the auxiliary facility into compliance with 47 CFR Section 73.1675; or

_____ the auxiliary license is attached for cancellation.

3. **Decrease in a noncommercial educational FM station's ERP.** A decrease in a noncommercial educational station's ERP may be applied for in a license application, provided that ALL OF THE FOLLOWING ARE TRUE. See 47 CFR Section 73.1690(c)(8).

_____ i) An exhibit must be provided to demonstrate that the station continues to provide a 60 dBu contour over at least a portion of the community of license. The location of the contour must be predicted using the standard contour prediction method in 47 CFR Section 73.313(b), (c), and (d). Supplemental contour prediction methods may not be used to predict the location of the 60 dBu contour in a license application.

_____ ii) An exhibit must be provided to demonstrate that the station will continue to provide a 70 dBu contour over the main studio location, as required by 47 CFR Section 73.1125, or that the main studio is located within the community of license (*see* 47 CFR Section 73.1125(a)(3)). The location of the contour must be predicted using the standard contour prediction method in 47 CFR Section 73.313(b), (c), and (d). Supplemental contour prediction methods may not be used to predict the location of the 70 dBu contour in a license application.

_____ iii) The license application may not propose to eliminate the authorized horizontally polarized ERP, if a horizontally polarized ERP is currently authorized.

_____ iv) The vertically polarized ERP may not exceed the horizontally polarized ERP, unless the noncommercial educational station is located within the separations specified in Table A of 47 CFR Section 73.525 with respect to a Channel 6 television station.

_____ v) The installed height of the antenna radiation center is not increased by more than two meters nor decreased by more than four meters from the authorized height for the antenna radiation center.

_____ vi) The station is not presently authorized with separate horizontal and vertical antennas mounted at different heights. Use of separate horizontal and vertical antennas requires a construction permit before implementation or changes.

_____ vii) The reduction in power would not cause an authorized auxiliary facility to violate 47 CFR Section 73.1675. If a violation would occur:

_____ an application is submitted *simultaneously with this license application to reduce ERP* to bring the auxiliary facility into compliance with 47 CFR Section 73.1675; or

_____ the auxiliary license is attached for cancellation.

4. **Replacing an FM Directional Antenna With Another Directional Antenna.**

A directional antenna may be replaced with another directional antenna, and the Commission subsequently notified of the change via a license application, provided exhibits are attached to the license application to demonstrate compliance with ALL OF THE FOLLOWING ITEMS. See 47 CFR Section 73.1690(c)(2).

_____ i) the installed height of the antenna radiation center is not increased by more than two meters nor decreased by more than four meters from the authorized height for the antenna radiation center.

_____ ii) A measured directional pattern and tabulation on the manufacturer's letterhead showing both the horizontal and vertical radiation components and demonstrating that neither of the measured components exceeds the authorized composite pattern along any azimuth.

_____ iii) If the directional antenna is used for a station authorized under Section 73.215 (commercial FM contour protection), or Section 73.509 (noncommercial educational FM), the license application must demonstrate that the RMS (root mean square) of the measured composite directional pattern is 85% or more of the RMS of the authorized composite pattern. If the measured pattern does not meet this requirement, an attachment may be provided to specify reduced relative field values along multiple azimuths for the authorized composite pattern (as authorized for the previous license) so as to bring the measured and authorized directional patterns into compliance with the 85% RMS requirement. See 47 CFR Section 73.316(c)(9).

_____ iv) A description from the manufacturer as to the procedures used to measure the directional antenna pattern. The antenna measurements must be performed with the antenna mounted on a tower or tower section, or through use of a scale model, equivalent to that on which the antenna will be permanently mounted, and the tower or tower section must include transmission lines, ladders, conduits, other antennas, and any other installations which may affect the measured directional pattern.

_____ v) A certification from a licensed surveyor that the antenna has been oriented to the proper azimuth must be provided.

_____ vi) A certification from a qualified engineer who oversaw installation of the directional antenna that the directional antenna was installed pursuant to the manufacturer's instructions must be provided.

_____ vii) The applicant must demonstrate compliance with the AM protection requirements of 47 CFR Section 73.1692 if the installation would occur on an AM antenna structure.

5. Deletion of Contour Protection Status Under 47 CFR § 73.215 for a Commercial FM Station.

See 47 CFR § 73.1690(c)(6). A permittee or licensee may apply to delete the contour protection station designation pursuant to 47 CFR Section 73.215 where a showing is provided to demonstrate that the FM station is fully spaced in accordance with the minimum separation requirements of 47 CFR Section 73.207. As specified in the *Report and Order* in MM Docket 96-58, this license application will be considered on a first come / first served basis with respect to any conflicting minor change or license application, and that a prior filed conflicting application, if granted, may necessitate the dismissal of the license application and the resumption of operations with the contour-protected facilities specified on the current station authorization. Deletion of the contour protection designation will only occur upon grant of the license application.

6. Change Licensing Status from Commercial FM to Noncommercial Educational FM, or vice versa.

See 47 CFR Section 73.1690(c)(9). A permittee or licensee proposing to change from commercial to noncommercial educational status *must attach completed Sections II and IV of FCC Form 340 to the license application*. Conversely, a permittee or licensee on Channels 221 to 300 proposing to change from noncommercial educational to commercial may do so in a license application without additional exhibits, provided that the channel is not specially reserved for noncommercial educational use in the Table of Allotments (47 CFR Section 73.202(b)). In either case, the change will become effective upon grant of the license application.

7. Formerly Licensed FM Main Facilities as Auxiliary Facilities, or Change in ERP of an Authorized FM Auxiliary Facility.

See 47 CFR Section 73.1675. The following information must be provided to obtain authorization to use a formerly licensed main facility as an auxiliary facility, or to change the ERP of an authorized FM auxiliary facility:

_____ i) The License Number of the formerly authorized main facility is _____
(the License No. starts with BLH- , BLED-, BMLH-, BMLED-)

_____ ii) An exhibit must be provided to demonstrate that the location of the auxiliary facility's 1 mV/m (60 dBu) contour lies within the licensed main facility's 1 mV/m (60 dBu) contour. The analysis should use a sufficient number of radials to accurately locate both the main and auxiliary contours. The location of the 1 mV/m (60 dBu) contour must be predicted using the standard contour prediction method in 47 CFR Section 73.313(b), (c), and (d).

_____ iii) The installed height of the antenna radiation center is not increased by more than two meters nor decreased by more than four meters from the authorized height for the antenna radiation center.

_____ iv) If the application proposes to increase the ERP of the auxiliary facility, the application must provide an analysis to demonstrate compliance with the Commission's radiofrequency radiation requirements.

_____ v) If the auxiliary facility requires the installation of a new antenna on an AM antenna tower, the license application must demonstrate compliance with 47 CFR Section 73.1692.

8. **Change in the Vertically Polarized ERP for FM Commercial Stations and Certain Noncommercial Educational FM Stations.** See 47 CFR Section 73.1690(c)(4). Those FM stations for which ALL OF THE FOLLOWING APPLY may increase or decrease the vertically polarized ERP in a modification of license application:

_____ i) If the station is a noncommercial educational FM station and the distance from the FM station to any Channel 6 television station exceeds the minimum distance separation specified in Table A of 47 CFR Section 73.525, an increase or decrease in the vertically polarized ERP may be made, not to exceed the authorized horizontally polarized ERP. [If the station is authorized for vertically polarized only operation, a construction permit is required before making the change.]

_____ ii) If the noncommercial educational station is *within* the minimum separations specified in Table A with respect to a Channel 6 television station, the station may file a license application procedure to reduce (but not increase) the vertical ERP from the authorized value, and may also decrease (but not increase) the horizontal ERP, provided that any presently authorized horizontal ERP is not eliminated entirely. An exhibit must be provided to demonstrate that the 60 dBu contour will continue to cover at least a portion of the community of license. The location of the contour must be predicted using the standard contour prediction method in 47 CFR Section 73.313(b), (c), and (d). Supplemental contour prediction methods may not be used to predict the location of the 70 dBu contour in a license application.

_____ iii) If the application proposes to increase the vertically polarized ERP of the presently authorized facility, the application must provide an analysis to demonstrate compliance with the Commission's radiofrequency radiation requirements.

_____ iv) the installed height of the antenna radiation center is not increased by more than two meters nor decreased by more than four meters from the authorized height for the antenna radiation center.

_____ v) If the new antenna is mounted on an AM antenna tower, the license application must demonstrate compliance with 47 CFR Section 73.1692.

Certifications for Supplement to FCC Form 302-FM

In addition to the certifications in Section I, FCC Form 302-FM, I certify that the statements and exhibits in this supplement to the application are true, complete, and correct to the best of my knowledge and belief and are made in good faith.

I understand that, pursuant to 47 CFR Section 73.1620, the Commission may require a reduction in the station's operating power or other changes, or the cessation of program test operations, or the filing of a construction permit application (with appropriate filing fee) for failure to comply with the terms of the construction permit or previous license, Commission rule, or to eliminate interference.

Printed Name of Preparer

Signature

 Printed Name of Applicant
 (see instructions to Item 6, Section I, Form 302-FM)

 Signature

 Title

 Date

*** END TO FCC FORM 302-FM SUPPLEMENT ***

Chan	Int.	Freq	Call	City	St	Status	File	Latitude	Longitude	Border	73.215	Old ERP	HAAT	New ERP
221C2		92.1	KQEZ	HOUSTON	AK	CP MOD	BMPH960122ID	61-20-10.0	149-30-47.0		No	10.000	247.	19.000
221C3		92.1	KSBSFM	PAGO PAGO	AS	LIC	BLH920828KH	-14-17-41.0	170-39-44.0		No	15.000	-28.	25.000
221A		92.1	KSGC	TUSAYAN	AZ	LIC	BLH910718KE	35-58-14.0	112-07-53.0		No	1.600	102.	5.800
221A		92.1	WNFK	PERRY	FL	LIC	BLH961024KB	30-06-27.0	83-34- 0.0		No	1.600	60.	6.000
221A		92.1	WDDQ	ADEL	GA	LIC	BLH791009AG	31-08-15.0	83-23-41.0		No	3.000	91.	6.000
221A		92.1	KCHEFM	CHEROKEE	IA	LIC	BMLH870710KA	42-47-21.0	95-33- 6.0		No	3.000	64.	6.000
221A	B	92.1	KATKFM	CARLSBAD	NM	LIC	BLH840727CS	32-27- 2.0	104-12-47.0	Mex	No	3.000	58.	6.000
221A	B1	92.1	WNRR	BELLEVUE	OH	LIC	BLH831026AB	41-16-30.0	82-50- 0.0	Can	No	3.000	49.	6.000
221A	B1	92.1	WNRR	BELLEVUE	OH	CP	BPH960216IE	41-16-26.0	82-50-25.0	Can	No	3.700	33.	6.000
221A		92.1	KWVRFM	ENTERPRISE	OR	LIC	BLH870427KE	45-19- 1.0	117-13-14.0		No	3.000	-191.	6.000
221A		92.1	KSXD	REEDSPORT	OR	LIC	BLH900316KA	43-43-21.0	124-05-40.0		No	2.800	102.	5.800
221A		92.1	WEGM	HORMIGUEROS	PR	LIC	BLH930104KC	18-19- 6.0	67-10-42.0		No	2.000	337.	2.950
221A	B1	92.1	KCRK	COLVILLE	WA	LIC	BLH820302AD	48-31-15.0	117-54-28.0	Can	No	3.000	-241.	6.000
222C1		92.3	KREDFM	EUREKA	CA	LIC	BLH910531KB	40-43-37.0	123-58-25.0		No	25.000	469.	31.000
222C3		92.3	KVRHFM	SALIDA	CO	LIC	BLH940517KA	38-30-26.0	106-01-22.0		No	13.500	-200.	25.000
222C		92.3	KIZN	BOISE	ID	LIC	BLH6178	43-45-19.0	116-05-52.0		No	44.000	762.	56.000
222C	C	92.3	KQRK	RONAN	MT	LIC	BLH811103AN	47-46-25.0	114-16- 4.0	Can	No	60.000	707.	68.000
222C2	B	92.3	KITE	KERRVILLE	TX	LIC	BLH940603KD	30-07- 4.0	99-11-40.0	Mex	No	44.000	123.	50.000
223C1		92.5	KCRTFM	TRINIDAD	CO	CP MOD	BMPH930621IL	36-59-33.0	104-28-24.0		No	15.000	311.	91.000
223A		92.5	KVPIFM	VILLE PLATTE	LA	LIC	BMLH920420KF	30-41-39.0	92-18-46.0		No	3.900	67.	6.000
223C2	B	92.5	WIRN	BUHL	MN	LIC	BLE961224KB	47-29-46.0	92-47- 5.0	Can	No	26.000	170.	38.000
223C1		92.5	KAAR	BUTTE	MT	LIC	BLH950106KC	46-00-29.0	112-26-30.0		No	4.500	550.	19.000
223C		92.5	KLADFM	KLAMATH FALLS	OR	LIC	BLH891205KA	42-05-50.0	121-37-59.0		No	63.000	653.	82.000
223C		92.5	KZPS	DALLAS	TX	LIC	BLH801126AA	32-35-22.0	96-58-10.0		No	98.000	485.	100.000
223C		92.5	KSSD	CEDAR CITY	UT	LIC	BLH7203	37-38-41.0	113-22-28.0		No	41.000	515.	100.000
224A		92.7	WULAFM	EUFAULA	AL	LIC	BLH5174	31-52-38.0	85-09-30.0		No	3.000	24.	6.000
224A		92.7	WULAFM	EUFAULA	AL	CP	BPH900509JF	31-54-30.0	85-09-51.0		No	3.000	100.	6.000
224C2		92.7	WULAFM	EUFAULA	AL	CP	BPH960726ID	31-54-30.0	85-09-51.0		No	26.000	91.	50.000

Chan	Int.	Freq	Call	City	St	Status	File	Latitude	Longitude	Border	73.215	Old ERP	HAAT	New ERP
224C2	B	92.7	KJJJ	LAKE HAVASU	CITAZ	LIC	BLH940601KA	34-33- 6.0	114-11-37.0	Mex	No	0.720	814.	1.050
224A		92.7	KAOE	HILO		HI CP MOD	BMPH970211ID	19-41-48.0	155-03- 5.0		No	2.200	-48.	6.000
224C3		92.7	KLGA FM	ALGONA		IA LIC	BLH951019KB	43-04- 5.0	94-12- 8.0		No	3.500	137.	13.500
224A		92.7	KSRAF M	SALMON		ID LIC	BLH840305AA	45-11- 2.0	113-52-12.0		No	1.500	-268.	6.000
224A		92.7	WLSR	GALESBURG		IL LIC	BMLH940708KY	40-57-43.0	90-18-30.0		No	3.800	113.	4.700
224A	B1	92.7	KVCKFM	WOLF POINT		MT LIC	BLH810901AH	48-11- 9.0	105-40- 8.0	Can	No	0.860	155.	2.550
224A		92.7	KBRBF M	AINSWORTH		NE LIC	BMLH901231KD	42-33-16.0	99-49-52.0		No	4.500	101.	5.900
224A		92.7	KAIU	GRANTS		NM LIC	BLH961213KC	35-07- 9.0	107-54- 8.0		No	1.700	70.	6.000
224A	B	92.7	KPSAF M	LA LUZ		NM LIC	BLH870210KC	32-58-13.0	105-59-21.0	Mex	No	3.000	-66.	6.000
224A		92.7	KQAYFM	TUCUMCARI		NM LIC	BLH3923	35-10-15.0	103-42-25.0		No	3.000	20.	6.000
224A		92.7	KHWK	TONOPAH		NV LIC	BLH820813AG	38-04-22.0	117-13-16.0		No	0.290	296.	0.680
224C3		92.7	KWNAFM	WINNEMUCCA		NV LIC	BLH940624KB	41-00-40.0	117-45-59.0		No	0.140	645.	0.470
224A	B1	92.7	WXUR	HERKIMER		NY LIC	BLH790418AA	43-03-50.0	75-01-44.0	Can	No	3.000	91.	6.000
224A		92.7	KIQZ	RAWLINS		WY LIC	BLH811119AI	41-46-16.0	107-14-15.0		No	3.000	91.	6.000
225C2		92.9	KFAT	ANCHORAGE		AK CP MOD	BMPH951018IE	61-20-10.0	149-30-47.0		No	10.000	249.	18.500
225C3		92.9	KIDAF M	IDA GROVE		IA LIC	BLH900821KB	42-15-16.0	95-23-29.0		No	16.000	90.	25.000
225A		92.9	WKLO	VEEDERSBURG		IN CP MOD	BMPH970606IA	40-09-22.0	87-13-35.0		No	1.000	33.	6.000
225C3		92.9	KTKC	SPRINGHILL		LA CP	BPH960725IC	33-00-28.0	93-28-43.0		No	6.100	53.	25.000
225C1	C	92.9	WSCDFM	DULUTH		MN LIC	BLED871109KA	46-47-20.0	92-07- 4.0	Can	No	70.000	185.	100.000
225C2	B	92.9	KSCQ	SILVER CITY		NM LIC	BLH950327KE	32-50-40.0	108-14-18.0	Mex	No	3.900	312.	11.500
225C1	C1	92.9	KASTFM	ASTORIA		OR LIC	BLH810526AL	46-10-54.0	123-48-19.0	Can	No	99.000	165.	100.000
225C1	C1	92.9	KASTFM	ASTORIA		OR CP	BPH960524IA	46-10-54.0	123-48-19.0	Can	No	51.000	178.	100.000
226C		93.1	KXGO	ARCATA		CA LIC	BLH930930KG	40-43-36.0	123-58-19.0		No	50.000	500.	100.000
226A		93.1	NEW	CHARLOTTE	AMALIVI	CP	BPED950802MC	18-21-26.0	64-56-50.0		No	0.300	439.	1.650
227C2		93.3	KXAZ	PAGE		AZ LIC	BLH970228KD	37-00-42.0	111-40-48.0		No	12.500	281.	14.500
227C	C	93.3	KGGL	MISSOULA		MT LIC	BLH950426KA	47-01-57.0	113-59-31.0	Can	No	43.000	777.	54.000
227C1	C1	93.3	KSJZ	JAMESTOWN		ND LIC	BLH881201KA	46-49- 3.0	98-42-34.0	Can	No	57.000	78.	100.000
228A		93.5	KBKG	CORNING		AR LIC	BLH831115AA	36-24- 0.0	90-35- 5.0		No	3.000	42.	6.000

20360

Chan	Int.	Freq	Call	City	St	Status	File	Latitude	Longitude	Border	73.215	Old ERP	HAAT	New ERP
228A		93.5	KNAC	EARLIMART	CA	CP	BPH880826MB	35-57-30.0	119-15- 0.0	No		3.000	100.	6.000
228A		93.5	KALQFM	ALAMOSA	CO	LIC	BLH4443	37-28-20.0	105-51-13.0	No		2.800	40.	6.000
228A		93.5	KWME	WELLINGTON	KS	LIC	BLH790709AG	37-14-28.0	97-24- 4.0	No		3.000	50.	6.000
228A		93.5	WAINFM	COLUMBIA	KY	LIC	BMLH900117KC	37-06-36.0	85-16-42.0	No		4.600	55.	6.000
228A	B1	93.5	KLAN	GLASGOW	MT	LIC	BLH831026AG	48-05-42.0	106-37- 8.0	Can	No	3.000	91.	6.000
228A	B	93.5	KAHO	JUNCTION	TX	CP MOD	BMPH970221IC	30-28-45.0	99-45-12.0	Mex	No	2.400	97.	6.000
229A	B1	93.7	WNBYFM	NEWBERRY	MI	LIC	BLH911101KF	46-18-48.0	85-30-38.0	Can	No	3.500	80.	6.000
229C	C	93.7	KDRKFM	SPOKANE	WA	LIC	BLH7372	47-34-13.0	117-05- 0.0	Can	No	56.000	725.	64.000
230C2		93.9	KUAMFM	AGANA	GU	LIC	BLH920316KB	13-25-53.0	-144-42-36.0	No		5.200	289.	13.500
230A		93.9	WSIB	SELMER	TN	LIC	BLH900628KA	35-11-27.0	88-35-21.0	No		3.000	100.	6.000
230C1	C1	93.9	WDORFM	STURGEON BAY	WI	LIC	BLH801224AK	44-54-23.0	87-22-15.0	Can	No	77.000	198.	100.000
230C1		93.9	KTAK	RIVERTON	WY	LIC	BLH811221AS	42-43-10.0	108-08-45.0	No		50.000	290.	100.000
231C1	C	94.1	KXKQ	SAFFORD	AZ	CP	BPH960909IB	32-39- 1.0	109-50-53.0	Mex	No	1.000	1307.	3.100
231C		94.1	KBXL	CALDWELL	ID	LIC	BLH821122AA	43-45-14.0	116-06- 8.0	No		40.000	783.	53.000
231C2		94.1	KDNS	DOWNS	KS	LIC	BLH940428KS	39-30-29.0	98-18-57.0	No		28.000	89.	50.000
231C		94.1	KOPR	BUTTE	MT	LIC	BLH880902KA	46-00-23.0	112-26-28.0	No		60.000	566.	100.000
231C3		94.1	KTBRFM	MYRTLE POINT	OR	CP MOD	BMPH960212IC	42-57-32.0	124-16-23.0	No		1.000	444.	1.150
231A	B1	94.1	NEW	TILLAMOOK	OR	CP	BPH960710MB	45-27-27.0	123-55- 0.0	Can	No	0.950	227.	1.150
231C1		94.1	WIAL	EAU CLAIRE	WI	LIC	BLH810519AE	44-49-48.0	91-26-48.0	No		84.000	107.	100.000
232A	B	94.3	KBUX	QUARTZSITE	AZ	LIC	BLH880919KC	33-40-58.0	114-13-59.0	Mex	No	0.205	-49.	6.000
232C3		94.3	KCREFM	CRESCENT CITY	CA	CP	BPH950731IA	41-45-34.0	124-09-49.0	No		8.600	-93.	25.000
232A		94.3	KDLX	MAKAWAO	HI	LIC	BLH810105AK	20-50-48.0	156-19-35.0	No		3.000	-17.	6.000
232A	B	94.3	KDEM	DEMING	NM	LIC	BLH7744	32-15- 5.0	107-45-28.0	Mex	No	3.000	59.	6.000
232C2	B	94.3	KRVL	KERRVILLE	TX	LIC	BLH920513KB	30-15- 8.0	99-08- 1.0	Mex	No	33.000	122.	50.000
232A	B1	94.3	KKEE	LONG BEACH	WA	LIC	BLH880401KC	46-18-51.0	124-03- 7.0	Can	No	3.000	71.	6.000
233A		94.5	KCFS	SIOUX FALLS	SD	LIC	BMLED930216KB	43-31-57.0	96-44-20.0	No		0.150	58.	6.000
233C1		94.5	KVFM	LOGAN	UT	LIC	BLH850624LM	41-53-50.0	111-57-39.0	No		15.500	350.	69.000
233C		94.5	KVFM	LOGAN	UT	CP	BPH950808ID	41-53-50.0	111-57-39.0	No		70.000	350.	100.000

20361

Chan	Int.	Freq	Call	City	St	Status	File	Latitude	Longitude	Border	73.215	Old ERP	HAAT	New ERP
233B1		94.5	WBESFM	DUNBAR	WV	LIC	BLH930914KC	38-25-11.0	81-43-24.0	No		8.500	160.	9.600
233C		94.5	KMGW	CASPER	WY	LIC	BLH790130AD	42-44- 3.0	106-20- 0.0	No		65.000	582.	100.000
234A		94.7	KAJP	FIREBAUGH	CA	CP	BPED881017MD	36-47-30.0	120-30- 0.0	No		3.000	100.	6.000
234C1		94.7	KALG	CHADRON	NE	CP	BPH930414MD	42-38- 2.0	103-05-58.0	No		50.000	151.	100.000
235C1		94.9	KBREFM	CEDAR CITY	UT	LIC	BLH890717KF	37-45-51.0	113-06-15.0	No		55.000	-37.	100.000
235C1		94.9	KZWY	SHERIDAN	WY	LIC	BLH7328	44-47-54.0	106-55-51.0	No		58.000	13.	100.000
236C3		95.1	KSVA	CORRALES	NM	LIC	BLED950530KB	35-04- 6.0	106-46-46.0	No		13.000	115.	19.000
237A		95.3	WSRM	COOSA	GA	CP	BPH900226MD	34-11-41.0	85-20-55.0	No		3.000	100.	6.000
237C3	B1	95.3	KLERFM	OROFINO	ID	LIC	BLH960726KB	46-28- 9.0	116-16-40.0	Can	No	2.300	206.	5.900
237A		95.3	KECFM	SUN VALLEY	ID	LIC	BMLH900220KA	43-39-42.0	114-24- 7.0	No		0.100	661.	0.120
237C1		95.3	KECFM	SUN VALLEY	ID	CP	BPH960719IB	43-39-42.0	114-24- 7.0	No		5.900	656.	12.500
237A		95.3	WRXX	CENTRALIA	IL	LIC	BLH6603	38-34-44.0	89-06-46.0	No		3.000	66.	6.000
237A		95.3	KKANFM	PHILLIPSBURG	KS	LIC	BLH840612CK	39-47-32.0	99-19-55.0	No		3.000	45.	6.000
237A	B1	95.3	WALZ	MACHIAS	ME	LIC	BLH781113AG	44-44- 8.0	67-30-11.0	Can	No	3.000	67.	6.000
237C1		95.3	KRJC	ELKO	NV	LIC	BLH950221KA	40-54-35.0	115-49- 5.0	No		25.000	236.	100.000
237C1		95.3	KLCR	LAKEVIEW	OR	CP	BPH960619MF	41-50- 3.0	120-21- 3.0	No		51.000	155.	100.000
237A	B	95.3	KNELFM	BRADY	TX	LIC	BLH790806AP	31-07-27.0	99-21-34.0	Mex	No	3.000	91.	6.000
237A		95.3	WFTRFM	FRONT ROYAL	VA	LIC	BMLH900507KE	38-58-29.0	78-12- 9.0	No		4.000	91.	6.000
237C2	B	95.3	KXLEFM	ELLENSBURG	WA	LIC	BLH930622KA	46-53-16.0	120-26-31.0	Can	No	1.900	410.	6.100
237C2	B	95.3	KXLEFM	ELLENSBURG	WA	CP	BPH970724IE	47-09- 7.0	120-47-23.0	Can	No	40.000	65.	50.000
238C2		95.5	KSTO	AGANA	GU	LIC	BLH881108KB	13-29-17.0	-144-49-53.0	No		25.000	163.	42.000
238A		95.5	KHAM	ST. ANSGAR	IA	CP	BPH961113MC	43-23-11.0	92-55- 8.0	No		1.000	8.	6.000
238C		95.5	KMBR	BUTTE	MT	LIC	BLH800128AE	46-00-29.0	112-26-30.0	No		50.000	555.	100.000
238C1		95.5	KSDZ	GORDON	NE	LIC	BLH951013KC	42-47-56.0	102-15-40.0	No		60.000	95.	100.000
238C		95.5	KNEV	RENO	NV	LIC	BLH921029KA	39-15-34.0	119-42-16.0	No		60.000	695.	71.000
239C1		95.7	KEZJFM	TWIN FALLS	ID	LIC	BLH7336	42-43-45.0	114-24-55.0	No		50.000	189.	100.000
239C1	C1	95.7	KCGM	SCOBAY	MT	LIC	BLH5142	48-48- 3.0	105-21- 0.0	Can	No	52.000	201.	100.000
239C1		95.7	KBOYFM	MEDFORD	OR	LIC	BLH900810KB	42-27-11.0	123-03-21.0	No		60.000	299.	100.000

20362

Chan	Int.	Freq	Call	City	St	Status	File	Latitude	Longitude	Border	73.215	Old ERP	HAAT	New ERP
240A		95.9	KNLF	QUINCY	CA	CP MOD	BMPH950821IA	39-56-15.0	120-56-44.0		No	1.000	-339.	6.000
240C2		95.9	KPVS	HILO	HI	LIC	BLH950530KA	19-43- 0.0	155-08-13.0		No	27.000	-110.	50.000
240A		95.9	KCHA FM	CHARLES CITY	IA	LIC	BLH830628AJ	43-03- 5.0	92-40- 0.0		No	3.000	91.	6.000
240C3		95.9	KILRFM	ESTHERVILLE	IA	CP	BPH950509IC	43-25-45.0	94-49-23.0		No	10.000	99.	25.000
240A		95.9	KCAY	RUSSELL	KS	LIC	BLH850220KO	38-54-22.0	98-51-39.0		No	1.350	148.	2.800
240C2	B	95.9	KKMT	COLUMBIA FALLS	MT	CP MOD	BMPH970514IF	48-10-34.0	114-20-53.0	Can	No	30.000	125.	50.000
240A	B1	95.9	KLCM	LEWISTOWN	MT	LIC	BLH6651	47-04-13.0	109-24-26.0	Can	No	3.000	-70.	6.000
240A		95.9	KRSR	SANTA ROSA	NM	CP	BPH961112MG	34-56-47.0	104-39-10.0		No	1.500	36.	6.000
240A		95.9	KYBE	FREDERICK	OK	LIC	BLH820712AJ	34-23-30.0	99-01-51.0		No	3.000	67.	6.000
240A		95.9	WVBI	BLOCK ISLAND	RI	LIC	BLH940617KE	41-10-21.0	71-33-52.0		No	3.000	53.	6.000
240A		95.9	KXITFM	DALHART	TX	LIC	BMLH911212KB	36-05-45.0	102-30-38.0		No	3.000	52.	6.000
240A		95.9	KEYEFM	PERRYTON	TX	LIC	BLH790118AA	36-21-54.0	100-46-46.0		No	3.000	91.	6.000
240A		95.9	WGRQ	COLONIAL BEACH	VA	LIC	BLH900314KE	38-13-45.0	77-07-10.0		No	2.000	160.	2.400
240A		95.9	WTBZFM	GRAFTON	WV	LIC	BLH880405KQ	39-21-16.0	80-01-27.0		No	3.000	91.	6.000
241A		96.1	KNOMFM	NOME	AK	LIC	BLED930526KA	64-29-56.0	165-23-56.0		No	0.088	-42.	6.000
241C	C	96.1	WQHRFM	PRESQUE ISLE	ME	LIC	BLH791113AJ	46-32-55.0	67-48-35.0	Can	No	95.000	399.	100.000
241C1		96.1	KINI	CROOKSTON	NE	LIC	BLH7646	43-07-50.0	100-54- 2.0		No	57.000	152.	100.000
241A		96.1	KICXFM	MCCOOK	NE	LIC	BLH901130KC	40-10-19.0	100-41- 5.0		No	3.100	115.	4.500
241C	C	96.1	KNFR	OPPORTUNITY	WA	LIC	BLH7638	47-34-11.0	117-05- 0.0	Can	No	56.000	725.	64.000
242C		96.3	KFMI	EUREKA	CA	LIC	BLH5918	40-43-36.0	123-58-18.0		No	30.000	482.	100.000
242C		96.3	KRTRFM	KAILUA	HI	CP	BPH940330IZ	21-19-49.0	157-45-24.0		No	75.000	645.	85.000
242A	B	96.3	KRCW	ROYAL CITY	WA	CP	BPED941031IG	46-48-25.0	119-33-12.0	Can	No	0.130	505.	0.220
242A		96.3	WOTR	LOST CREEK	WV	LIC	BLH911218KD	39-08-43.0	80-19-40.0		No	3.000	92.	6.000
243C3		96.5	KKISFM	SOLDOTNA	AK	LIC	BLH940329KA	60-31-26.0	151-03-23.0		No	10.000	79.	25.000
243C		96.5	KFLSFM	TULELAKE	CA	LIC	BLH951103KF	42-05-50.0	121-37-59.0		No	20.000	657.	81.000
243C1	C1	96.5	KOZEFM	LEWISTON	ID	LIC	BLH901128KC	46-27-48.0	117-00- 1.0	Can	No	25.000	226.	100.000
243C1	C1	96.5	KDZN	GLENDIVE	MT	LIC	BLH830330AA	47-05-15.0	104-48- 4.0	Can	No	90.000	149.	100.000
243C1		96.5	WFLB	LAURINBURG	NC	LIC	BLH861020KI	34-29-34.0	79-12-50.0		No	80.000	230.	100.000

Chan	Int.	Freq	Call	City	St	Status	File	Latitude	Longitude	Border	73.215	Old ERP	HAAT	New ERP
243C		96.5	KQSW	ROCK SPRINGS	WY	LIC	BLH7250	41-25-54.0	109-07- 1.0	No		96.000	494.	100.000
244A		96.7	KDYNFM	OZARK	AR	LIC	BLH801021AC	35-29-10.0	93-53-29.0	No		1.600	122.	4.100
244C1		96.7	KKEX	PRESTON	ID	CP	BPH940203ID	41-52-18.0	111-48-31.0	No		55.000	66.	100.000
244C3		96.7	KWCLFM	OAK GROVE	LA	LIC	BLH951018KD	32-51-32.0	91-21-22.0	No		6.900	100.	25.000
244C2 B		96.7	WMLQ	ROGERS CITY	MI	LIC	BLH900510KD	45-21- 1.0	83-47- 0.0	Can	No	26.000	117.	50.000
244A		96.7	WFFFFM	COLUMBIA	MS	LIC	BLH820405AP	31-15-44.0	89-50-41.0	No		3.000	91.	6.000
244C2		96.7	KSCY	BELGRADE	MT	LIC	BLH960826KF	45-40-24.0	110-52- 2.0	Yes		8.600	228.	22.000
244A		96.7	WKJX	ELIZABETH CITY	NC	LIC	BLH840829CS	36-18-26.0	76-16- 3.0	No		3.000	86.	6.000
244C2		96.7	KZMXFM	HOT SPRINGS	SD	CP MOD	BMPH960823ID	43-26-34.0	103-27-27.0	No		38.000	138.	50.000
244A B		96.7	KXOXFM	SWEETWATER	TX	LIC	BLH810313AL	32-29-16.0	100-23-31.0	Mex	No	2.900	47.	6.000
245A		96.9	KBCRFM	STEAMBOAT SPRINCO	LIC		BMLH940701KA	40-27-43.0	106-51- 2.0	No		0.870	155.	2.550
245C2		96.9	KBCRFM	STEAMBOAT SPRINCO	CP		BPH960625IH	40-27-43.0	106-50-57.0	No		10.000	203.	27.500
245C		96.9	KKGL	NAMPA	ID	LIC	BLH7318	43-45-19.0	116-05-52.0	No		44.000	768.	55.000
245C		96.9	KROG	GRANTS PASS	OR	LIC	BLH860403KB	42-22-56.0	123-16-29.0	No		25.000	679.	75.000
245A B1		96.9	WMKB	RIDGEBURY	PA	LIC	BLH890728KC	41-55-43.0	76-46-58.0	Can	No	1.550	131.	3.600
245C1		96.9	KMTN	JACKSON	WY	LIC	BLH850617KC	43-27-42.0	110-45-10.0	No		50.000	323.	84.000
246C2		97.1	KAMDFM	CAMDEN	AR	LIC	BLH4437	33-35-13.0	92-49-42.0	No		39.000	56.	50.000
246C2		97.1	KNWB	HILO	HI	LIC	BLH850814KV	19-45-33.0	155-08-33.0	No		40.000	-38.	50.000
246C2		97.1	KNWB	HILO	HI	CP	BPH961113IE	19-47- 2.0	155-05-25.0	No		38.000	-251.	50.000
246B B		97.1	WWBX	BANGOR	ME	LIC	BMLH850105KX	44-42-13.0	69-04-47.0	Can	No	5.000	375.	7.500
246C2		97.1	KKBR	BILLINGS	MT	LIC	BLH941101KA	45-45-59.0	108-27-19.0	No		28.000	122.	50.000
246C C		97.1	KALS	KALISPELL	MT	LIC	BLH811016AF	48-00-48.0	114-21-55.0	Can	No	26.500	758.	57.000
246A B		97.1	KBALEFM	SAN SABA	TX	LIC	BLH961220KA	31-11-26.0	98-42-55.0	Mex	No	3.000	6.	6.000
246C		97.1	KXRX	WALLA WALLA	WA	LIC	BLH7497	45-59- 4.0	118-10- 8.0	No		50.000	408.	100.000
247C1		97.3	KWEYFM	WEATHERFORD	OK	LIC	BLH7488	35-33- 2.0	98-43-59.0	No		69.000	122.	100.000
247C1		97.3	KSHRFM	COQUILLE	OR	LIC	BLH830804AD	43-14-51.0	124-06-46.0	No		25.000	261.	100.000
247C1		97.3	KMXC	SIOUX FALLS	SD	LIC	BLH780815AE	43-35-48.0	96-38-20.0	No		60.000	67.	100.000
247A		97.3	KMLD	CASPER	WY	CP	BPH950103MB	42-44-37.0	106-18-26.0	No		0.090	551.	0.180

Chan	Int.	Freq	Call	City	St	Status	File	Latitude	Longitude	Border	73.215	Old ERP	HAAT	New ERP
248A		97.5	WUFFFM	EASTMAN	GA	LIC	BMLH930527KD	32-13-35.0	83-13-10.0	No		2.000	113.	4.700
248C1		97.5	KPOIFM	HONOLULU	HI	LIC	BLH820713AC	21-17-37.0	157-50-32.0	No		80.000	14.	100.000
248E1		97.5	WBBAFM	PITTSFIELD	IL	LIC	BLH890821KE	39-34-53.0	90-47-52.0	No		10.000	93.	25.000
248C1		97.5	KNLR	BEND	OR	LIC	BLH850114LW	44-04-38.0	121-19-49.0	No		97.000	163.	100.000
248C1		97.5	KDLY	LANDER	WY	LIC	BLH800226AA	42-49-20.0	108-45-48.0	No		62.000	-128.	100.000
249A		97.7	KHBT	HUMBOLDT	IA	LIC	BMLH950202KB	42-43-57.0	94-12-23.0	No		5.800	84.	6.000
249A		97.7	WSTQ	STREATOR	IL	LIC	BLH880520KA	41-10-49.0	88-52- 6.0	No		3.000	100.	6.000
249A	B1	97.7	WMRXFM	BEAVERTON	MI	LIC	BLH880816LB	43-53-16.0	84-31-45.0	Can	No	2.000	122.	4.100
249C1		97.7	KLGRFM	REDWOOD FALLS	MN	CP	BPH970320IE	44-32-35.0	95-07-57.0	No		60.000	88.	100.000
249C1		97.7	KMTY	HOLDREGE	NE	CP	BPH951027ID	40-26-26.0	99-23-58.0	No		55.000	80.	100.000
249A	B1	97.7	WILEFM	BYESVILLE	OH	LIC	BLH941027KB	40-02-24.0	81-38-50.0	Can	No	1.800	126.	3.800
249C2		97.7	KACIFM	THE DALLES	OR	LIC	BLH900424KI	45-38-56.0	121-16-20.0	No		4.200	272.	15.500
249C1		97.7	KNBZ	REDFIELD	SD	CP	BPH961114ME	44-54-30.0	98-19-40.0	No		62.000	58.	100.000
249A		97.7	KEASFM	EASTLAND	TX	LIC	BLH870130KB	32-23-47.0	98-46-26.0	No		3.000	62.	6.000
250C1		97.9	KAXB	TUBA CITY	AZ	CP	BPH961010MB	36-21-16.0	111-12-27.0	No		30.000	327.	81.000
250C		97.9	KQFC	BOISE	ID	LIC	BLH7484	43-45-12.0	116-06- 8.0	No		47.000	762.	56.000
250C1	C1	97.9	WEVEFM	EVELETH	MN	LIC	BLH850913KI	47-35-53.0	92-13-26.0	Can	No	71.000	161.	100.000
250C2		97.9	WBAQ	GREENVILLE	MS	LIC	BLH910307KC	33-23-50.0	91-00-33.0	No		24.500	151.	49.000
251C1		98.1	KLEF	ANCHORAGE	AK	LIC	BLH880829LA	61-11-17.0	149-52-57.0	No		25.000	9.	100.000
251C2		98.1	KWLF	FAIRBANKS	AK	LIC	BLH930430KC	64-52-38.0	147-48-46.0	No		28.000	-2.	50.000
251A		98.1	WJATFM	SWAINSBORO	GA	LIC	BMLH890228KD	32-35- 8.0	82-21-42.0	No		3.000	87.	6.000
251A	B1	98.1	WEUL	KINGSFORD	MI	LIC	BLH900214KA	45-49-58.0	88-04-57.0	Can	No	0.240	147.	2.850
251A	B1	98.1	KCYS	SEASIDE	OR	CP	BPH951108ME	45-57-13.0	123-56-17.0	Can	Yes	0.600	53.	6.000
252A		98.3	WAWV	SYLACAUGA	AL	LIC	BLH951016KC	33-12-23.0	86-13-54.0	No		5.000	69.	6.000
252C2	B	98.3	KKLD	PRESCOTT VALLEY	AZ	LIC	BLH960125KD	34-41-11.0	112-06-58.0	Mex	No	0.880	776.	1.200
252A		98.3	KXBXFM	LAKEPORT	CA	LIC	BLH850219KW	39-02-54.0	122-45-59.0	No		3.000	91.	6.000
252A		98.3	WKKN	CORDELE	GA	LIC	BLH4334	31-57-26.0	83-46- 8.0	No		3.000	91.	6.000
252C2	B	98.3	WHCH	MUNISING	MI	LIC	BLH920313KB	46-24-53.0	86-40-27.0	Can	No	32.000	109.	50.000

20365

Chan	Int.	Freq	Call	City	St	Status	File	Latitude	Longitude	Border	73.215	Old ERP	HAAT	New ERP
252A		98.3	WSSIFM	CARTHAGE	MS	LIC	BLH790619AC	32-43-13.0	89-32-48.0		No	3.000	91.	6.000
252A		98.3	KBBNFM	BROKEN BOW	NE	LIC	BMLH901018KC	41-23-49.0	99-37- 2.0		No	3.400	100.	6.000
252A	B	98.3	KPTX	PECOS	TX	LIC	BLH810722AB	31-26- 9.0	103-30-14.0	Mex	No	3.000	35.	6.000
252A		98.3	KRDFFM	SPEARMAN	TX	LIC	BLH7429	36-12-31.0	101-09-31.0		No	3.000	66.	6.000
252C2		98.3	KEYW	PASCO	WA	CP	BPH960308IA	46-06-15.0	119-07-51.0		No	3.000	370.	7.800
252C1	C1	98.3	WCQM	PARK FALLS	WI	LIC	BLH950125KC	45-55- 4.0	90-26-58.0	Can	No	57.000	71.	100.000
253B1		98.5	KSAY	FORT BRAGG	CA	LIC	BLH960507KB	39-28- 3.0	123-45-34.0		No	3.500	138.	13.500
253A		98.5	WDRR	SAN CARLOS	PARKFL	LIC	BLH951004KA	26-30-18.0	81-51-14.0		Yes	2.200	113.	4.700
253C1		98.5	KKLV	HONOLULU	HI	LIC	BLH930510KF	21-18-49.0	157-51-43.0		No	51.000	18.	100.000
253A		98.5	WAHI	AUGUSTA	IL	LIC	BLED950511KA	40-16- 3.0	90-57-10.0		No	1.000	47.	6.000
253A		98.5	NEW	WARSAW	MO	CP	BPH890725MF	38-20-30.0	93-21-55.0		No	3.000	87.	6.000
253C1		98.5	KIDX	BILLINGS	MT	LIC	BLH841024CP	45-45-51.0	108-27-18.0		No	85.000	113.	100.000
254C3		98.7	KLBQ	EL DORADO	AR	LIC	BLH940318KH	33-12-30.0	92-41-16.0		No	14.000	91.	25.000
254C		98.7	KRTZ	CORTEZ	CO	LIC	BLH831129AA	37-13-10.0	108-48-26.0		No	27.000	884.	39.000
254C1		98.7	KSIDFM	SIDNEY	NE	LIC	BLH830218AF	41-11- 3.0	103-11-37.0		No	62.000	113.	100.000
254C	C	98.7	KSNM	TRUTH OR CONSEQNM	LIC		BLH841105CY	32-58-15.0	107-13-26.0	Mex	No	37.000	806.	49.000
255C		98.9	KCMT	CHESTER	CA	LIC	BLH890427KB	40-14- 0.0	121-01-11.0		No	25.000	737.	61.000
255C		98.9	KCMT	CHESTER	CA	CP	BPH960709ID	40-14- 0.0	121-01-11.0		No	25.000	751.	58.000
255A		98.9	WQMT	CHATSWORTH	GA	LIC	BMLH881230KB	34-45-29.0	84-43-59.0		No	3.000	91.	6.000
255C1	C1	98.9	WKLZ	PETOSKEY	MI	LIC	BLH910919KC	45-28-40.0	84-57- 4.0	Can	No	52.000	244.	100.000
255C		98.9	KAXA	PIOCHE	NV	CP	BPH960112ME	37-53-44.0	114-34-41.0		No	5.000	1029.	29.000
255C	C	98.9	KWJZ	SEATTLE	WA	LIC	BLH970317KB	47-30-14.0	121-58-29.0	Can	No	58.000	714.	66.000
256C	C	99.1	KFMM	THATCHER	AZ	LIC	BLH811120AK	32-53-22.0	109-19-23.0	Mex	No	50.000	695.	71.000
256C3		99.1	KMTS	GLENWOOD SPRINGCO	LIC		BLH940823KR	39-31-58.0	107-20-30.0		No	6.200	-90.	25.000
256C3		99.1	KMTS	GLENWOOD SPRINGCO	CP		BPH940715IK	39-31-58.0	107-20-30.0		No	10.000	-90.	25.000
256C1	C1	99.1	WIKBFM	IRON RIVER	MI	LIC	BLH960429KE	46-06- 3.0	88-32-23.0	Can	No	60.000	150.	100.000
256C1	C1	99.1	KCAD	DICKINSON	ND	LIC	BLH961113KC	46-56- 9.0	102-43-55.0	Can	No	51.000	181.	100.000
256C1		99.1	KCLVFM	CLOVIS	NM	LIC	BLH820923AI	34-23-18.0	103-11- 7.0		No	74.000	70.	100.000

20366

Chan	Int.	Freq	Call	City	St	Status	File	Latitude	Longitude	Border	73.215	Old ERP	HAAT	New ERP
256A		99.1	KGVM	GARDNERVILLE-MINV	CP	MOD	BMPH921223IG	38-57-35.0	119-50-36.0		No	3.000	-249.	6.000
256A		99.1	KZNC	HURON	SD	LIC	BMLH950804KZ	44-20-46.0	98-12-34.0		No	3.000	56.	6.000
257C2		99.3	WMFCFM	MONROEVILLE	AL	LIC	BLH940613KJ	31-30-51.0	87-17-55.0		No	30.000	94.	50.000
257C2	B	99.3	KVEZ	PARKER	AZ	LIC	BLH970127KE	34-07-22.0	114-12-40.0	Mex	No	10.000	287.	14.000
257C1		99.3	KRGD	BURLINGTON	CO	CP	BPH961008MD	39-21-30.0	102-05-50.0		No	59.000	104.	100.000
257A		99.3	KPXC	INDIAN SPRINGS	NV	CP MOD	BMPH951006IA	36-33-48.0	115-40-25.0		No	0.100	-128.	6.000
257A	B1	99.3	WTNSFM	COSHOCTON	OH	LIC	BLH4024	40-16-30.0	81-49-37.0	Can	No	1.200	134.	3.400
257A		99.3	KQFM	HERMISTON	OR	LIC	BLH870721KA	45-51-57.0	119-18-45.0		No	3.000	91.	6.000
257A		99.3	WERIFM	BLOCK ISLAND	RI	LIC	BMLH910227KB	41-10-30.0	71-34-10.0		No	4.600	54.	6.000
257A	B1	99.3	KBSNFM	MOSES LAKE	WA	LIC	BLH801112AJ	47-05-54.0	119-17-47.0	Can	No	3.000	61.	6.000
257A		99.3	KKTYFM	DOUGLAS	WY	LIC	BLH840320AC	42-43-42.0	105-31-46.0		No	0.810	162.	2.350
258A		99.5	KHMB	HAMBURG	AR	LIC	BLH951025KC	33-19-40.0	91-46-53.0		No	3.000	100.	6.000
258C2	C1	99.5	WYSS	SAULT STE. MARIMI	LIC		BLH6856	46-23-48.0	84-23-52.0	Can	No	26.500	84.	50.000
258C1		99.5	KPKP	GARAPAN-Saipan	MP	LIC	BLH930217KB	15-11- 6.0	-145-44-30.0		No	6.500	455.	34.000
258C1	C1	99.5	KBLLFM	HELENA	MT	LIC	BLH841107KK	46-46-12.0	112-01-22.0	Can	No	30.000	241.	100.000
258A	B	99.5	KWFL	ROSWELL	NM	LIC	BLED950718KA	33-21-47.0	104-38-11.0	Mex	No	3.000	91.	6.000
258C1		99.5	KAGOFM	KLAMATH FALLS	OR	LIC	BLH930525KB	42-12-56.0	121-47-56.0		No	60.000	108.	100.000
258C3		99.5	KRBZ	REEDSPORT	OR	CP	BPH970305IC	43-40-40.0	124-06-36.0		No	11.000	122.	17.000
258B		99.5	WVIQ	CHRISTIANSTED	VI	LIC	BLH940601KC	17-44- 7.0	64-40-46.0		No	32.000	225.	50.000
258A	B1	99.5	KXAA	ROCK ISLAND	WA	LIC	BLH970616KD	47-22-52.0	120-17-15.0	Can	No	5.300	-25.	6.000
258A	B1	99.5	KXAA	ROCK ISLAND	WA	LIC	BMLH920626KA	47-22-52.0	120-17-15.0	Can	No	5.000	-51.	6.000
259C1		99.7	KMBQ	WASILLA	AK	LIC	BLH850813KX	61-38- 3.0	149-26-25.0		No	51.000	-48.	100.000
259C		99.7	WMCFM	MEMPHIS	TN	LIC	BMLH870507KC	35-10- 9.0	89-53-12.0		No	300.000	277.	100.000
260A	B1	99.9	KFMJ	KETCHIKAN	AK	CP	BPH950829MB	55-21-40.0	131-47-43.0	Can	No	0.040	681.	0.115
260C		99.9	KEKB	FRUITA	CO	LIC	BLH840604CP	39-03-56.0	108-44-52.0		No	79.000	422.	100.000
260C		99.9	KEKB	FRUITA	CO	CP	BPH951120IO	39-03-56.0	108-44-52.0		No	79.000	470.	100.000
260A		99.9	WSNTFM	SANDERSVILLE	GA	LIC	BMLH930802KC	32-58-23.0	82-48-34.0		No	3.000	56.	6.000
260C1		99.9	KAYI	PRINCEVILLE	HI	CP	BPH950117MG	22-13-30.0	159-24-13.0		No	51.000	-96.	100.000

20367

Chan	Int.	Freq	Call	City	St	Status	File	Latitude	Longitude	Border	73.215	Old ERP	HAAT	New ERP
260C		99.9	KZDX	BURLEY	ID	LIC	BLHB41214LN	42-20- 7.0	113-36-17.0	No		25.000	750.	58.000
260C1		99.9	KSKZ	LEOTI	KS	LIC	BLH930623KB	38-16-39.0	101-17-50.0	No		99.000	121.	100.000
260C		99.9	KGOR	OMAHA	NE	LIC	BMLH871005KE	41-18-25.0	96-01-37.0	No		115.000	375.	100.000
260C1		99.9	KWRL	LA GRANDE	OR	LIC	BLH970805KE	45-12-59.0	118-00- 0.0	No		60.000	155.	100.000
260A		99.9	KRRR	CHEYENNE	WY	CP	BPH930923ME	41-08-17.0	104-47-29.0	No		0.740	-7.	6.000
261C3		100.1	KYKD	BETHEL	AK	LIC	BLH960610KC	60-48-20.0	161-47-14.0	No		7.700	22.	25.000
261A		100.1	KMXT	KODIAK	AK	LIC	BLH7073	57-47-41.0	152-23-28.0	No		3.000	1.	6.000
261C3		100.1	KZRO	DUNSMUIR	CA	CP MOD	BMPED950118IC	41-17-20.0	122-14-25.0	No		12.500	65.	25.000
261A		100.1	WFXMFM	FORSYTH	GA	LIC	BLH6007	32-58-27.0	83-52- 2.0	No		3.000	91.	6.000
261A		100.1	WLOVFM	WASHINGTON	GA	LIC	BLH7093	33-43-50.0	82-43-10.0	No		2.400	98.	6.000
261A		100.1	KFIS	SODA SPRINGS	ID	LIC	BLH811229AK	42-38-30.0	111-36-40.0	No		3.000	-84.	6.000
261C3		100.1	KOLV	OLIVIA	MN	LIC	BLH950724KF	44-45-49.0	94-55-49.0	No		10.000	83.	25.000
261A	B1	100.1	KMMR	MALTA	MT	LIC	BMLH950110KD	48-15-17.0	107-49-18.0	Can	No	2.250	115.	4.500
261A	B1	100.1	KATQFM	PLENTYWOOD	MT	LIC	BLH7361	48-47- 6.0	104-32- 0.0	Can	No	3.000	10.	6.000
261A	B1	100.1	WXZQ	PIKETON	OH	CP	BPH950417MO	39-05-53.0	82-57-20.0	Can	No	3.000	100.	6.000
262A		100.3	KICYFM	NOME	AK	LIC	BLH7530	64-30- 4.0	165-24-39.0	No		0.084	12.	6.000
262C1		100.3	KJNPFM	NORTH POLE	AK	LIC	BMLED970213KA	64-52-44.0	148-03-10.0	No		25.000	479.	29.000
262B	B	100.3	KJMBFM	BLYTHE	CA	LIC	BLH861209KB	33-37-16.0	114-35-28.0	Mex	No	36.000	17.	50.000
262A		100.3	KSPY	QUINCY	CA	CP MOD	BMPH970205IB	39-56-14.0	120-56-51.0	No		0.900	-343.	6.000
262C2		100.3	KOKU	AGANA	GU	LIC	BLH850520KH	13-26-28.0	-144-42-40.0	No		5.000	259.	17.000
262C1		100.3	KHWI	HILO	HI	LIC	BLH881230KA	19-50-19.0	155-06-43.0	No		74.000	-157.	100.000
262A		100.3	KWMQ	SOUTHWEST CITY	MO	LIC	BLH891023KB	36-30-28.0	94-36-35.0	No		3.000	100.	6.000
262A		100.3	KPXH	GARAPAN-SAIPAN	MP	CP MOD	BMPH960227IF	15-12-28.0	-145-42-52.0	No		5.800	1.	6.000
262A	B1	100.3	WDHI	DELHI	NY	LIC	BLH920319KB	42-22-40.0	74-50-23.0	Can	No	0.770	196.	1.600
262C		100.3	KRBV	DALLAS	TX	LIC	BLH5136	32-35- 7.0	96-58- 6.0	No		89.000	390.	100.000
262C2		100.3	KOMX	PAMPA	TX	LIC	BLH810519AB	35-34-39.0	100-57- 8.0	No		32.000	88.	50.000
263C3		100.5	WOYS	APALACHICOLA	FL	CP	BPH940617IZ	29-43-57.0	84-53-24.0	No		10.000	110.	20.500
263C2		100.5	KDECFM	DECORAH	IA	LIC	BLH910809KC	43-19-28.0	91-47- 5.0	No		30.000	150.	50.000

Chan	Int.	Freq	Call	City	St	Status	File	Latitude	Longitude	Border	73.215	Old ERP	HAAT	New ERP
263C1		100.5	KRIC	REXBURG	ID	LIC	BLED840510DA	43-43-16.0	111-56-30.0		No	75.000	120.	100.000
263C1		100.5	KRIC	REXBURG	ID	CP	BPED960822ME	43-45-44.0	111-57-30.0		No	95.000	211.	100.000
263C1	C1	100.5	WSCN	CLOQUET	MN	LIC	BLED900717KA	46-47-21.0	92-06-51.0	Can	No	97.000	267.	100.000
264A		100.7	WLRR	MILLEDGEVILLE	GA	LIC	BMLH950804KF	33-06-50.0	83-13- 8.0		No	3.000	100.	6.000
264C1		100.7	WDMS	GREENVILLE	MS	LIC	BLH860418KB	33-25-20.0	91-01-41.0		No	52.000	137.	100.000
264A		100.7	KQEO	GRANTS	NM	LIC	BLH961213KB	35-07- 9.0	107-54- 8.0		No	1.700	59.	6.000
264C3		100.7	KLVFFM	LAS VEGAS	NM	LIC	BLH890626KA	35-35-48.0	105-12-21.0		No	10.000	-23.	25.000
265A	B1	100.9	KCDV	CORDOVA	AK	CP	BPH941031MD	60-32-20.0	145-45-35.0	Can	No	1.200	-127.	6.000
265A		100.9	KAKN	NAKNEK	AK	LIC	BLH870519KB	58-44-33.0	156-58-39.0		No	3.000	91.	6.000
265A	B1	100.9	KFSK	PETERSBURG	AK	LIC	BLED840615CR	56-48-55.0	132-57-12.0	Can	No	2.000	-147.	6.000
265A		100.9	KDELFM	ARKADELPHIA	AR	LIC	BLH7391	34-06-39.0	93-03- 1.0		No	3.000	29.	6.000
265A		100.9	WYGC	GAINESVILLE	FL	LIC	BLH820512AK	29-38- 2.0	82-18-50.0		No	3.000	91.	6.000
265A		100.9	WPGAFM	PERRY	GA	LIC	BLH840511DN	32-33-20.0	83-44-14.0		No	2.250	108.	5.100
265A		100.9	WHPO	HOOPESTON	IL	LIC	BLH790517AB	40-28-36.0	87-41-36.0		No	3.000	91.	6.000
265A		100.9	WKBB	WEST POINT	MS	LIC	BLH6161	33-36-30.0	88-39-15.0		No	3.000	53.	6.000
265A	B	100.9	KYRK	EUNICE	NM	LIC	BLH950405KB	32-28-10.0	103-09-36.0	Mex	No	3.000	90.	6.000
265A	B	100.9	KEPG	VICTORIA	TX	LIC	BLH890224KF	28-47-20.0	97-03- 0.0	Mex	No	2.900	93.	6.000
265A		100.9	KPRQ	PRICE	UT	LIC	BLH851216KB	39-32-42.0	110-48-56.0		No	3.000	34.	6.000
266C2	B	101.1	KAKQFM	FAIRBANKS	AK	LIC	BLH820525AI	64-54-53.0	147-38-54.0	Can	No	25.000	113.	50.000
266A		101.1	KRXX	KODIAK	AK	LIC	BLH931228KB	57-47- 3.0	152-23-57.0		No	3.100	7.	6.000
266C3	C	101.1	KRRK	LAKE HAVASU CITAZ	CP		BPH920812JC	34-39-28.0	114-20-42.0	Mex	No	6.000	161.	9.500
266C1		101.1	KMCLFM	MCCALL	ID	LIC	BLH901101KC	44-45-54.0	116-11-54.0		No	3.900	571.	17.500
266A		101.1	KEOJ	CANEY	KS	LIC	BLH920924KA	36-58-19.0	95-53-47.0		No	3.000	100.	6.000
266A		101.1	NEW	GARAPAN-Saipan	MP	CP	BPH950804ME	15-12-26.0	-145-42-57.0		No	3.200	-65.	6.000
266A		101.1	KPIN	PINEDALE	WY	CP	BPH950725MB	42-51-59.0	109-52- 8.0		No	0.210	-55.	6.000
267C2		101.3	KGOT	ANCHORAGE	AK	LIC	BLH6832	61-09-58.0	149-49-34.0		No	26.000	-20.	50.000
267C1	C1	101.3	WSUE	SAULT STE. MARIMI	LIC		BLH7453	46-26-16.0	84-22-42.0	Can	No	90.000	67.	100.000
267C3	B1	101.3	KGDN	PASCO	WA	LIC	BLH940927KC	46-13-16.0	119-11-20.0	Can	No	10.500	-27.	25.000

20369

Chan	Int.	Freq	Call	City	St	Status	File	Latitude	Longitude	Border	73.215	Old ERP	HAAT	New ERP
268B	B	101.5	KIXF	BAKER	CA	CP MOD	BMPH940120IB	35-26-10.0	115-55-25.0	Mex	No	4.300	403.	6.400
268C		101.5	KTUN	EAGLE	CO	LIC	BLH840427DO	39-44-18.0	106-47-58.0		No	37.000	674.	76.000
269A	B1	101.7	KSTK	WRANGELL	AK	LIC	BLED811231AG	56-27-14.0	132-22-54.0	Can	No	3.000	-56.	6.000
269A		101.7	KCTTFM	YELLVILLE	AR	LIC	BLH950505KB	36-15-39.0	92-41-41.0		No	2.450	101.	5.900
269A	B	101.7	KSBL	CARPINTERIA	CA	LIC	BLH810713AG	34-27-55.0	119-40-37.0	Mex	No	0.310	247.	0.980
269A		101.7	KBRUFM	FORT MORGAN	CO	LIC	BLH3983	40-15-31.0	103-51- 7.0		No	3.000	41.	6.000
269A	B1	101.7	WHZZ	LANSING	MI	LIC	BLH930430KB	42-43-16.0	84-33- 1.0	Can	No	3.300	88.	6.000
269A	B1	101.7	KTNX	LIBBY	MT	LIC	BMLH930813KC	48-22-14.0	115-32-19.0	Can	No	3.000	-310.	6.000
269A		101.7	KZKL	RIO RANCHO	NM	LIC	BLHB60421KE	35-11-35.0	106-28-15.0		No	3.000	30.	6.000
269A		101.7	WKOM	COLUMBIA	TN	LIC	BLH5788	35-37- 4.0	87-02-34.0		No	3.000	91.	6.000
269A		101.7	KYCNFM	WHEATLAND	WY	LIC	BLHB50723KC	42-02-44.0	104-56-47.0		No	3.000	38.	6.000
270C1	C1	101.9	KBTO	BOTTINEAU	ND	LIC	BLH801124AR	48-51-10.0	100-20- 1.0	Can	No	52.000	149.	100.000
270B		101.9	WVOWFM	LOGAN	WV	LIC	BLH4605	37-51-28.0	81-58-16.0		No	15.000	253.	18.000
271C3		102.1	KKRO	ANCHORAGE	AK	LIC	BLH930329KB	61-09-58.0	149-49-34.0		No	24.500	-48.	25.000
271C3		102.1	KKRO	ANCHORAGE	AK	CP	BPH960111IQ	61-07-12.0	149-53-43.0		No	23.000	25.	25.000
271C1	C	102.1	KWRQ	CLIFTON	AZ	LIC	BLH920220KA	32-53-22.0	109-19-24.0	Mex	No	2.800	677.	11.500
271C2		102.1	KBMC	BOZEMAN	MT	LIC	BLED940223KA	45-38-18.0	111-16- 5.0		No	20.500	222.	23.000
271A		102.1	WLCT	LAFAYETTE	TN	LIC	BLH950522KD	36-32- 6.0	86-00-27.0		Yes	2.500	99.	6.000
271C2	B	102.1	KSOXFM	RAYMONDVILLE	TX	LIC	BLH920629KA	26-38- 9.0	97-50-10.0	Mex	No	18.000	231.	21.500
271B		102.1	WSTAFM	CHARLOTTE AMALIVI	LIC		BLH890831KE	18-21-33.0	64-58-18.0		No	33.000	509.	39.000
272A	B1	102.3	KHNS	HAINES	AK	LIC	BLED801006AM	59-13- 6.0	135-25-29.0	Can	No	3.000	-372.	6.000
272A		102.3	KQEW	FORDYCE	AR	LIC	BMLH940815KB	33-48-17.0	92-26- 7.0		No	3.000	88.	6.000
272C1		102.3	KWHO	WEED	CA	LIC	BLH931103KB	41-21-12.0	122-15-35.0		No	5.500	438.	38.000
272A		102.3	WCBKFM	MARTINSVILLE	IN	LIC	BLH850322KT	39-26-18.0	86-27-58.0		No	3.000	94.	6.000
272A		102.3	WFPC	PETERSBURG	IN	LIC	BLHB41023DM	38-30-33.0	87-17-28.0		No	3.000	98.	6.000
272A		102.3	WLRS	LOUISVILLE	KY	LIC	BMLH970130KG	38-14-37.0	85-45-34.0		No	4.300	87.	6.000
272C3		102.3	KBCE	BOYCE	LA	LIC	BLH950531KE	31-22-21.0	92-38- 9.0		Yes	21.000	88.	25.000
272A		102.3	KBXR	COLUMBIA	MO	CP	BPH880531MZ	38-57-21.0	92-16-24.0		No	2.200	114.	4.600

Chan	Int.	Freq	Call	City	St	Status	File	Latitude	Longitude	Border	73.215	Old ERP	HAAT	New ERP
272A		102.3	KDEXFM	DEXTER	MO	LIC	BLH930105KD	36-47-20.0	89-54-28.0	No		5.900	85.	6.000
272A		102.3	KRHDFM	DUNCAN	OK	LIC	BLH890417KA	34-30-43.0	97-58- 5.0	No		3.000	100.	6.000
272A		102.3	KWDQFM	WOODWARD	OK	LIC	BLH870114KD	36-24- 2.0	99-25-44.0	No		2.350	108.	5.100
272C2	B	102.3	KPEZ	AUSTIN	TX	LIC	BLH900424KE	30-13-24.0	97-49-39.0	Mex	No	20.000	209.	26.000
272A	AA	102.3	KUVA	UVALDE	TX	LIC	BLH970219KA	29-11-16.0	99-46-36.0	Mex	No	4.000	66.	6.000
273C		102.5	KIAKFM	FAIRBANKS	AK	LIC	BLH960619KA	64-52-45.0	148-03-14.0	No		55.000	494.	100.000
273A		102.5	KARNFM	CABOT	AR	LIC	BLH930510KR	34-55-22.0	92-00-32.0	No		3.000	100.	6.000
273C1	C1	102.5	KMSO	MISSOULA	MT	LIC	BLH931220KB	46-48-30.0	113-58-38.0	Can	No	14.000	533.	21.000
273C		102.5	KIOT	LOS LUNAS	NM	CP	BPH930924IB	35-12-55.0	106-27- 2.0	No		17.000	1268.	20.000
273C	C	102.5	KZOKFM	SEATTLE	WA	CP	BPH950523ID	47-30-14.0	121-58-29.0	Can	No	58.000	714.	66.000
273A		102.5	KKRR	CASPER	WY	CP	BPH950105ME	42-51- 1.0	106-19-29.0	No		0.740	-101.	6.000
274C	C	102.7	KFLGFM	BULLHEAD CITY	AZ	LIC	BLH910808KA	35-14-56.0	114-44-37.0	Mex	No	53.000	734.	62.000
274A		102.7	WIMV	MADISON	FL	LIC	BLH900529KC	30-33-29.0	83-20- 6.0	No		3.000	100.	6.000
274C		102.7	KHUL	WAIPAHU	HI	LIC	BLH881205KA	21-23-49.0	158-05-58.0	No		61.000	577.	100.000
274C		102.7	KCNA	CAVE JUNCTION	OR	CP	BPH950817IH	42-15-29.0	123-39-32.0	No		51.000	605.	98.000
274C1		102.7	KYTE	NEWPORT	OR	LIC	BLH921028KA	44-45-22.0	124-02-57.0	No		66.000	269.	100.000
275A		102.9	WKXX	ATTALIA	AL	LIC	BLH910909KD	33-58-28.0	86-12-24.0	No		1.100	214.	1.350
275A		102.9	KWTY	CARTAGO	CA	LIC	BLH900820KD	36-19-16.0	118-01-22.0	No		2.000	-545.	6.000
276C2		103.1	KMXS	ANCHORAGE	AK	LIC	BLH940908KC	61-08-13.0	149-50- 6.0	No		27.000	-55.	50.000
276A	B1	103.1	KSBZ	SITKA	AK	LIC	BLH901116KF	57-03-27.0	135-20- 2.0	Can	No	3.100	-198.	6.000
276C1	C1	103.1	KVCM	HELENA	MT	LIC	BLED930913KB	46-46-11.0	112-01-25.0	Can	No	30.000	207.	100.000
276A	B1	103.1	WWFH	FREELAND	PA	LIC	BLH881019KC	41-01- 6.0	75-54-28.0	Can	No	0.730	207.	1.450
276C2		103.1	KJAMFM	MADISON	SD	LIC	BLH9601113K	43-59- 8.0	97-07-42.0	No		33.000	93.	50.000
276A	B	103.1	KCSE	BALLINGER	TX	LIC	BLH7476	31-43-31.0	99-57-42.0	Mex	No	3.000	91.	6.000
276C2	B	103.1	KQBE	ELLENSBURG	WA	LIC	BLH910510KB	46-53-16.0	120-26-31.0	Can	No	2.000	388.	7.000
276A	B1	103.1	WKXX	PARKERSBURG	WV	LIC	BLH3267	39-21- 0.0	81-33-57.0	Can	No	0.730	168.	2.200
277A		103.3	KZKE	SELIGMAN	AZ	LIC	BLH950301KO	35-19-26.0	112-45-55.0	No		1.750	129.	3.700
277C1		103.3	KAUI	KEKAHA	HI	CP	BPH931203JB	21-56-10.0	159-27-12.0	No		85.000	247.	100.000

Chan	Int.	Freq.	Call	City	St	Status	File	Latitude	Longitude	Border	73.215	Old ERP	HAAT	New ERP
277C1		103.3	KTFC	STIOUX CITY	IA	LIC	BLH3069	42-29- 5.0	96-18-10.0		No	93.000	85.	100.000
277A		103.3	WAIW	SPRING VALLEY	IL	LIC	BLH931223KC	41-19-59.0	89-12-35.0		No	2.500	36.	6.000
277C1	C1	103.3	KUMDFM	DULUTH	MN	LIC	BLED860310KR	46-47-31.0	92-07-21.0	Can	No	95.000	250.	100.000
278C2		103.5	KNEIFM	WAUKON	IA	LIC	BLH961115KB	43-18-28.0	91-27-18.0		No	9.300	175.	36.000
279C		103.7	KSKIFM	SUN VALLEY	ID	LIC	BLH911009KC	43-38-36.0	114-23-49.0		No	53.000	582.	100.000
279C		103.7	KQLT	CASPER	WY	LIC	BLH831017AL	42-44-37.0	106-18-26.0		No	59.000	582.	100.000
280A		103.9	KUWL	COLLEGE	AK	LIC	BLH960517KB	64-52-38.0	147-48-46.0		No	2.900	-25.	6.000
280A	B1	103.9	KJFP	YAKUTAT	AK	LIC	BLH810914AL	59-33-20.0	139-44-32.0	Can	No	0.018	24.	6.000
280A		103.9	KISE	SEASIDE	CA	CP	BPH960424IF	36-35-11.0	121-55-21.0		No	1.400	184.	1.800
280A		103.9	KOMB	FORT SCOTT	KS	LIC	BLH910415KB	37-48-27.0	94-42-33.0		No	2.000	122.	4.100
280A		103.9	KZMI	GARAPAN-Saipan	MP	LIC	BLH901019KA	15-12-26.0	-145-42-57.0		No	3.200	-65.	6.000
280C3		103.9	KNLVFM	ORD	NE	CP	BPH930412IF	41-34-16.0	98-55-29.0		No	4.700	115.	19.000
280A		103.9	KRFSFM	SUPERIOR	NE	LIC	BLH920807KC	40-06-20.0	98-06-20.0		No	2.000	67.	6.000
280A	B	103.9	KGRTFM	LAS CRUCES	NM	LIC	BLH7573	32-18-33.0	106-49-24.0	Mex	No	3.000	46.	6.000
280C1		103.9	KYKNFM	NEPHI	UT	LIC	BLH940131KF	39-43-58.0	111-56-34.0		No	60.000	198.	100.000
281C1		104.1	KBRJ	ANCHORAGE	AK	LIC	BLH851230KC	61-07-12.0	149-53-43.0		No	55.000	19.	100.000
281C1		104.1	KNABFM	BURLINGTON	CO	LIC	BLH900222KD	39-17-41.0	102-15-37.0		No	51.000	110.	100.000
281C3		104.1	KFMUFM	OAK CREEK	CO	LIC	BLH940111KC	40-14-10.0	106-52-30.0		Yes	1.400	327.	2.300
281C3	B	104.1	KSDM	INTERNATIONAL	FMN	LIC	BLH940422KE	48-35-29.0	93-22-54.0	Can	No	8.500	52.	25.000
281C3	C	104.1	RHKRFM	EAST HELENA	MT	LIC	BLH951201KD	46-46-11.0	112-01-25.0	Can	No	5.000	199.	6.300
281C1	C1	104.1	KXDD	YAKIMA	WA	LIC	BLH1929	46-30-48.0	120-24- 5.0	Can	No	61.000	238.	100.000
282A	B1	104.3	KTOO	JUNEAU	AK	LIC	BLED781013AE	58-18- 4.0	134-25-21.0	Can	No	1.400	-318.	6.000
282C		104.3	KXME	KANEOHE	HI	CP MOD	BMPH940314II	21-19-49.0	157-45-24.0		No	75.000	645.	85.000
282A		104.3	WECB	SEYMOUR	WI	CP MOD	BMPH931230IC	44-31-26.0	88-19-56.0		No	2.800	103.	5.600
283A		104.5	KVLIFM	LAKE ISABELLA	CA	LIC	BLH921106KB	35-37-21.0	118-26-16.0		No	0.200	384.	0.390
283C		104.5	KDOT	RENO	NV	LIC	BMLH950831KA	39-18-48.0	119-52-59.0		No	25.000	893.	39.000
284A	B1	104.7	KCAW	SITKA	AK	LIC	BLED830927AC	57-03-13.0	135-21- 7.0	Can	No	4.900	-186.	6.000
284C2		104.7	KONI	LANAI CITY	HI	LIC	BLH931014KC	20-44-32.0	156-18-48.0		No	29.000	150.	50.000

20372

Chan	Int.	Freq	Call	City	St	Status	File	Latitude	Longitude	Border	73.215	Old ERP	HAAT	New ERP
284A		104.7	WBSY	ROSE HILL	NC	LIC	BLH930128KB	34-51-48.0	78-02-16.0		Yes	2.800	78.	6.000
284C2	B	104.7	KDUXFM	ABERDEEN	WA	LIC	BLH7777	46-56- 0.0	123-43-49.0	Can	No	31.000	110.	50.000
284A		104.7	WVRCFM	SPENCER	WV	CP	BPH881202MA	38-47-40.0	81-17-36.0		No	3.000	100.	6.000
285A		104.9	KCLT	WEST HELENA	AR	LIC	BLH850103LB	34-30-56.0	90-40-13.0		No	3.000	91.	6.000
285A		104.9	KAOH	LOMPOC	CA	CP	BPH900518MO	34-35- 1.0	120-31-53.0		No	0.330	305.	0.640
285C3		104.9	KRYD	TELLURIDE	CO	CP MOD	BMPH961220IC	37-55-59.0	107-49-59.0		No	11.000	-66.	25.000
285A	B1	104.9	WERKFM	MUNCIE	IN	LIC	BLH860122KD	40-09-19.0	85-25-48.0	Can	No	3.000	100.	6.000
285A	B1	104.9	WQBX	ALMA	MI	LIC	BLH4333	43-22- 8.0	84-36-19.0	Can	No	3.000	91.	6.000
285A	B1	104.9	WSRD	JOHNSTOWN	NY	LIC	BLH4058	43-03-14.0	74-25-27.0	Can	No	3.000	91.	6.000
285A		104.9	KYCXFM	MEXIA	TX	LIC	BLH830907AN	31-42-25.0	96-31-23.0		No	2.100	107.	5.200
285C3		104.9	KJMX	TULIA	TX	LIC	BLH910513KC	34-31-34.0	101-46-56.0		No	7.200	57.	25.000
285A		104.9	KWNS	WINNSBORO	TX	LIC	BLH830913AF	32-56-32.0	95-18-53.0		No	3.000	86.	6.000
286A	B1	105.1	KTKU	JUNEAU	AK	LIC	BLH840719CR	58-19-47.0	134-28-17.0	Can	No	3.800	-323.	6.000
286C2		105.1	KFLX	KACHINA VILLAGEAZ	AZ	LIC	BLH940112KA	35-14-26.0	111-35-48.0		No	1.000	600.	2.200
286C1		105.1	KAKT	PHOENIX	OR	LIC	BLH901001KD	42-25-41.0	123-00- 4.0		No	52.000	166.	100.000
286C1		105.1	KAWK	CUSTER	SD	CP MOD	BMPH960731IC	43-44-41.0	103-28-52.0		No	7.000	400.	49.000
287C1		105.3	KNIKFM	ANCHORAGE	AK	LIC	BLH900507KF	61-11-33.0	149-54- 1.0		No	51.000	78.	100.000
287C2		105.3	WNZQFM	ABERDEEN	MS	LIC	BLH970630KB	33-48-32.0	88-32-33.0		No	30.000	90.	50.000
287B		105.3	WVGN	CHARLOTTE AMALIVI	NC	LIC	BLH961216KB	18-21-33.0	64-58-18.0		No	15.000	483.	46.000
288A		105.5	KPMX	STERLING	CO	LIC	BLH861223KB	40-31-57.0	103-07-22.0		No	3.000	91.	6.000
288A		105.5	KMGH	MONTEVIDEO	MN	LIC	BLH821019AP	44-51-24.0	95-37-46.0		No	3.000	90.	6.000
288A		105.5	KRBIFM	ST. PETER	MN	LIC	BMLH951030KB	44-19-41.0	93-58-17.0		No	5.300	40.	6.000
288A		105.5	WABOFM	WAYNESBORO	MS	LIC	BLH5860	31-40-48.0	88-40-34.0		No	3.000	44.	6.000
288A		105.5	KGFY	STILLWATER	OK	LIC	BLH891019KB	36-10-31.0	97-00-51.0		No	2.400	110.	4.900
288A		105.5	WYTMFM	FAYETTEVILLE	TN	LIC	BLH4751	35-07-37.0	86-34-47.0		No	3.000	90.	6.000
288A	B	105.5	KACTFM	ANDREWS	TX	LIC	BLH800806AD	32-20-50.0	102-33-23.0	Mex	No	3.000	64.	6.000
289C3		105.7	KURA	OURAY	CO	LIC	BLH950501KC	38-10-54.0	107-46-25.0		No	7.000	-7.	25.000
289C1		105.7	KQAK	BEND	OR	LIC	BLH950418KA	44-04-40.0	121-19-48.0		No	40.000	180.	100.000

20373

Chan	Int.	Freq	Call	City	St	Status	File	Latitude	Longitude	Border	73.215	Old ERP	HAAT	New ERP
290A		105.9	NEW	SEWARD	AK	CP	BPH950417MB	60-05-27.0	149-20-20.0	No		3.000	-400.	6.000
290A		105.9	WEDD	ENGLEWOOD	FL	CP	BPH870908MX	27-01- 7.0	82-17-10.0	No		3.000	100.	6.000
291B1		106.1	KWEZ	SANTA MARGARITACA	LI	LIC	BLH940601KZ	35-21-38.0	120-39-21.0	No		0.950	446.	1.150
291C		106.1	KLEO	KAHALUU	HI	LIC	BLH950908KA	19-43-15.0	155-55-16.0	No		7.300	887.	39.000
291C2		106.1	WMXU	STARKVILLE	MS	LIC	BLH890131KA	33-17-38.0	88-39-27.0	No		40.000	153.	48.000
291C C		106.1	KBKS	TACOMA	WA	LIC	BLH900320KC	47-30-14.0	121-58-29.0	Can	No	58.000	714.	66.000
291C3		106.1	KOTB	EVANSTON	WY	CP	BPH960828ID	41-21-11.0	110-54-28.0	No		0.380	464.	1.050
292C3 B1		106.3	KSUP	JUNEAU	AK	LIC	BLH910822KE	58-18- 5.0	134-26-26.0	Can	No	10.000	-307.	25.000
292C3		106.3	KZKZFM	GREENWOOD	AR	CP	BPH960111IT	35-13-44.0	94-15-46.0	No		15.000	121.	17.000
292A		106.3	WCIF	MELBOURNE	FL	LIC	BMLH911218KA	28-04-40.0	80-35-55.0	No		4.200	64.	6.000
292A		106.3	WVXI	CRAWFORDSVILLE	IN	LIC	BLH840525CK	40-02-19.0	86-54-22.0	No		3.000	23.	6.000
292A		106.3	WANYFM	ALBANY	KY	LIC	BLH7376	36-41-54.0	85-09- 0.0	No		2.700	47.	6.000
292A B1		106.3	KRJB	ADA	MN	LIC	BLH850909KP	47-18-41.0	96-31-13.0	Can	No	3.000	84.	6.000
292A B1		106.3	WMCRFM	ONEIDA	NY	LIC	BLH5612	43-02-48.0	75-39-58.0	Can	No	0.390	219.	1.250
292C3 B1		106.3	WSLK	SARANAC LAKE	NY	LIC	BLH940726KB	44-20-28.0	74-07-43.0	Can	No	5.100	120.	17.500
292A B		106.3	KPSOFM	FALFURRIAS	TX	LIC	BLH831121AO	27-14-11.0	98-10-22.0	Mex	No	0.180	59.	6.000
292C3		106.3	KPANFM	HEREFORD	TX	LIC	BLH921123KB	34-47-33.0	102-25-45.0	No		7.000	67.	25.000
293C3		106.5	WZMJ	DEMOPOLIS	AL	LIC	BLH941013KB	32-30- 8.0	87-49- 7.0	No		11.500	93.	25.000
293C1		106.5	KALTFM	ALTURAS	CA	CP	BPH960619MG	41-50- 3.0	120-21- 3.0	No		51.000	155.	100.000
293A B		106.5	KIXA	LUCERNE VALLEY	CA	CP	BPH880714MS	34-23- 8.0	117-03-25.0	Mex	No	0.150	331.	0.530
293C1		106.5	KCQQ	DAVENPORT	IA	LIC	BLH6481	41-32-14.0	90-34-30.0	No		60.000	64.	100.000
293C1		106.5	WEND	SALISBURY	NC	CP	BPH950214IE	35-35-32.0	80-37-44.0	No		65.000	319.	86.000
293C1 C		106.5	KEND	ROSWELL	NM	LIC	BLH900611KF	33-23- 5.0	104-43-22.0	Mex	No	52.000	41.	100.000
294A B1		106.7	KGTW	KETCHIKAN	AK	LIC	BLH871123KB	55-20-22.0	131-38-12.0	Can	No	4.000	-94.	6.000
294B		106.7	KRQR	ORLAND	CA	LIC	BLH950608KA	39-53-17.0	122-37-38.0	No		26.000	63.	50.000
294C2		106.7	KFXXFM	HUGOTON	KS	LIC	BLH960603KA	37-19- 3.0	101-20-16.0	No		35.000	79.	50.000
294A		106.7	KQNKFM	NORTON	KS	LIC	BLH940429KB	39-47-47.0	99-53-35.0	No		3.000	95.	6.000
295A		106.9	WZEZ	MADISONVILLE	KY	LIC	BLH920914KA	37-22-51.0	87-28- 4.0	No		2.000	161.	2.350

20374

Chan	Int.	Freq	Call	City	St	Status	File	Latitude	Longitude	Border	73.215	Old ERP	HAAT	New ERP
295C1	C1	106.9	WUPM	IRONWOOD	MI	LIC	BLH880929KA	46-28-18.0	90-00-43.0	Can	No	53.000	151.	100.000
295A		106.9	KMSMFM	BUTTE	MT	LIC	BLED950202KC	46-00-44.0	112-33-26.0		No	0.740	-62.	6.000
295A		106.9	KKLG	DAINGERFIELD	TX	LIC	BLH911007KF	33-02-20.0	94-44-54.0		No	1.100	156.	2.550
296C3		107.1	KCCA	COLORADO CITY	AZ	LIC	BLH921229KB	36-59-41.0	112-57-48.0		No	6.100	-100.	25.000
296A		107.1	WIIS	KEY WEST	FL	LIC	BLH830103AB	24-33-18.0	81-48- 7.0		No	2.500	62.	6.000
296A		107.1	WPGU	URBANA	IL	LIC	BLH800317AL	40-06-34.0	88-14- 6.0		No	3.000	72.	6.000
296A		107.1	WSYWFM	DANVILLE	IN	LIC	BLH881116KC	39-48- 6.0	86-34-24.0		No	0.880	184.	1.800
296A	B1	107.1	WHTR	HUDSON FALLS	NY	LIC	BMLH790709AE	43-17-22.0	73-44-35.0	Can	No	0.280	257.	0.910
296A		107.1	KLBC	DURANT	OK	LIC	BLH880819KF	34-00- 7.0	96-25-19.0		No	2.000	108.	5.100
296C3	B1	107.1	KAZZ	DEER PARK	WA	LIC	BLH920622KC	48-01-45.0	117-35-57.0	Can	No	9.000	77.	25.000
296A		107.1	KFIZFM	FOND DU LAC	WI	LIC	BLH3824	43-50-22.0	88-22- 6.0		No	3.000	91.	6.000
296A	B1	107.1	WOCOFM	OCONTO	WI	LIC	BLH4131	44-53-31.0	87-57-18.0	Can	No	3.000	64.	6.000
296A		107.1	WPVLFM	PLATTEVILLE	WI	LIC	BMLH900820KI	42-44-45.0	90-28-27.0		No	3.800	72.	6.000
297A	B	107.3	KIXWFM	LENWOOD	CA	CP	BPH931207IB	34-51-20.0	117-02-57.0	Mex	No	2.500	144.	3.000
297C1		107.3	KACW	NORTH BEND	OR	LIC	BLH901026KB	43-12-18.0	124-18- 7.0		No	51.000	211.	100.000
297A		107.3	WWEF	SPENCER	TN	LIC	BLH930816KC	35-39-55.0	85-31-19.0		No	2.000	155.	2.550
298C3		107.5	KARZ	MARSHALL	MN	LIC	BLH940322KA	44-24-37.0	95-51-43.0		No	9.000	70.	25.000
298A		107.5	WKSL	GERMANTOWN	TN	CP	BPH870908MV	35-07-46.0	89-45-30.0		No	3.000	100.	6.000
299C3		107.7	KKOA	VOLCANO	HI	CP MOD	BMPH960304IF	19-30-17.0	155-10-40.0		No	18.000	72.	25.000
299C2	B	107.7	KUSZ	PROCTOR	MN	LIC	BLH970218KG	46-47-13.0	92-07-17.0	Can	No	7.700	278.	15.000
299C1		107.7	KUMAFM	PENDLETON	OR	LIC	BLH960111KS	45-35- 8.0	118-34-57.0		No	52.000	335.	77.000
299C2		107.7	KPLTFM	PARIS	TX	LIC	BLH890127KB	33-38- 7.0	95-33-14.0		No	35.000	92.	50.000
300A		107.9	KMJCFM	MOUNT SHASTA	CA	LIC	BMLH940225KC	41-19- 9.0	122-18-35.0		No	3.500	-395.	6.000
300C	C	107.9	WVPS	BURLINGTON	VT	LIC	BLED810225AF	44-31-32.0	72-48-54.0	Can	No	36.000	805.	49.000
300C	C	107.9	KMBIFM	SPOKANE	WA	LIC	BLH4022	47-34-15.0	117-05- 0.0	Can	No	56.000	725.	64.000

Number of Fully Spaced Stations = 473

20375