



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Fax-On-Demand 202-418-2830; Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)
TTY (202) 418-2555

Report No. SES-00170

Wednesday April 5, 2000

SATELLITE COMMUNICATIONS SERVICES

RE: SATELLITE RADIO APPLICATIONS ACCEPTED FOR FILING

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. & 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-AMD-20000316-00400 E000104 FRESH BAKED STUDIOS, INC.

Amendment

Class of Station: Temporary Fixed Earth Station

Nature of Service: Domestic Fixed Satellite Service

Amendment filed to add new emission designators.

SITE ID: Mobile

LOCATION: 505 Court Street Ph Loft 10D, Brooklyn, NY

ANTENNA ID: 1	1.2 meters	AVL Technologies	1200 USA
14000.0000 - 14500.0000 MHz	25M0F3F	63.50 dBW	FREQUENCY MODULATED ANALOG TELEVISION
11700.0000 - 12200.0000 MHz	25M0F3F	0.00 dBW	FREQUENCY MODULATED ANALOG TELEVISION

14000.0000 - 14500.0000 MHz	36M0F3F	63.50 dBW	FREQUENCY MODULATED ANALOG TELEVISION
11700.0000 - 12200.0000 MHz	36M0F3F	0.00 dBW	FREQUENCY MODULATED ANALOG TELEVISION
11700.0000 - 12200.0000 MHz	7M0G7W	0.00 dBW	COMPRESSED DIGITAL TELEVISION
14000.0000 - 14500.0000 MHz	7M0G7W	55.93 dBW	COMPRESSED DIGITAL TELEVISION
14000.0000 - 14500.0000 MHz	16M0G7W	59.50 dBW	COMPRESSED DIGITAL TELEVISION
11700.0000 - 12200.0000 MHz	16M0G7W	0.00 dBW	COMPRESSED DIGITAL TELEVISION
14000.0000 - 14500.0000 MHz	36M0G7W	63.04 dBW	COMPRESSED DIGITAL TELEVISION
11700.0000 - 12200.0000 MHz	36M0G7W	0.00 dBW	COMPRESSED DIGITAL TELEVISION
14000.0000 - 14500.0000 MHz	467KG7D	48.93 dBW	DATA
11700.0000 - 12200.0000 MHz	467KG7D		DATA
14000.0000 - 14500.0000 MHz	1M44G7D	53.02 dBW	DATA
11700.0000 - 12200.0000 MHz	1M44G7D		DATA

Points of Communication:

Mobile - ALSAT - (ALSAT)

SES-ASG-20000310-00359 E980163 AMERICAN COMMUNITY ORIENTED RADIO NETWORK, INC.

Application for Consent to Assignment

FROM: AMERICAN COMMUNITY ORIENTED RADIO NETWORK, INC.

TO: PEOPLES NETWORK, INC.

No. of Station(s) listed: 1

SES-ASG-20000320-00446 KH27 AT&T BROADBAND, LLC

Application for Consent to Assignment

FROM: TCI COMMUNICATIONS, INC.

TO: AT&T BROADBAND, LLC

No. of Station(s) listed: 1

SES-ASG-20000320-00457 E8170 THE CHRONICLE PUBLISHING COMPANY

Application for Consent to Assignment

FROM: THE CHRONICLE PUBLISHING COMPANY

TO: DARYA PRODUCTIONS, INC.

No. of Station(s) listed: 1

SES-LIC-20000223-00275 E000100 SPRINGBOARD COMMUNICATIONS, INC.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 674 E. HIGHWAY 80, TAYLOR, ABILENE, TX

32 ° 27 ' 2.00 " N LAT.

99 ° 42 ' 2.00 " W LONG.

ANTENNA ID: 1 2.4 meters VERTEX

14000.0000 - 14500.0000 MHz 36M0F8W 48.80 dBW NTSC ANALOG AUDIO AND VIDEO

11700.0000 - 12200.0000 MHz 36M0F8W NTSC ANALOG AUDIO AND VIDEO

14000.0000 - 14500.0000 MHz 6M00F3W 66.60 dBW QPSK VIDEO AND AUDIO

11700.0000 - 12200.0000 MHz 6M00F3W QPSK VIDEO AND AUDIO

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20000303-00468 E000140 UNIVERSITY OF WASHINGTON

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 4518 UNIVERSITYWAY NORTHEAST, KING, SEATTLE, WA

47 ° 39 ' 43.00 " N LAT.

122 ° 18 ' 45.00 " W LONG.

ANTENNA ID: 1 3.8 meters PRODELIN, INC. 1383

5925.0000 - 6425.0000 MHz 200KF3F 58.50 dBW ANALOGUE AUDIO PROGRAM

5925.0000 - 6425.0000 MHz 30K0F1D 58.50 dBW ANALOGUE AUDIO PROGRAM

5925.0000 - 6425.0000 MHz 1M85G1D 58.50 dBW DIGITAL DATA

5925.0000 - 6425.0000 MHz 150KF3D 58.50 dBW DIRECT FM DIGITAL DATA

5925.0000 - 6425.0000 MHz	76K8G1D	58.50 dBW	DIGITAL DATA
5925.0000 - 6425.0000 MHz	76K8G7W	58.50 dBW	DIGITAL AUDIO & DATA
5925.0000 - 6425.0000 MHz	154KG7W	58.50 dBW	DIGITAL AUDIO & DATA
5925.0000 - 6425.0000 MHz	230KG8W	58.50 dBW	DIGITAL AUDIO & DATA
5925.0000 - 6425.0000 MHz	1M85G7W	58.50 dBW	DIGITAL AUDIO & DATA
3700.0000 - 4200.0000 MHz			

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20000314-00435 E000135 NETUNE COMMUNICATIONS, INC.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

SITE ID: HUB

LOCATION: 12800 CULVER BLVD., (3.7M.HUB), LOS ANGELES, LOS ANGELES, CA

33 ° 59 ' 12.00 " N LAT.

118 ° 25 ' 51.00 " W LONG.

ANTENNA ID: HUB-A	3.7 meters	ANDREW CORPORATION	ES37MPJK-1
14000.0000 - 14500.0000 MHz	5K12G7D	61.30 dBW	PSK, DATA, FAX AUDIO, VOICE
14000.0000 - 14500.0000 MHz	2M00G7D	66.80 dBW	PSK, DIGITAL VIDEO W/ASSOC. DIGITAL AUDIO/DATA
14000.0000 - 14500.0000 MHz	4M00G7D	69.80 dBW	PSK, DIGITAL VIDEO W/ASSOC. DIGITAL AUDIO/DATA
14000.0000 - 14500.0000 MHz	25M0G7D	76.30 dBW	PSK, DIGITAL VIDEO W/ASSOC. DIGITAL AUDIO/DATA
11700.0000 - 12200.0000 MHz	5K12G7D		PSK, DATA, FAX, AUDIO, VOICE
11700.0000 - 12200.0000 MHz	2M00G7D		PSK, DIGITAL VIDEO W/ASSOC. DIGITAL AUDIO/DATA
11700.0000 - 12200.0000 MHz	4M00G7D		PSK, DIGITAL VIDEO W/ASSOC. DIGITAL AUDIO/DATA

SITE ID: REMOTE 1

LOCATION: 12800 CULVER BLVD., (2.4M. VSAT), CONUS (20 UNITS)

ANTENNA ID: REMOTE1A	2.4 meters	PRODELIN CORPORATION	1259KU2.4
14000.0000 - 14500.0000 MHz	5K12G7D	57.70 dBW	PSK, DATA, FAX, AUDIO, VOICE
14000.0000 - 14500.0000 MHz	2M00G7D	63.20 dBW	PSK, DIGITAL VIDEO W/ASSOC. DIGITAL AUDIO/DATA

14000.0000 - 14500.0000 MHz	4M00G7D	66.20 dBW	PSK, DIGITAL VIDEO W/ASSOC. DIGITAL AUDIO/DATA
11700.0000 - 12200.0000 MHz	5K12G7D		PSK, DATA, FAX, AUDIO, VOICE
11700.0000 - 12200.0000 MHz	2M00G7D		PSK, DIGITAL VIDEO W/ASSOC. DIGITAL AUDIO/DATA
11700.0000 - 12200.0000 MHz	4M00G7D		PSK, DIGITAL VIDEO W/ASSOC. DIGITAL AUDIO/DATA
11700.0000 - 12200.0000 MHz	25M0G7D		PSK, DIGITAL VIDEO W/ASSOC. DIGITAL AUDIO/DATA

SITE ID: REMOTE 2

LOCATION: 12800 CULVER BLVD., (1.8M. VSAT), CONUS, (50 UNITS)

ANTENNA ID: REMOTE2A	1.8 meters	PRODELIN CORPORATION	1189KU1.8
14000.0000 - 14500.0000 MHz	5K12G7D	57.50 dBW	PSK, DATA, FAX, AUDIO, VOICE
14000.0000 - 14500.0000 MHz	2M00G7D	63.00 dBW	PSK, DIGITAL VIDEO W/ASSOC. DIGITAL AUDIO/DATA
14000.0000 - 14500.0000 MHz	4M00G7D	65.80 dBW	PSK, DIGITAL VIDEO W/ASSOC. DIGITAL AUDIO/DATA
11700.0000 - 12200.0000 MHz	5K12G7D		PSK, DATA, FAX, AUDIO, VOICE
11700.0000 - 12200.0000 MHz	2M00G7D		PSK, DIGITAL VIDEO W/ASSOC. DIGITAL AUDIO/DATA
11700.0000 - 12200.0000 MHz	4M00G7D		PSK, DIGITAL VIDEO W/ASSOC. DIGITAL AUDIO/DATA
11700.0000 - 12200.0000 MHz	25M0G7D		PSK, DIGITAL VIDEO W/ASSOC. DIGITAL AUDIO/DATA

Points of Communication:

HUB - ALSAT - (ALSAT)

SES-LIC-20000314-00442 E000136 NETUNE COMMUNICATIONS, INC.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 12800 CULVER BLVD., LOS ANGELES, LOS ANGELES, CA

33 ° 59 ' 54.00 " N LAT.

18 ° 42 ' 51.00 " W LONG.

ANTENNA ID: K3.7M	3.7 meters	ANDREW CORPORATION	ES37MPJK-1
14000.0000 - 14500.0000 MHz	1K28G7D	62.80 dBW	PSK, DATA

14000.0000 - 14500.0000 MHz	4M00G7D	75.00 dBW	PSK, DIGITAL VIDEO W/ASSOC. DIGITAL AUDIO/DATA
11700.0000 - 12200.0000 MHz	1K28G7D		PSK, DATA
11700.0000 - 12200.0000 MHz	4M00G7D		PSK, DIGITAL VIDEO W/ASSOC. DIGITAL AUDIO/DATA
11700.0000 - 12200.0000 MHz	45M0G7D		PSK, DIGITAL VIDEO W/ASSOC. DIGITAL AUDIO/DATA

Points of Communication:

1 - PAS-9 - (58.0 W.L.)

SES-LIC-20000315-00425 E000132 SPACENET SERVICES LICENSE SUB, INC.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

SITE ID: 1

LOCATION: VSAT (20,000 UNITS) 0.96M., CONUS, AK,HI,PR,VI

ANTENNA ID:	REMOTE 96	0.96 meters	CHANNEL MASTER	TYPE 960
14000.0000 - 14500.0000 MHz	100KG7D	37.90 dBW		38.4 KBPS, 1/2 RATE FEC, DPSK MODULATION (BPSK VARIANT), 100 KHZ BANDWIDTH, DIGITAL CARRIER.
14000.0000 - 14500.0000 MHz	60K0G7D	37.90 dBW		38.4 KBPS, 1/2 RATE FEC, MSK MODULATION (QPSK VARIANT), 60 KHZ BANDWIDTH, DIGITAL CARRIER.
14000.0000 - 14500.0000 MHz	200KG7D	40.90 dBW		76.8 KBPS, 1/2 RATE FEC, DPSK MODULATION (BPSK VARIANT), 200 KHZ BANDWIDTH, DIGITAL CARRIER.
14000.0000 - 14500.0000 MHz	120KG7D	40.90 dBW		76.8 KBPS, 1/2 RATE FEC, MSK MODULATION (QPSK VARIANT), 120 KHZ BANDWIDTH, DIGITAL CARRIER.
14000.0000 - 14500.0000 MHz	400KG7D	40.90 dBW		153.6 KBPS, 1/2 RATE FEC, DPSK MODULATION (BPSK VARIANT), 400 KHZ BANDWIDTH, DIGITAL CARRIER.

14000.0000 - 14500.0000 MHz	240KG7D	40.90 dBW	153.6 KBPS, 1/2 RATE FEC, MSK MODULATION (QPSK VARIANT), 240 KHZ BANDWIDTH, DIGITAL CARRIER.
14000.0000 - 14500.0000 MHz	800KG7D	40.90 dBW	307.2 KBPS, 1/2 RATE FEC, DPSK MODULATION (BPSK VARIANT), 800 KHZ BANDWIDTH, DIGITAL CARRIER.
14000.0000 - 14500.0000 MHz	480KG7D	40.90 dBW	307.2 KBPS, 1/2 RATE FEC, MSK MODULATION (QPSK VARIANT), 480 KHZ BANDWIDTH, DIGITAL CARRIER.
11700.0000 - 12200.0000 MHz	425KG7D		128 KBPS, 1/2 RATE FEC, BPSK MODULATION, 425 KHZ BANDWIDTH, DIGITAL CARRIER.
11700.0000 - 12200.0000 MHz	400KG7D		256 KBPS, 1/2 RATE FEC, QPSK MODULATION, 400 KHZ BANDWIDTH, DIGITAL CARRIER.
11700.0000 - 1200.0000 MHz	800KG7D		256 KBPS, 1/2 RATE FEC, BPSK MODULATION, 800 KHZ BANDWIDTH, DIGITAL CARRIER.
11700.0000 - 12200.0000 MHz	600KG7D		384 KBPS, 1/2 RATE FEC, QPSK MODULATION, 600 KHZ BANDWIDTH, DIGITAL CARRIER.
11700.0000 - 12200.0000 MHz	1M20G7D		384 KBPS, 1/2 RATE FEC, BPSK MODULATION, 1,200 KHZ BANDWIDTH, DIGITAL CARRIER.
11700.0000 - 12200.0000 MHz	800KG7D		512 KBPS, 1/2 RATE FEC, QPSK MODULATION, 800 KHZ BANDWIDTH, DIGITAL CARRIER.
11700.0000 - 12200.0000 MHz	1M60G7D		512 KBPS, 1/2 RATE FEC, BPSK MODULATION, 1,600 KHZ BANDWIDTH, DIGITAL CARRIER.
11700.0000 - 12200.0000 MHz	1M20G7D		768 KBPS, 1/2 RATE FEC, QPSK MODULATION, 1,200 KHZ BANDWIDTH, DIGITAL CARRIER.
11700.0000 - 12200.0000 MHz	2M40G7D		768 KBPS, 1/2 RATE FEC, BPSK MODULATION, 2,400 KHZ BANDWIDTH, DIGITAL CARRIER.

11700.0000 - 12200.0000 MHz	1M60G7D	1,024 KBPS, 1/2 RATE FEC, QPSK MODULATION, 1,600 KHZ BANDWIDTH, DIGITAL CARRIER.
11700.0000 - 12200.0000 MHz	3M20G7D	1,024 KBPS, 1/2 RATE FEC, BPSK MODULATION, 3,200 KHZ BANDWIDTH, DIGITAL CARRIER.
11700.0000 - 1200.0000 MHz	2M40G7D	1,536 KBPS, 1/2 RATE FEC, QPSK MODULATION, 2,400 KHZ BANDWIDTH, DIGITAL CARRIER.
11700.0000 - 12200.0000 MHz	4M80G7D	1,536 KBPS, 1/2 RATE FEC, BPSK MODULATION, 2,800 KHZ BANDWIDTH, DIGITAL CARRIER.
11700.0000 - 12200.0000 MHz	3M20G7D	2,048 KBPS, 1/2 RATE FEC, QPSK MODULATION, 3,200 KHZ BANDWIDTH, DIGITAL CARRIER.
11700.0000 - 12200.0000 MHz	6M40G7D	2,048 KBPS, 1/2 RATE FEC, BPSK MODULATION, 6,400 KHZ BANDWIDTH, DIGITAL CARRIER.
11700.0000 - 12200.0000 MHz	6M10G7D	3,500 KSPS, 1/2, 2/3, 3/4, 5/6, 7/8 RATE FEC, QPSK MODULATION, 6,100 KHZ BANDWIDTH, DIGITAL CARRIER.
11700.0000 - 12200.0000 MHz	8M10G7D	6,000 KSPS, 1/2, 2/3, 3/4, 5/6, 7/8 RATE FEC, QPSK MODULATION, 8,100 KHZ BANDWIDTH, DIGITAL CARRIER.
11700.0000 - 12200.0000 MHz	10M8G7D	8,000 KSPS, 1/2, 2/3, 3/4, 5/6, 7/8 RATE FEC, QPSK MODULATION, 10,800 KHZ BANDWIDTH, DIGITAL CARRIER.
11700.0000 - 12200.0000 MHz	16M2G7D	12,000 KSPS, 1/2, 2/3, 3/4, 5/6, 7/8 RATE FEC, QPSK MODULATION, 16,200 KHZ BANDWIDTH, DIGITAL CARRIER.
11700.0000 - 12200.0000 MHz	21M6G7D	16,000 KSPS, 1/2, 2/3, 3/4, 5/6, 7/8 RATE FEC, QPSK MODULATION, 21,600 KHZ BANDWIDTH, DIGITAL CARRIER.

11700.0000 - 12200.0000 MHz	36M0G7D	26,700 KSPS, 1/2, 2/3, 3/4, 5/6, 7/8 RATE FEC, QPSK MODULATION, 36,000 KHZ BANDWIDTH, DIGITAL CARRIER.
11700.0000 - 12200.0000 MHz	43M2G7D	32,000 KSPS, 1/2, 2/3, 3/4, 5/6, 7/8 RATE FEC, QPSK MODULATION, 43,200 KHZ BANDWIDTH, DIGITAL CARRIER.
11700.0000 - 12200.0000 MHz	54M0G7D	40,000 KSPS, 1/2, 2/3, 3/4, 5/6, 7/8 RATE FEC, QPSK MODULATION, 54,000 KHZ BANDWIDTH, DIGITAL CARRIER.

Points of Communication:

- 1 - ALSAT - (ALSAT)
- 1 - GE-4 - (101 W.L.)
- 1 - GE-5 - (79 W.L.)

SES-LIC-20000316-00418 E000130 NATIONAL PUBLIC RADIO, INC.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 635 MASSACHUSETTS AVENUE, N.W., WASHINGTON, DC

38 ° 54 ' 8.00 " N LAT.

77 ° 1 ' 17.00 " W LONG.

ANTENNA ID:	1	2.4 meters	COMTECH ANTENNA SYSTEMS	PARABOLIC OFFSET
14000.0000 - 14500.0000 MHz	50K0F3E	52.17 dBW		ANALOG FM AUDIO SCPC TRANSMISSION
14000.0000 - 14500.0000 MHz	200KF3E	58.19 dBW		ANALOG FM AUDIO SCPC TRANSMISSIONS
14000.0000 - 14500.0000 MHz	76K8G7W	48.03 dBW		DIGITAL PSK AUDIO SCPC TRANSMISSIONS
14000.0000 - 14500.0000 MHz	154KG7W	51.04 dBW		DIGITAL PSK AUDIO SCPC TRANSMISSIONS
14000.0000 - 14500.0000 MHz	230KG7W	52.80 dBW		DIGITAL PSK AUDIO SCPC TRANSMISSIONS
14000.0000 - 14500.0000 MHz	307KG7W	54.05 dBW		DIGITAL PSK AUDIO SCPC TRANSMISSIONS

14000.0000 - 14500.0000 MHz	461KG7W	55.81 dBW	DIGITAL PSK AUDIO SCPC TRANSMISSIONS
14000.0000 - 14500.0000 MHz	1M85G7W	61.86 dBW	DIGITAL PSK AUDIO SCPC TRANSMISSIONS
11700.0000 - 12200.0000 MHz	50K0F3E		ANALOG FM AUDIO SCPC TRANSMISSION
11700.0000 - 12200.0000 MHz	200KF3E		ANALOG FM AUDIO SCPC TRANSMISSIONS
11700.0000 - 12200.0000 MHz	76K8G7W		DIGITAL PSK AUDIO SCPC TRANSMISSIONS
11700.0000 - 12200.0000 MHz	154KG7W		DIGITAL PSK AUDIO SCPC TRANSMISSIONS
11700.0000 - 12200.0000 MHz	230KG7W		DIGITAL PSK AUDIO SCPC TRANSMISSIONS
11700.0000 - 12200.0000 MHz	307KG7W		DIGITAL PSK AUDIO SCPC TRANSMISSIONS
11700.0000 - 12200.0000 MHz	461KG7W		DIGITAL PSK AUDIO SCPC TRANSMISSIONS
11700.0000 - 12200.0000 MHz	1M85G7W		DIGITAL PSK AUDIO SCPC TRANSMISSIONS

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20000317-00430 E000134 GABRIEL WIRELESS LLC

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 6971 N. FEDERAL HWY, STE. 206, PALM BEACH, BOCA RATON, FL

26 ° 24 ' 41.00 " N LAT.

80 ° 4 ' 36.00 " W LONG.

ANTENNA ID: 1 2.4 meters CHANNEL MASTER 62-24356-01

14000.0000 - 14500.0000 MHz 400KG1D 54.10 dBW MULTI CARRIER DIGITAL SCPC 1/2 FEC

11700.0000 - 12200.0000 MHz 400KG1D MULTI CARRIER DIGITAL SCPC 1/2 FEC

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20000321-00470 E000142 DYNCORP INFORMATION SYSTEMS LLC

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 2242 W. NORTH TEMPLE, SALT LAKE, SALT LAKE CITY, UT

40 ° 46 ' 18.80 " N LAT.

111 ° 57 ' 20.80 " W LONG.

ANTENNA ID: 1	2.4 meters	PRODELIN CORP.	2.4
5925.0000 - 6425.0000 MHz	21K0G7D	27.40 dBW	DIGITAL DATA
3700.0000 - 4200.0000 MHz	21K0G7D		DIGITAL DATA
ANTENNA ID: 2	3.7 meters	PRODELIN CORP.	3.7
3700.0000 - 4200.0000 MHz	21K0G7D		DIGITAL DATA

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20000322-00465 E000139 BT NORTH AMERICA INC.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

SITE ID: 1

LOCATION: VARIOUS

ANTENNA ID: 1	1.9 meters	ADVENT MANTIS	1900
14000.0000 - 14500.0000 MHz	36M0F3F	71.40 dBW	STANDARD VIDEO WITH ASSOCIATED AUDIO SUBCARRIERS
14000.0000 - 14500.0000 MHz	4M00G7F	71.40 dBW	DIGITAL VIDEO
14000.0000 - 14500.0000 MHz	36M0G7F	71.40 dBW	DIGITAL VIDEO
14000.0000 - 14500.0000 MHz	51K2G7D	53.60 dBW	DIGITAL, QPSK, 1/2 3/4 FEC
14000.0000 - 14500.0000 MHz	36M0G7D	71.40 dBW	DIGITAL, QPSK, 1/2 3/4 FEC
11700.0000 - 12200.0000 MHz	36M0F3F		STANDARD VIDEO WITH ASSOCIATED AUDIO SUBCARRIERS
11700.0000 - 12200.0000 MHz	4M00G7F		DIGITAL VIDEO

11700.0000 - 12200.0000 MHz	36M0G7F	DIGITAL VIDEO
11700.0000 - 12200.0000 MHz	51K2G7D	DIGITAL, QPSK, 1/2 3/4 FEC
11700.0000 - 12200.0000 MHz	36M0G7D	DIGITAL, QPSK, 1/2 3/4 FEC

Points of Communication:

- 1 - ALSAT - (ALSAT)
- 1 - New Skies K - (338.5 E.L.)

SES-LIC-20000322-00469 E000141 VIPERSAT NETWORKS

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

SITE ID: 1

LOCATION: 46740 Lakeview Boulevard, Alameda, Fremont, CA

37 ° 28 ' 56.90 " N LAT. 121 ° 56 ' 13.20 " W LONG.

ANTENNA ID: 1	1.8 meters	PRODELIN	1184
14000.0000 - 14500.0000 MHz	51K2G7D	42.10 dBW	DIGITAL DATA
14000.0000 - 14500.0000 MHz	205KG7D	48.10 dBW	DIGITAL DATA
14000.0000 - 14500.0000 MHz	410KG7D	51.20 dBW	DIGITAL DATA
11700.0000 - 1220.0000 MHz	51K2G7D		DIGITAL DATA
11700.0000 - 12200.0000 MHz	205KG7D		DIGITAL DATA
11700.0000 - 12200.0000 MHz	410KG7D		DIGITAL DATA

Points of Communication:

- 1 - ALSAT - (ALSAT)
- 1 - SATMEX-5 - (116.8 W.L.)
- 1 - SOLIDARIDAD F-2 - (113.0 W.L.)

SES-LIC-20000324-00496 E000143 TRIBUNE TELEVISION COMPANY (KDAF)

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: VARIOUS

ANTENNA ID: 1	1.8 meters	VERTEX	1.8 DMK
14000.0000 - 14500.0000 MHz	36M0F8F	71.54 dBW	ANALOG VIDEO W/ASSOCIATED AUDIO SUBCARRIERS

14000.0000 - 14500.0000 MHz	24M0F8F	68.54 dBW	ANALOG VIDEO W/ASSOCIATED AUDIO SUBCARRIERS
14000.0000 - 14500.0000 MHz	24M0G7F	65.04 dBW	PSK DIGITAL VIDEO W/DIGITAL AUDIO/DATA

Points of Communication:

1 - ALSAT - (ALSAT)

SES-MOD-20000307-00345 E980179 TMI COMMUNICATIONS AND COMPANY, LIMITED PARTNERSHIP

Application for Modification

Class of Station: Mobile Earth Station

Nature of Service: Domestic Mobile-Satellite Service, International Mobile Satellite Service

Modification filed to add another terminal to existing license.

SITE ID: 1

LOCATION: 100,000 Full-duplex METs, VARIOUS

ANTENNA ID: A1	0 meters	WESTINGHOUSE / WEC Mast	CD-JL01080, P-1000
1646.5000 - 1660.0000 MHz	5K00G7W	12.50 dBW	TDMA signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-ST-data)
1646.5000 - 1660.0000 MHz	5K00G7W	12.50 dBW	Slotted Aloha signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-SR-data)
1646.5000 - 1660.0000 MHz	5K00G7W	12.50 dBW	FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps
1545.0000 - 1558.5000 MHz	5K00G7W		TDM signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (GC-S-data)
1545.0000 - 1558.5000 MHz	5K00G7W		FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps
ANTENNA ID: A6	1.2 meters	WESTINGHOUSE / WEC Mult. Fixed Site	F-1000MC

1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW	FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps
1545.0000 - 1558.5000 MHz	5K00G7W		TDM signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (GC-S-data)
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW	TDMA signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-ST-data)
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW	Slotted Aloha signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-SR-data)
1545.0000 - 1558.5000 MHz	5K00G7W		FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps
ANTENNA ID: A7	0.46 meters	WESTINGHOUSE / KVH SC Maritime	M-1015, D-100HF
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW	TDMA signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-ST-data)
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW	Slotted Aloha signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-SR-data)
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW	FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps
1545.0000 - 1558.5000 MHz	5K00G7W		FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps
1545.0000 - 1558.5000 MHz	5K00G7W		TDM signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (GC-S-data)

ANTENNA ID: A8	0 meters	MITSUBISHI / MELCO Dome		AU200A, ST-111D
1646.5000 - 1660.0000 MHz	5K00G7W	15.00 dBW		TDMA signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-ST-data)
1646.5000 - 1660.0000 MHz	5K00G7W	15.00 dBW		Slotted Aloha signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-SR-data)
1646.5000 - 1660.0000 MHz	5K00G7W	15.00 dBW		FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps
1545.0000 - 1558.5000 MHz	5K00G7W			TDM signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (GC-S-data)
1545.0000 - 1558.5000 MHz	5K00G7W			FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps
ANTENNA ID: A9	0.6 meters	MITSUBISHI / MELCO Fixed Site		AU500A, ST-121
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW		TDMA signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-ST-data)
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW		Slotted Aloha signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-SR-data)
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW		FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps
1545.0000 - 1558.5000 MHz	5K00G7W			TDM signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (GC-S-data)

1545.0000 - 1558.5000 MHz	5K00G7W			FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps
ANTENNA ID: A10	0.35 meters	MITSUBISHI / MELCO Briefcase		ST151
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW		TDMA signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-ST-data)
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW		Slotted Aloha signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-SR-data)
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW		FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps
1545.0000 - 1558.5000 MHz	5K00G7W			TDM signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (GC-S-data)
1545.0000 - 1558.5000 MHz	5K00G7W			FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps
ANTENNA ID: A11	0.25 meters	MITSUBISHI / MELCO Omniquest		ST251
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW		TDMA signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-ST-data)
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW		Slotted Aloha signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-SR-data)
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW		FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps

1545.0000 - 1558.5000 MHz	5K00G7W			TDM signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (GC-S-data)
1545.0000 - 1558.5000 MHz	5K00G7W			FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps
ANTENNA ID: A12	0 meters	CAL / Calquest		CQ100
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW		TDMA signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-ST-data)
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW		Slotted Aloha signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-SR-data)
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW		FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps
1545.0000 - 1558.5000 MHz	5K00G7W			TDM signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (GC-S-data)
1545.0000 - 1558.5000 MHz	5K00G7W			FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps
ANTENNA ID: A13	0 meters	MITSUBISHI / MELCO Transportation Dome		AU400A
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW		TDMA signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-ST-data)
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW		Slotted Aloha signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-SR-data)

1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW	FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps
1545.0000 - 1558.5000 MHz	5K00G7W		TDM signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (GC-S-data)
1545.0000 - 1558.5000 MHz	5K00G7W		FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps
ANTENNA ID: D1	0 meters	WESTINGHOUSE / WEC Contour Dome	CD-JL01003
1646.5000 - 1660.0000 MHz	5K00G7D	16.50 dBW	TDMA signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-DT-data)
1646.5000 - 1660.0000 MHz	5K00G7D	16.50 dBW	Slotted Aloha signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-DRr-data or MT-DRd-data)
1545.0000 - 1558.5000 MHz	5K00G7D		TDM signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (DH-D-data)
ANTENNA ID: D2	0.415 meters	NARROWBAND / Narrowband Fixed Site	RST 2000
1646.5000 - 1660.0000 MHz	5K00G7D	13.80 dBW	TDMA signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-DT-data)
1646.5000 - 1660.0000 MHz	5K00G7D	13.80 dBW	Slotted Aloha signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-DRr-data or MT-DRd-data)
1545.0000 - 1558.5000 MHz	5K00G7D		TDM signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (DH-D-data)

ANTENNA ID: A2	0 meters	WESTINGHOUSE / WEC Contour Dome	CD-JL01003, D-1000
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW	FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW	TDMA signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-ST-data)
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW	Slotted Aloha signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-SR-data)
1545.0000 - 1558.5000 MHz	5K00G7W		TDM signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (GC-S-data)
1545.0000 - 1558.5000 MHz	5K00G7W		FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps
ANTENNA ID: A3	0.92 meters	WESTINGHOUSE / WEC Fixed Site (0.92 m)	CD-JL01083, F-1000
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW	TDMA signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-ST-data)
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW	Slotted Aloha signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-SR-data)
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW	FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps
1545.0000 - 1558.5000 MHz	5K00G7W		TDM signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (GC-S-data)

1545.0000 - 1558.5000 MHz	5K00G7W			FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps
ANTENNA ID: A4	0.76 meters	WESTINGHOUSE / WEC Fixed Site	CD-JL01083, F-1000	(0.76 m)
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW		TDMA signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-ST-data)
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW		Slotted Aloha signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-SR-data)
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW		FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps
1545.0000 - 1558.5000 MHz	5K00G7W			TDM signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (GC-S-data)
1545.0000 - 1558.5000 MHz	5K00G7W			FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps
ANTENNA ID: A5	0 meters	WESTINGHOUSE / WEC Maritime	CD-JL01003-G02	Contour Dome
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW		TDMA signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-ST-data)
1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW		Slotted Aloha signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-SR-data)
1545.0000 - 1558.5000 MHz	5K00G7W			FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps

	1646.5000 - 1660.0000 MHz	5K00G7W	16.50 dBW	FDMA communications channel (voice or data) using differentially encoded QPSK at a transmission rate of 3375 bps
	1545.0000 - 1558.5000 MHz	5K00G7W		TDM signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (GC-S-data)
ANTENNA ID: D3	0 meters	NARROWBAND / Narrowband Mobile		MDT 1000
	1646.5000 - 1660.0000 MHz	5K00G7D	16.00 dBW	TDMA signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-DT-data)
	1646.5000 - 1660.0000 MHz	5K00G7D	16.00 dBW	Slotted Aloha signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-DRr-data or MT-DRd-data)
	1545.0000 - 1558.5000 MHz	5K00G7D		TDM signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (DH-D-data)
ANTENNA ID: D4	0 meters	EATON/ Eaton Mobile		SCM
	1646.5000 - 1660.0000 MHz	5K00G7D	16.00 dBW	TDMA signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-DT-data)
	1646.5000 - 1660.0000 MHz	5K00G7D	16.00 dBW	Slotted Aloha signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-DRr-data or MT-DRd-data)
	1525.0000 - 1559.0000 MHz	5K00G7D		TDM signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (DH-D-data)
ANTENNA ID: D5		EMS		PDT-100
	1626.5000 - 1660.5000 MHz	5K00G7D	11.50 dBW	TDMA signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-DT-data)

1626.5000 - 1660.5000 MHz	5K00G7D	11.50 dBW	Slotted Aloha signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (MT-DRr-data or MT-DRd-data)
1525.0000 - 1559.0000 MHz	5K00G7D		TDM signaling channel using differentially encoded QPSK at a transmission rate of 3375 bps (DH-D-data)

Points of Communication:

1 - MSAT-1 - (106.5 W.L.)

SES-MOD-20000307-00361 WE35 WGBH EDUCATIONAL FOUNDATION

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

SITE ID: 1

LOCATION: 350 CEDAR STREET, NORFOLK, NEEDHAM, MA

42 ° 18 ' 35.00 " N LAT.

71 ° 14 ' 16.00 " W LONG.

ANTENNA ID: 1	10 meters	ANDREW CORPORATION	MODIFIED ANTENNA
5925.0000 - 6425.0000 MHz	200KF9E	58.50 dBW	
5925.0000 - 6425.0000 MHz	30K0F9D	49.50 dBW	
3700.0000 - 4200.0000 MHz	200KF9E		
3700.0000 - 4200.0000 MHz	30K0F9D		
3700.0000 - 4200.0000 MHz	10M0G9W		
5925.0000 - 6425.0000 MHz	10M0G9W	83.30 dBW	

Points of Communication:

1 - ALSAT - (ALSAT)

1 - ANIK E2 - (107.3 W.L.)

SES-MOD-20000324-00495 E6148 MCKIBBEN COMMUNICATIONS

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

"MOD" to add antenna and points of communications.

SITE ID: 1
LOCATION: 16341 FILBERT STREET, SAN FERNANDO, SYLMAR, CA
34 ° 18 ' 55.00 " N LAT. 118 ° 29 ' 12.00 " W LONG.

ANTENNA ID: 1 13 meters HARRIS CORPORATION 5270

5925.0000 - 6425.0000 MHz	36M0F9W	91.30 dBW	
3700.0000 - 4200.0000 MHz	36M0F9W		
5925.0000 - 6425.0000 MHz	36M0F3F	76.10 dBW	STANDARD VIDEO WITH AUDIO SUBCARRIERS
5925.0000 - 6425.0000 MHz	51K2G7D-	60.10 dBW	DIGITAL DATA
5925.0000 - 6425.0000 MHz	36M0G7D	88.70 dBW	DIGITAL DATA
5925.0000 - 6425.0000 MHz	4M00G7F-	79.10 dBW	COMPRESSED DIGITAL VIDEO
5925.0000 - 6425.0000 MHz	36M0G7F	88.70 dBW	COMPRESSED DIGITAL VIDEO
3700.0000 - 4200.0000 MHz	36M0F3F		STANDARD VIDEO WITH AUDIO SUBCARRIERS
3700.0000 - 4200.0000 MHz	51K2G7D-		DIGITAL DATA
3700.0000 - 4200.0000 MHz	36M0G7D		DIGITAL DATA
3700.0000 - 4200.0000 MHz	4M00G7F-		COMPRESSED DIGITAL VIDEO
3700.0000 - 4200.0000 MHz	36M0G7F		COMPRESSED DIGITAL VIDEO

ANTENNA ID: 2 9 meters VERTEX KPC

6367.7730 - 6374.5230 MHz	6M76G7D	69.41 dBW	DIGITAL, QPSK, 3/4 FEC
4153.1250 - 4159.8750 MHz	6M76G7D`		DIGITAL, QPSK, 3/4 FEC

Points of Communication:

- 1 - ALSAT - (ALSAT)
- 1 - INTELSAT POR - (180.0 E.L.)
- 1 - TDRS-5 - (174.3 W.L.)

SES-REG-20000322-00464 E000138 THE ASSOCIATED PRESS

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1
LOCATION: 121 E. CAPITOL, (DEMOCRAT-GAZETTE), PULASKI, LITTLE ROCK, AR
34 ° 44 ' 38.30 " N LAT. 92 ° 16 ' 12.50 " W LONG.

ANTENNA ID: 1 3 meters PRODELIN 1344

3700.0000 - 4200.0000 MHz	200KF3A	ANALOG
3700.0000 - 4200.0000 MHz	180KF2D	DIGITAL
3700.0000 - 4200.0000 MHz	2M50F1D	DIGITAL

Points of Communication:

1 - ALSAT - (ALSAT)

SES-T/C-20000225-00337 E990398 BRUCE ERNEST FAUSER

Application for Consent to Transfer of Control

FROM: THE FREEDOM FORUM

TO: BRUCE ERNEST FAUSER

No. of Station(s) listed: 1

SES-T/C-20000225-00341 E940437 MEDIANEWS GROUP, INC.

Application for Consent to Transfer of Control

FROM: NORTHERN TELEVISION, INC.

TO: MEDIANEWS GROUP, INC.

No. of Station(s) listed: 1

SES-T/C-20000303-00347 E960163 NPI HOLDINGS, INC.

Application for Consent to Transfer of Control

FROM: VANGUARD CELLULAR OPERATING CORP.

TO: METROCALL, INC.

No. of Station(s) listed: 1

INFORMATIVE

SES-T/C-20000314-00426 E980356 Q-EAST U.S. HOLDINGS, INC

Call sign E900992 will not be included in this Transfer of Control application, because it was surrendered on March 6, 2000.

For more information concerning this Notice, contact the Satellite and Radiocommunication Division at 418-0719; TTY 202-418-2555.