Donald Abelson Chief of the International Bureau Federal Communications Commission 445 12th Street SW Washington, D.C. 20554

Dear Mr. Abelson:

The National Telecommunications and Information Administration, on behalf of the Executive Branch Agencies, has approved the release of an additional Draft Executive Branch (NTIA) proposal considering federal agency inputs toward the development of U.S. Proposals for WRC-03.

The proposal addresses agenda item 1.30, which covers broadly regulatory and procedural changes needed to improve advance publication, coordination and notification of satellite systems. One of the areas where the Radio Regulations are lacking is in coordination procedures between satellite networks working in opposite direction of transmission. This issue does not occur in many cases, but does come into play if there is an allocation made to the aeronautical mobile satellite service under agenda item 1.11. If this allocation were made there would be a need to coordinate between the aeronautical mobile satellite service and the space research service. Currently, there are no explicit provisions that cover this case. We propose to correct this by a change in Provision 9.17a and a few additional consequential changes as shown in the enclosure.

This proposal is forwarded for your consideration and review by your WRC-03 Advisory Committee. Jim Vorhies from my staff will contact Alexander Roytblat and reconcile any differences.

Sincerely,

(signed June 24, 2002)

Fredrick R. Wentland Acting Associate Administrator Office of Spectrum Management

Enclosure

United States of America

DRAFT PROPOSALS FOR THE WORK OF THE CONFERENCE

Agenda Item 1.30d: to consider possible changes to the procedures for the advance publication, coordination and notification of satellite networks in response to Resolution **86** (Minneapolis, 1998)

Modification to Appendix 7 clarify that the procedure is applicable to case where the two services are allocated on an equal basis including secondary services.

BACKGROUND: Resolution **86** (Minneapolis, 1998) resolves to request WRC-2000 and subsequent WRCs to continually review and update the advance publication, coordination and notification procedures, including the associated technical characteristics, and the related Appendices of the Radio Regulations, so as to ensure that they reflect the latest technologies, as well as to achieve additional simplification and cost savings for the Radiocommunication Bureau and administrations.

A modification is needed in Article 9 and Appendix 7 to reflect the intent of the Appendix 7 procedure to apply to any case where the space service earth station operates co-frequency with another service where the allocation status is equal for the two services. See Table 10 in Appendix 7. This clarification relates to the situation that will exist when allocation change being made under Agenda Item 1.11 becomes effective.

MOD

9.17A *m*) for any specific earth station <u>or typical mobile earth station</u>, in respect of other earth stations operating in the opposite direction of transmission, in frequency bands allocated with equal rights to space radiocommunication services in both directions of transmission and where the coordination area of the earth station includes the territory of another country or the earth station is located within the coordination area of another earth station, with the exception of the coordination under No. **9.19**;

MOD

TABLE 5-1 (continued)

Reference of Article 9	Case	Frequency bands (and Region) of the service for which coordination is sought	Threshold/condition	Calculation method	Remarks
No. 9.17A GSO, non-GSO/	A specific earth station or typical mobile earth station in	Any frequency band allocated to a space	The coordination area of the earth station covers the territory of	Appendix 7	

GSO, non-GSO	respect of other earth stations operating in the opposite direction of transmission in frequency bands allocated with equal rights to space radiocommunication services in both directions of transmission, where the coordination area of the earth station includes the territory of another country or the earth station is located within the coordinated earth station, with the exception of coordination under 9.19	service	another administration or the earth station is located within the coordination area of an earth station		
-----------------	--	---------	---	--	--

APPENDIX 7 (WRC-2000)

Methods for the determination of the coordination area around an earth station in frequency bands between 100 MHz and 105 GHz

MOD

1.4.4 Earth stations operating in bidirectionally allocated frequency bands For earth stations operating in some frequency bands there may be co- equal primary allocations to space services operating in both the Earth-to-space and space-to-Earth directions. In this case, where two earth stations are operating in opposite directions of transmission it is only necessary to establish the coordination area for the transmitting earth station, as receiving earth stations will automatically be taken into consideration. Hence, a receiving earth station operating in a bidirectionally allocated frequency band will only be involved in coordination with a transmitting earth station if it is located within the transmitting earth station's coordination area.

For a transmitting earth station operating with either geostationary or non-geostationary satellites in a bidirectionally allocated frequency band, the coordination area is determined using the procedures described in § 3.

APPENDIX 7

TABLE 10

Predetermined coordination distances

Frequency sh	naring situation	Coordination distance(in sharing situations involving services allocated with equal rights) (km)	
Type of earth station	Type of terrestrial <u>or</u> <u>earth</u> station		
Ground-based in the bands below 1 GHz to which No. 9.11A applies. Ground-based mobile in the bands within the range 1-3 GHz to which No. 9.11A applies	Mobile (aircraft)	500	
Aircraft (mobile) (all bands)	Ground-based	500	
Aircraft (mobile) (all bands)	Mobile (aircraft)	1 000	
Ground-based in the bands: 400.15-401 MHz 1 675-1 700 MHz	Station in the meteorological aids service (radiosonde)	580	
Aircraft (mobile) in the bands: 400.15-401 MHz 1 675-1 700 MHz	Station in the meteorological aids service (radiosonde)	1 080	
Ground-based in the radiodetermination-satellite service (RDSS) in the bands: 1 610-1 626.5 MHz 2 483.5-2 500 MHz 2 500-2 516.5 MHz	Ground-based	100	
Airborne earth station in the radiodetermination- satellite service (RDSS) in the bands: 1 610-1 626.5 MHz 2 483.5-2 500 MHz 2 500-2 516.5 MHz	Ground-based	400	

TABLE 10 (end)

Frequency sharing situation		Coordination distance(in sharing	
Type of earth station	Type of terrestrial station	situations involving services allocated with equal rights) (km)	
Receiving earth stations in the meteorological-satellite service	Station in the meteorological aids service	The coordination distance is considered to be the visibility distance as a function of the earth station horizon elevation angle for a radiosonde at an altitude of 20 km above mean sea level, assuming 4/3 Earth radius (see Note 1)	
Non-GSO MSS feeder-link earth stations (all bands)	Mobile (aircraft)	500	

NOTE 1 - The coordination distance, d (km), for fixed earth stations in the meteorological-satellite service vis-àvis stations in the meteorological aids service assumes a radiosonde altitude of 20 km and is determined as a function of the physical horizon elevation angle ε_h (degrees) for each azimuth, as follows:

$$d = 100 \qquad \text{for } \epsilon_h \ge 11$$

$$d = 582 \left(\sqrt{1 + (0.254 \epsilon_h)^2} - 0.254 \epsilon_h \right) \qquad \text{for } 0 < \epsilon_h < 11,$$

$$d = 582 \qquad \text{for } \epsilon_h \le 0$$

The minimum and maximum coordination distances are 100 km and 582 km, and correspond to physical horizon angles greater than 11° and less than 0° .