A. Introduction

This document contains the detailed automated data processing (ADP) specifications for the automated report to be filed as FCC Report 43-02, the ARMIS USOA Report.

B. General Format and Media

- 1. All data must be submitted on 3.5 inch double sided high density IBM PC compatible diskettes.
- 2. All files must be coded in ASCII.
- 3. See sections B and C on pages 1 and 2 of the Reporting Procedures for a discussion of the Confidential Version, the Public Version, and the Unrestricted Version of this report and for a definition and discussion of data items that are "Not Available" or are "Withheld."
- 4. The file name for each file has six components:
 - a. the four letter COSA code (CO = Company, SA = Study Area, see the COSA Code Table for a list of companies and their respective COSAs).
 - b. the last two digits of the year which is covered by the data.
 - c. the letters "US."
 - d. a decimal point.
 - e. the letter "P," "C," or "U" to indicate whether this is the Public version, the Confidential version, or the Unrestricted version.
 - f. two digits (zero filled) for the submission number: Submission 00 is for test data purposes only; Submission 01 is for the first submission of a year's data. If there is a change in the data in either the automated or paper report, the carrier must resubmit both. A higher number (2, 3, etc.) and a new data entry date must be used each time a change occurs to denote a new submission. The automated and paper report submission numbers must be the same. When correcting format errors, a new submission number is not required, however, the data entry date must be changed to reflect the date of the format change.

For example, the file name for the Unrestricted Version of the initial USOA Report data file to be submitted by Illinois Bell to cover the calendar year 1999, would be LBIL99US.U01:

LBIL COSA for Illinois Bell

99 Data for calendar year 1999

US USOA Report data file

. Decimal point

- U Unrestricted version
- O1 First submission of this year's data
- 5. A separate file must be prepared for each report. More than one file can be placed on the same diskette, as long as they cover the same period, version, and submission number.

C. Data Entry Conventions

- 1. Give each record a unique record number, beginning with 1001 and incrementing by one, with no numbers skipped.
- 2. Begin each data record in column 1 and make each record the proper length as specified in the record layouts. Commas are used as delimiters between fields. All numeric fields are right justified and space filled, e.g. use 123, NOT 123. All non numeric fields are enclosed in double quotation marks and are left justified and space filled within these quotation marks, e.g. use John Doe."
- 3. If an entry is to be a subtraction, indicate so by placing a minus sign in the column immediately preceding the numeric data, e.g., use -4, NOT -4 or (4).
- 4. When records require the entry of multiple rows of data for a particular item, enter data in <u>only</u> those rows for which there are data to report.
- 5. Section ID row number records have been added for identifying sections of a table that require reporting multiple rows of data for a particular item. This record includes a counter to show the total number of rows or the total number of individual sets of rows in a section. A list of Section ID row numbers to be used in this report is enclosed.
- 6. Records requiring the use of specific row numbers for a set of rows in a particular section of a table must follow the sequence patterns as shown in the Forms Section of the Report Definition.
- 7. When records require the use of row numbers that are associated with a state code or name, use assigned row numbers and the state code on the Automated Report, <u>not</u> the state name, as shown on the State Row Numbers and Codes Reference Table of the Report Definition. State Codes are to be enclosed in double quotation marks, left justified and space filled.

Example: For the Automated Report, enter only the state row numbers and state codes (e.g., "110," "AL," . . .)

- 8. In any data field requiring the entry of a state or territory (e.g., State of Incorporation, States of Operation, etc.) enter the Automated Report state code, <u>not</u> the state name, as shown on the State Row Numbers and Codes Reference Table of the Report Definition. State Codes are to be enclosed in double quotation marks and left justified and space filled, <u>e.g.</u>, "NY __."
- 9. Do NOT include "\$," "%," embedded commas, decimal points, quotes or other formatting characters in any numeric data fields, except for row numbers and percentage fields, which will include a decimal point but not a percent sign.
- 10. In data fields requiring an entry of a date (e.g., Date of Incorporation) or year (e.g. Term Expired or Current Term will Expire), enter as "mmddyyyy" or "yyyy". These entries must be enclosed in double quotation marks and left justified. If there is no date to report on a row that has other entries (e.g., Table B 15, column (i) Effective Date of Call (if any)), zero fill date as "00000000". Do not leave blank or insert "N/A."
- 11. In any numeric data field designated by N/A, enter -99999. If a "Public Version" diskette is filed, enter -88888 in any numeric data field for which data are "Withheld" to indicate that confidential treatment has been requested. **DO NOT** override N/As. These entries must be formatted according to the format rules for the particular data field; e.g., in the percentage fields, -99999 is entered as -99999.00.
- 12. If a reporting carrier wishes to apply data to a field containing an N/A, the carrier should enter as a footnote to the field, the amount(s) and an explanation. The amount(s) must not be entered in the N/A field. All other fields must be populated. If there are no data applicable to an open field, enter zero.

D. Rounding Conventions

- 1. As specified in the Report Definition, all monetary figures must be rounded to the nearest thousand dollars.
- 2. All percentage amounts (e.g., Expected Long Term Return On Assets) must be entered as in the following example and rounded to two decimal places.
 - Example: 23.70561 percent should be entered as 23.71
- 3. All ratios must be rounded to two decimal places. Service life (<u>e.g.</u>, Bases of Charges for Depreciation) must be rounded to one decimal place.
- 4. Unless otherwise indicated, account balances must reflect the results of operations as of the end of the reporting period (December 31, 19xx).

E. Footnotes

- 1. If any data for the current period differ materially from those for the previous period and the difference is not self explanatory but was caused by unusual circumstances, then include footnote text to explain the specific circumstances. Certain items require accompanying footnotes and those items are specified in the appropriate section of the instructions for filing the 43–02. Such footnotes are mandatory and must be entered in the Footnote Records.
- 2. If the reporting carrier does not follow the procedures described in the row and column instructions of the Report Definition, it must explain any deviations from those procedures in an explanatory footnote. Such footnotes must provide detailed explanations of the procedures actually used by the carrier and its specific reasons for deviating from procedures prescribed by the Commission's Rules. This provision should not be interpreted to mean that deviations from the prescribed rules will automatically be approved by the Commission. See Section E of the Reporting Procedures for examples of valid footnotes.
- 3. Footnotes must be included in the footnote text record(s) of the automated report.

F. Errata

1. Carriers are under a legal obligation to correct any erroneous data discovered in FCC Report 43-02. Submissions containing corrected data must include references to indicate which data items were corrected since the previous submission. These references must be included in the Erratum Record(s). In addition, carriers must include in the transmittal letter, a brief statement indicating the reason for the errata. See Section B of the Reporting Procedures for use of submission numbers when an erratum occurs.

G. Data Validation Programs

1. Each reporting carrier must validate its data by using the most recent edit check program(s), provided by the Commission, for the reporting year. When an error is detected, the carrier must correct the error prior to submitting the report to the Commission. Once the carrier corrects its data so that the edit check program identifies no errors, the carrier should submit the ARMIS report along with a copy of the edit check printout to the Commission verifying that the program did not identify any errors.

H. <u>Data Record Descriptions</u>

The thirty-four data record types are described below. Unless otherwise indicated, report the same number of records per record type, for both Class A and Class B account level reporting. See pages 14 through 111 for record layouts. The automated file will consist of the following record types:

1. Record Type H1 – Header Record

One Type H1 record per file. The first record of each file. Contains identifying data. See page 14 for record layout.

2. Record Type L2 – Label Record

One Type L2 record per file. The second record of each file. Contains report number, carrier classification, carrier name, etc. See page 15 for record layout.

3. Record Type A1 – (Table C-1) Identify of Respondent Data Record (No Class B Account Level Reporting)

102 or less Type A1 records per file as shown on page 6 of the Report Definition. One Type A1 record for each of the 8 single row entries, respectively. One Type A1a record to show the total number of states of operation reported, followed by 1 to 70 Type A1a records for each state of operation reported. One Type A1b record to show the total number of partners reported, followed by 0 to 9 Type A1b records for each partner reported. One Type A1c record to show the total number of laws of state or territory reported, followed by 0 to 12 Type A1c records for each law of state or territory reported. Each record provides information on the identify of a respondent. See pages 16–18 for record layout.

4. Record Type A2 – (Table C-2) Control Over Respondent Data Record (No Class B Account Level Reporting)

64 or less Type A2 records per file as shown on page 7 of the Reporting Definition. One Type A2 record for each of the 3 single row entries, respectively. Three Type A2 records to identify the sole controlling organization or person if form of control is "sole." One Type A2a record to show the total number of joint controlling organizations or persons reported, followed by 0 to 15 Type A2a records for each organization or person if form of control is "joint." One Type A2b record to show the total number of indirect controllers reported, followed by 0 to 10 Type A2b records for each controller. One Type A2c record to show the total number of trustees reported, followed by 0 to 30 Type A2c records for each trustee. Each record provides information on the control over a respondent. See pages 19 – 21 for record layout.

5. Record Type A3 – (Table C-3) Board of Directors and General Officers Data Record

201 or less Type A3 records and General Officers per file as shown on page 8 of the Report Definition. One Type A3 record to indicate whether or not a SEC Form 10K

Annual Report has been submitted in lieu of the information called for in this table. If the entry for this row is "YES," no additional Type A3 records are needed. One Type A3a record to show the total number of directors reported, followed by 1 to 99 Type A3a records for each director. One Type A3b record to show the total number of officers reported, followed by 1 to 99 type A3b records for each officer. Each record provides information on the directors and officers of a carrier. See pages 22 - 24 for record layout.

6. Record Type A4 – (Table C-4) Stockholders Data Record (No Class B Account Level Reporting)

325 or less Type A4 records per file as shown on page 9 of the Report Definition. One Type A4 record to show the total number of classes of stock reported. One Type A4a record to report the name of the first class of stock reported, followed by one Type A4a record to show the total number of stockholders reported for the first class of stock, followed by one to 30 Type A4a records for each stockholder entry, followed by one Type A4a record for total number of shares held, followed by one Type A4a record for total holders of class of stock, followed by two Type A4a records for the two compilation entries. Continue including Type A4 (b – i, inclusively) records for up to 8 additional classes of stock, respectively. Follow the pattern of the Type A4a record above for each additional class of stock reported. Each row displays information on stockholders. See pages 25 – 27 for record layout.

7. Record Type A5 – (Table C-5) Important Changes During the Year Data Record (No Class B Account Level Reporting)

1063 or less Type A5 records per file as shown on pages 10-13 of the Report Definition. One Type A5 record to show whether a map defining the territory covered is attached to the report. One Type A5a record to show the total number of extension of systems reported, followed by 0 to 27 Type A5a records for each extension of systems. One Type A5b record to show the total number of properties sold, followed by 0 to 27 Type A5b records for the particulars of each entry property sold. One Type A5c record to show the total number of companies under direct control of the carrier, followed by 0 to 36 Type A5c records to identify each form of control, company name and address, and description of direct control. One Type A5d record to show the total number of changes in direct control reported, followed by 0 to 36 Type A5d records to identify each form of control, company name and address, and description of change. One Type A5e record to show the total number of companies reported that ceased to be directly controlled by a carrier, followed by 0 to 27 Type A5e records for each company name and statement of the fact associated with the change. Continue including Type A5 (f - k, inclusively) records for these 6 records, respectively. Follow the pattern of the Type A5a through Type A5e records above for each additional change during the year. Each record discloses important changes during the reporting period for the carrier. See pages 28–36 for record layout.

8. Record Type B1 – Account Balance Data Record

179 Type B1 records per file for Class A account level reporting. 103 Type B1 records per file for Class B account level reporting. One Type B1 record for each of the 33 rows (Class A) shown on page 14 of the Report Definition or 24 rows (Class B) shown on page 18. After the 52 Type P1 records (Class A) or 18 Type P1 records (Class B) (see below), include one Type B1 record for each of the 55 rows (Class A) shown on pages 16 & 17 of the Report Definition or 53 rows (Class B) shown on pages 19 & 20. Then include one Type B1 record for each of the 48 rows (Class A) shown on page 46 of the Report Definition or 11 rows (Class B) shown on page 52 (from Table I-1). After the 91 Type X1 records (Class A) or 22 Type X1 records (Class B) (see below), include one Type B1 record for each of the 43 rows (Class A) shown on pages 50 & 51 of the Report Definition or 13 rows (Class B) shown on page 53 (from Table I-1). Each record contains the ending balance or dollar amount recorded in that particular account. See pages 37 & 38 for record layout.

9. <u>Record Type P1 – Balance/Income Period Activity Data Record (from Table B–</u> 1)

52 Type P1 records per file for Class A account level reporting. 18 Type P1 records per file for Class B account level reporting. One record for each of the rows shown on pages 15-16 & 18 of the Report Definition. Each record contains the details of the activity of the account during the reporting period. See pages 39 & 40 for record layout.

10. <u>Record Type X1 – Income Statement Expense Matrix Data Record (from Table I–1)</u>

91 Type X1 records per file for Class A level reporting. 22 Type X1 records per file for Class B account level reporting. One record for each of the rows of expense data shown on pages 47-49 & 52 of the Report Definition. Each record contains the dollar amounts for the expense matrix elements. See pages 41 & 42 for record layout.

11. Record Type B2 – Cash Flows Data Record

35 Type B2 records per file. One record of each of the 35 rows of cash activities shown page 21 of the Report Definition. Each record contains increase/decrease in cash and cash equivalents. See pages 43 for record layout.

12. Record Type B3 – Investments In Affiliates and Other Companies Data Record (No Class B Account Level Reporting)

130 or less Type B3 records per file as shown on pages 22–27 of the Report Definition. One Type B3a record to show the total number of investments in affiliates reported using the "equity method" for accounts 1401/1402, 1160 and 1180, followed by 0 to 29 Type B3a records for each investment, followed by one Type B3a record for the total amount of investments using the "equity method." One Type B3b record to show the total number of investments in affiliates reported using the "cost method" for accounts 1401/1402, 1160 and 1180, followed by 0 to

29 Type B3b records for each investment, followed by one Type B3b record for the total amount of investments using the "cost method." Include One Type B3 record for total affiliates, followed by One Type B3 record for aggregate non – affiliates,

followed by one Type B3 record for total investments for accounts 1401/1402, 1160 and 1180. Continue including Type B3 (c – d, inclusively) records for rows with data to report pertaining to investments in affiliates using the "equity" or "cost" methods, respectively, for accounts 1190, 1200, and 1210. Follow the pattern of the Type B3a and B3b records above. Include One Type B3 record for total affiliates, followed by One Type B3 record for the aggregate non – affiliates, followed by one Type B3 record for total investments for accounts 1190, 1200, and 1210. Each record displays the amount of carrier investment in affiliated companies accounted for under the "equity method" and the "cost method" and investment in non – affiliated companies. See pages 44 – 50 for record layout.

13. Record Type B4 – Analysis of Assets Purchased From or Sold to Affiliates Data Record

81 or less Type B4 records per file as shown on page 28 of the Report Definition. One Type B4a record to show the total number of assets purchased from affiliates reported, followed by 0 to 39 Type B4a records for each affiliate, followed by 0 or 1 Type B4a record for the total amount of assets purchased. One Type B4b record to show the total number of assets sold to affiliates reported, followed by 0 to 39 Type B4b records for each affiliate, followed by 0 or 1 Type B4b record for the total amount of assets sold. Each record displays data regarding the purchase of assets from and sales of assets to affiliates. See pages 51 – 53 for record layout.

14. Record Type B5 – Analysis of Entries In Accumulated Depreciation Data Record (No Class B Account Level Reporting)

37 Type B5 records per file. One record for each of the 37 rows of depreciable telecommunications plant maintained in subsidiary record categories in Account 3100 as shown on pages 29–32 of the Report Definition. Each record displays the activities in the accumulated depreciation accounts. See pages 54-55 for record layout.

15. Record Type B6 – Summary of Investment and Accumulated Depreciation by Jurisdiction Data Record (No Class B Account Level Reporting)

One Type B6 record of each row with data to be reported. Include one Type B6 record for total company data, even if there is only one state row to report as shown on page 33 of the Report Definition. Each record displays the plant investment and its associated accumulated depreciation by jurisdiction. See pages 56-58 for record layout.

16. Record Type B7 - Bases of Charges For Depreciation by Jurisdiction Data Record (No Class B Account Level Reporting)

One Type B7 record to show the total number of sets of jurisdictions reported, followed by one Type B7 record for each row with data to be reported as shown on page 34 of the Report Definition. Include One Type B7 record for total company data, even if there is only one state row to report. Each record displays the charges

for depreciation for each class or subclass of depreciable plant for which a depreciation rate is determined by jurisdiction. See pages 59 - 62 for record layout.

17. Record Type B8 - Capital Leases Data Record (No Class B Account Level Reporting)

32 or less Type B8 records per file. One Type B8 record to show the total number of capital leases reported, followed by 0 to 30 Type B8 records for each capital lease, followed by 0 or 1 Type B8 record for the total amount of all capital leases reported as shown on page 35 of the Report Definition. Each record displays amounts capitalized, the accumulated amortization, the lease obligation broken down between current and noncurrent amounts and a breakdown of lease cost components expensed. See pages 63 – 66 for record layout.

18. Record Type B9 – Deferred Charges Data Record (No Class B Account Level **Reporting**)

42 or less Type B9 records per file. One Type B9 record to show the total number of deferred charges reported, followed by 0 to 40 Type B9 records for each deferred charge, followed by 0 or 1 Type B9 record for the total amount of all deferred charges reported as shown on page 36 of the Report Definition. Each record displays the items being deferred in Account 1439. See pages 67 – 69 for record layout.

Record Type B10 - Accounts Payable to Affiliates Data Record (No Class B 19. **Account Level Reporting**)

52 or less Type B10 records per file. One Type B10 record to show the total of affiliate creditors reported, followed by 0 to 50 Type B10 records for each affiliate creditor, followed by 0 or 1 Type B10 record for the amount payable as shown on page 37 of the Report Definition. Each record displays outstanding payable to affiliate creditors. See pages 70 – 72 for record layout.

20. Record Type B11 - Long Term Debt Data Record (No Class B Account Level Reporting)

199 or less Type B11 records per file as shown on page 38 of the Report Definition. One Type B11a record to show the total number of long term obligations reported for account 4210, followed by 0 to 85 Type B11a records for each obligation, followed by 0 or 1 Type B11a record for the total amount for account 4210. One Type B11b record to show the total number of long term obligations reported for account 4050, followed by 0 to 89 Type B11b records for each obligation, followed by 0 or 1 Type B11b record for the total amount for account 4050. Continue including Type B11(c – d, inclusively) records for rows with data to report pertaining to the two remaining long term debt accounts, respectively. Follow the pattern of Type B11b records above. Include one Type B11 record for the total of all accounts reported. Each record displays information on long term obligations, including those maturing in the coming year in account 4210. See pages 73 – 76 for record layout.

21. Record Type B12 - Net Deferred Taxes Data Record (No Class B Account **Level Reporting**)

36 Type B12 records per file. One record for each of the 36 rows of income tax accounts as shown on pages 39-41 of the Report Definition. Each record displays data regarding net deferred operating/nonoperating income taxes in accounts 4100, 4340, 4110 or 4350. See pages 77 – 78 for record layouts.

22. Record Type B13 - Other Deferred Credits Data Record (No Class B Level **Reporting**)

42 or less Type B13 records per file. One Type B13 record to show the total number of other deferred charges reported, followed by 0 to 40 Type B13 records for each deferred charge, followed by 0 or 1 Type B13 record for the total amount of all deferred charges reported as shown on page 42 of the Report Definition. Each record displays items being deferred in Account 4360. See pages 79 – 81 for record layout.

23. Record Type B14 - Capital Stock Data Record (No Class B Account Level Reporting)

31 or less Type B14 records per file. One Type B14 record to show the total number of capital stocks reported, followed by 0 to 29 Type B14 records for each capital stock, followed by 0 or 1 type B14 record for the total amount of all capital stocks reported as shown on page 43 of the Report Definition. Each record displays data on a class of stock. See pages 82 – 84 for record layout.

24. Record Type B15 - Capital Stock & Funded Debt Reacquired or Retired Data Record (No Class B Account Level Reporting)

112 or less Type B15 records file as shown on pages 44 - 45 of the Report Definition. One Type B15a record to show the total number of capital stocks reacquired, followed by 0 to 10 Type B15a records for each capital stock reacquired. One Type B15b record to show the total number of capital stocks retired, followed by 0 to 10 Type B15b records for each capital stock retired. Continue including Type B15 (c - d, inclusively) records for rows with data to report pertaining to funded debt reacquired or retired, respectively. Follow the pattern of the Type B15a and B15b records above. Each record displays data on securities acquired and retired. See pages 85 – 88 for record layout.

Record Types B1 and X1 – Income Statement Data Record

These records are included in the Type B1 and Type X1 record descriptions and layouts (see No. 8 & 10 above) as shown on pages 46 - 53 of the Report Definition.

25. Record Type I2 – Analysis of Services Purchased From or Sold To Affiliates Data Record

82 or less Type I2 records per file. One Type I2a record to show the total number of services purchased from affiliates reported, followed by 0 to 39 Type I2a records for each affiliate, followed by 0 or 1 Type I2a record for the total services purchased as

shown on page 54 of the Report Definition. One Type I2b record to show the total number of services sold to affiliates reported, followed by 0 to 39 Type I2b records for each affiliate, followed by 0 or 1 Type I2b record for the total services sold. Each record displays data regarding the purchase of services from or sales of services to affiliates. See pages 89 - 91 for record layout.

26. Record Type I3 – Pension Cost Data Record (No Class B Account Level Reporting)

88 Type I3 records per file. One record for each of the 88 rows of pension cost reported as shown on pages 55 – 58 of the Report Definition. Each record displays end—of—year amounts for the current and previous reporting periods for each major pension plan used. See page 92 for record layout.

27. Record Type I4 – Operating Other Taxes (Account 7240) Data Record (No Class B Account Level Reporting)

One Type I4 record to provide data on taxes paid to the U. S. Government, followed by one Type I4 record for each state or jurisdiction reported as shown on page 59 of the Report Definition. Include a Type I4 record for total company data, even if there is only one state row reported, followed by one Type I4 record for the amount of taxes paid to a jurisdiction but charged to construction, followed by one Type I4 record for the amount of other credits to account 7240, followed by one Type I4 record for the net amount charged to account 7240. Each record displays governmental jurisdiction to whom carriers paid taxes that were charged to account 7240. See pages 93 & 94 for record layout.

28. Record Type I5 - Prepaid Taxes and Tax Accruals Data Record (No Class B Account Level Reporting)

73 or less Type I5 records per file as shown on pages 60 – 65 of the Report Definition. One Type I5a record to show the total number of property taxes reported, followed by one to 6 type I5a records for each property tax entry, followed by one Type I5a record for the total of all property taxes reported. One Type I5b record to show the total number of capital stock taxes reported, followed by one to 6 Type I5b records for each capital stock tax entry, followed by one Type I5b record for the total of all capital stock taxes reported. Continue including Type

I5 (c – i, inclusively) records for rows with data to report pertaining to the seven remaining tax items listed on Table I5, respectively. Follow the pattern of the Type 15a and I5b records above. Include one Type I5 record to show the total of all categories of taxes reported. Each record displays the activity in prepaid taxes, income taxes accrued, and the other taxes accrued accounts. See pages 95 - 98 for record layout.

29. Record Type I6 - Special Charges Data Record (No Class B Account Level Reporting)

29 or less Type I6 records per file as shown on page 66 of the Report Definition. One Type I6 record for the 6 single row entries, respectively. One Type I6a record to show the total number of abandoned construction projects reported, followed by 0 to 9 Type I6a records for each project entry, followed by one Type I6a record to show the total amount reported for abandoned construction projects. One Type I6b record to show the total number of penalties and fines reported, followed by 0 to 9 Type I6b records for each penalty and fine entry, followed by one Type I6b record to show the total amount reported for penalties and fines. Include One Type I6 record to show the total of all special charges reported. Each record displays expense for the special charges account. See pages 99 – 101 for record layout.

30. Record Type I7 – Donations or Payments for Services Rendered By Persons Other Than Employees Data Record (No Class B Account Level Reporting)

1292 or less Type I7 records per file as shown on pages 67-69 of the Report Definition. One Type I7a record to show the total number of academia reported, followed by 0 to 97 Type I7a records for each academia entry followed by one Type I7a record for the total payment to academia. One Type I7b record to show the total number of advertising and information services reported, followed by 0 to 397 Type I7b records for each advertising and information services entry, followed by one Type I7b record for total payment for advertising and information services. Continue including Type I7 (c -1, inclusively) records for the rows with data to report pertaining to the 10 remaining services listed on Table I7, respectively. Follow the pattern of Type I7a and I7b records above. Each record displays payment to academia or payment for services rendered by persons other than employees. See pages 102-104 for record layout.

31. Record Type C3 – Confidential Treatment Record

Optional. Zero or more Type C3 records per file. Contains information to identify the data for which the carrier is seeking confidential treatment. See pages 105 & 106 for record layout.

32. Record Type F3 – Footnote Record

One or more Type F3 records per file. Contains explanatory footnote text. See pages 107 & 108 for record layout.

33. Record Type E4 – Erratum Record

Zero Type E4 records in the first submission of a year's data. One or more Type E4 records per file in revisions filed to correct that year's submission. Each time an erratum occurs, a carrier must use a new submission number. The same submission number must be used for the automated report and the paper report. Contains information to identify the data that were corrected in this submission. See pages 109 & 110 for record layout.

34. Record Type T1 – Trailer Record

One Type T1 record. The last record of the file. Contains contact person, etc. See pages 111 for record layout.

RECORD TYPE H1 – HEADER RECORD

| <u>Field</u> | <u>Item</u> | Example | Position | Description |
|--------------|--------------------|----------------|----------|---|
| 1 | Record Number | 1001 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "H1 " | 13 – 18 | Always contains the letter H capitalized and the number 1 with no space between them. Format: Include quotation marks. |
| 4 | File Name | "LBIL99US.U01" | 20 – 33 | The name of the ASCII file. Format: See page 1, paragraph B.4. Include quotation marks. |
| 5 | Year | 1999 | 35 - 38 | The year covered by the data. |
| 6 | Quarter # | 0 | 40 | Always contains the number 0 since this is an annual data file. |
| 7 | Data Entry Date | 20000315 | 42 – 49 | The date on which the data were last entered or revised. Format: YYYYMMDD. |
| 8 | Version | "U" | 51 – 53 | The version letter (P, C or U) capitalized (Public, Confidential or Unrestricted). Format: Include quotation marks. |
| 9 | Submission # | 01 | 55 – 56 | 00 for test data purposes only; 01 for first submission of a year's data. Higher numbers (02, 03, etc.) are used each time a change occurs to denote a new submission. The same submission number must be used for the automated and paper reports. Format: Right justified. |
| 10 | End of Record Code | "XQ" | 58 – 61 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: All fields are separated by commas.

 $\underline{1234567890123456789012345678901234567890123456789012345678901}$

Sample record:

RECORD TYPE L2 - LABEL RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | <u>Position</u> | <u>Description</u> |
|--------------|----------------------|---|-----------------|--|
| 1 | Record Number | 1002 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "L2 " | 13 – 18 | Always contains the letter L capitalized and the number 2 with no space between them. Format: Include quotation marks. |
| 4 | Report Number | "FCC REPORT 43-02" | 20 – 37 | Always contains "FCC REPORT 43-02" capitalized. Format: Include quotation marks. |
| 5 | Account Filing Level | "A" | 39 – 41 | Account filing level (Class A or B) capitalized. Format: Include quotation marks. |
| 6 | Carrier | "Illinois Bell " (spaces until pos. 73) | 43 – 74 | Name of the carrier. Format: Left justified and space filled. Include quotation marks. |
| 7 | Study Area | "Illinois " | 76 – 97 | Name of the study area. Format: Left justified and space filled. Include quotation marks. |
| 8 | Period Covered | "Jan 1999 to Dec 1999" | 99 – 120 | Period covered by the data. Format: "mmm yyyy to mmm yyyy" Include quotation marks. |
| 9 | End of Record Code | "XQ" | 122 – 125 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: All fields are separated by commas.

Sample record: 1002,"LBIL","L2 ","FCC REPORT 43 - 01","A","Illinois Bell

","Illinois ",

1 1 1 0 1 2

901234567890123456789012345

Continuation of sample record:

"Jan 1999 to Dec 1999", "XQ"

RECORD TYPE A1 - SECTION ID RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------------|----------------|----------|--|
| 1 | Record Number | 1006 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "A1a " | 13 – 18 | Always contains the letter A capitalized and the number 1 with no space between them. Format: Include quotation marks. |
| 4 | Section ID Row Number | 125.0 | 20 – 25 | Section row number to identify sections of a table that requires reporting multiple rows of data for a particular item in Record type A1. Valid Ids: 125.0, 245.0, 259.0 |
| 5 | Section Item Count | 2 - or - 0 | 27 – 30 | Counter to show the total number of individual sets of rows in a section. If there are no data applicable to a section, enter 0 (zero). Valid Set of Rows: 130.0 to 199.0, 250.0 to 258.0, 260.0 to 292.0. Format: Right justified and space filled. |
| 6 | End of Record Code | "XQ" | 32 – 35 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: All fields are separated by commas.

1 2 3 12345678901234567890123456789012345

Sample record:

1006, "LBIL", "Ala ", 125.0, 2, "XQ"

- OR -

1006, "LBIL", "Ala ", 125.0, 0, "XQ"

RECORD TYPE A1 – IDENTITY OF RESPONDENT DATA RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------|------------------------------|-----------|---|
| 1 | Record Number | 1007 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "A1a " | 13 – 18 | Always contains the letter A capitalized and the number 1 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 130.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 100.0 to 292.0. Include only those rows for which there are data to report. Format: Right justified and space filled, with one decimal place. Since all applicable numbers are integers, append .0 to the row number. |
| 5 | Column (b) data | "IL" (spaces until pos. 100) | 27 – 101 | This field contains the data corresponding to column (b) as shown in the Form Section of the Report Definition. Format: Left justified and space filled. Include quotation marks. |
| 6 | End of Record Code | "XQ" | 103 – 106 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

RECORD TYPE A1 – IDENTITY OF RESPONDENT DATA RECORD (continued)

Note: All fields are separated by commas.

Footnote records are needed if any data for the current period differ materially from those for the previous period and the difference is not self–explanatory but was caused by unusual circumstances. Also, if the carrier does not follow the procedures described in the row/column instructions in the Report Definition.

| | | | | | | | | | 1 |
|-------------------|-------------|-------------|------------|------------|-------------|-------------|-------------|-------------|-------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| 123456789012345 | 56789012345 | 6789012345 | 678901234 | 5678901234 | 5678901234 | 5678901234 | 5678901234 | 56789012345 | 6789012345 |
| Sample records | : | | | | | | | | |
| 1006, "LBIL", "A1 | la ", 125.0 |), 2,"XQ" | | | | | | | |
| 1007, "LBIL", "A | la ", 130.0 |),"IL | | | | | | | ","XQ |
| 1008, "LBIL", "A | la ", 131.0 |),"MI | | | | | | | ","XQ |
| 1009,"LBIL","A | 1 ", 200.0 | 0,"01031976 | | | | | | | ","XQ |
| 1010,"LBIL","A | 1 ", 210.0 | 0,"00000000 |) | | | | | | ","XQ |
| 1011, "LBIL", "A | 1 ", 220.0 | 0,"01091976 | , | | | | | | ","XQ |
| 1012, "LBIL", "A | 1 ", 230.0 | 0,"00000000 |) | | | | | | ","XQ |
| 1013,"LBIL","A1 | 1 ", 240.0 | 0,"01151976 | ; | | | | | | ","XQ |
| | | | | | | | | | 1 |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| 123456789012345 | 56789012345 | 6789012345 | 678901234 | 5678901234 | 5678901234 | 5678901234 | 5678901234 | 56789012345 | 6789012345 |
| Sample records | : | | | | | | | | |
| 1014,"LBIL","A | lb ", 245.0 |), 1,"XQ" | | | | | | | |
| 1015, "LBIL", "A1 | lb ", 250.0 |),"Indiana | Jones, 03 | 011980 | | | | | ","XQ |
| 1016,"LBIL","A | lc ", 259.0 |), 2,"XQ" | | | | | | | |
| 1017, "LBIL", "A | lc ", 260.0 |),"The Comp | any was in | ncorporate | d on Dec. 2 | 20, 1975, j | pursuant to | o an Illino | ois ","XQ |
| 1018, "LBIL", "A1 | lc ", 261.0 |),"statute | entitled | 'Hurd's Il | l. Rev. Sta | at.' (1975 |) approved | April 1, 1 | .980 ","XQ |
| 1019,"LBIL","A1 | lc ", 262.0 |),"Ch. 32, | secs, 1, | 2, 3, and | 4. | | | | ","XQ |
| 1020,"LBIL","A1 | lc ", 270.0 |),"On March | 12,1980, | the Compa | ny became a | a closed co | orporation | pursuant t | to the","XQ |
| 1021,"LBIL","A1 | lc ", 271.0 |),"Illinois | Closed Co | orporation | Act, 'Ill | . Rev. Sta | t.'(1990), | Ch. 32, pa | ars. ","XQ |
| 1022, "LBIL", "A | lc ", 272.0 |),"1202 to | 1210, inc | lusive. | | | | | ","XQ |

RECORD TYPE A2 - SECTION ID RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------------|----------------|----------|--|
| 1 | Record Number | 1024 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "A2a " | 13 – 18 | Always contains the letter A capitalized and the number 2 with no space between them. Format: Include quotation marks. |
| 4 | Section ID Row Number | 145.0 | 20 – 25 | Section row number to identify sections of a table that requires reporting multiple rows of data for a particular item in Record type A2. Valid Ids: 145.0, 295.0, 395.0 |
| 5 | Section Item Count | 1 - or - 0 | 27 – 30 | Counter to show the total number of individual sets of rows in a section. If there are no data applicable to a section, enter 0 (zero). Valid Set of Rows: 150.0 to 192.0, 300.0 to 390.0, 400 to 492.0. Format: Right justified and space filled. |
| 6 | End of Record Code | "XQ" | 32 – 35 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: All fields are separated by commas.

Sample record:

1024, "LBIL", "A2a ", 145.0, 1, "XQ"

- OR -

1024, "LBIL", "A2a ", 145.0, 0, "XQ"

RECORD TYPE A2 – CONTROL OVER RESPONDENT DATA RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------|--|-----------|--|
| 1 | Record Number | 1025 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "A2a " | 13 – 18 | Always contains the letter A capitalized and the number 2 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 150.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 100.0 to 492.0. Include only those rows for which there are data to report. Format: Right justified and space filled, with one decimal place. Since all applicable numbers are integers, append .0 to the row number. |
| 5 | Column (b) data | "Bell Atlantic Corp " (spaces until pos. 100) | 27 – 101 | This field contains the data corresponding to column (b) as shown in the Form Section of the Report Definition. Format: Left justified and space filled. Include quotation marks. |
| 6 | End of Record Code | "XQ" | 103 – 106 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

RECORD TYPE A2 - CONTROL OVER RESPONDENT DATA RECORD (Continued)

Note: Separate all fields with commas.

Footnote records are needed if any data for the current period differ materially from those for the previous period and the difference is not self–explanatory but was caused by unusual circumstances. Also, if the carrier does not follow the procedures described in the row/column instructions in the Report Definition.

| _ | | | | | | | | | |
|---|-------------|---------------------|------------|------------|--------------|------------|------------|-------------|--------------|
| | | | | | | | | | 1 |
| 1 | 2 | | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| 12345678901234 | | 678901234 | 5678901234 | 5678901234 | 5678901234 | 5678901234 | 5678901234 | 56789012345 | 56789012345 |
| Sample records | | | | | | | | | |
| 1023, "LBIL", "A | • | • | | | | | | | ","XQ |
| 1024, "LBIL", "A | | - | | | | | | | |
| 1025,"LBIL","A | | | | _ | | | | | ","XQ |
| 1026,"LBIL","A | • | • | | | | | | | ","XQ |
| 1027,"LBIL","A | | | - | | | | | | ","XQ |
| 1028, "LBIL", "A | | | - | - | ies | | | | ","XQ' |
| 1029, "LBIL", "A | | | _ | tock | | | | | ","XQ |
| 1030, "LBIL", "A | • | ~ | | | | | | | |
| 1031, "LBIL", "A | 2c ", 395.0 | 0,"XQ | " | | | | | | |
| _ | | | | | | | | | |
| 1 | 0 | 2 | 4 | - | _ | 7 | 0 | 0 | 1 |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| 12345678901234 Sample records | | 6 / 8 9 0 1 2 3 4 5 | 56/8901234 | 56/8901234 | :56/8901234: | 56/8901234 | 56/8901234 | 56/89012345 | 56/890123456 |
| 1023, "LBIL", "A | | 1 "50]0 | | | | | | | ","XO |
| | • | • | lantia Con | noration | | | | | , AQ |
| 1024, "LBIL", "A2 ", 110.0, "Bell Atlantic Corporation 1025, "LBIL", "A2 ", 111.0, "34 South Vacker Drive | | | | | | | | , AQ | |
| 1025, "LBIL", "A2 ", 111.0, "54 South vacker Drive 1026, "LBIL", "A2 ", 112.0, "Philadelphia, Pa 60545 | | | | | | | | , xQ | |
| 1020, LBIL , A | | | - | 00343 | | | | | , до |
| 1027, LBIL , A | | - | | na segurit | iec | | | | ","XO |
| 1029, "LBIL", "A | | | - | - | .105 | | | | , 12 |
| | . , 210.0 | , 1000 OI | | | | | | | " "XO |
| , noin , A. | 2h " 295 N | י איי ח | - | 00011 | | | | | ","XQ' |
| 1031, "LBIL", "A | 2b ", 295.0 | | " | 00011 | | | | | ","XQ |

RECORD TYPE A3 - SECTION ID RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------------|----------------|----------|--|
| 1 | Record Number | 1033 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "A3a " | 13 – 18 | Always contains the letter A capitalized and the number 3 with no space between them. Format: Include quotation marks. |
| 4 | Section ID Row Number | 95.0 | 20 – 25 | Section row number to identify sections of a table that requires reporting multiple rows of data for a particular item in Record type A3. Valid Ids: 95.0, 200.0 |
| 5 | Section Item Count | 2 - or - 0 | 27 – 30 | Counter to show the total number of individual sets of rows in a section. If there are no data applicable to a section, enter 0 (zero). Valid Set of Rows: 101.0 to 199.0 and 201.0 to 299.0 Format: Right justified and space filled. |
| 6 | End of Record Code | "XQ" | 32 – 35 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: All fields are separated by commas.

1 2 3 12345678901234567890123456789012345 Sample record: 1033, "LBIL", "A3a ", 95.0, 2, "XQ"

- OR -

1033, "LBIL", "A3a ", 95.0, 0, "XQ"

RECORD TYPE A3 – BOARD OF DIRECTORS AND GENERAL OFFICERS DATA RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------|---|-----------|--|
| 1 | Record Number | 1034 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "A3a " | 13 – 18 | Always contains the letter A capitalized and the number 3 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 101.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 100.0 to 299.0. Include only those rows for which there are data to report. Format: Right justified and space filled, with one decimal place. Since all applicable numbers are integers, append .0 to the row number. |
| 5 | Column (b) data | "Jane Doe Detroit, MI " (spaces until pos. 67) | 27 – 68 | This field contains the data corresponding to column (b) as shown in the Form Section of the Report Definition. Format: Left justified and space filled. Include quotation marks. |
| 6 | Column (c) data | "Director " (spaces until pos. 129) | 70 – 130 | Column (c) data. Format: See Field 5 above. |
| 7 | Column (d) data | "2000" | 132 – 137 | This filed contains the data corresponding to column (d) as shown in the Form Section of the Report Definition. Format: "yyyy". Enter "0000" in field if designated by N/A. Include quotation marks. |
| 8 | Column (e) data | "01011978 to Present " or "N/A " (spaces until pos. 159) | 139 – 160 | This filed contains the data corresponding to column (e) as shown in the Form Section of the Report Definition. Format: "mmddyyyy to mmddyyyy". Enter "N/A" in field if designated by N/A. Include quotation marks. |
| 9 | End of Record Code | "XQ" | 162 – 165 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

RECORD TYPE A3 - BOARD OF DIRECTORS AND GENERAL OFFICERS DATA RECORD (continued)

Note: Separate all fields with commas.

Footnote records are needed if any data for the current period differ materially from those for the previous period and the difference is not self-explanatory but was caused by unusual circumstances. Also, if the carrier does not follow the procedures described in the row/column instructions in the Report Definition.

| | | | | | | | | | 1 |
|---|-----------------|-----------|------------|----------------|----------|-------------|------------|-------------|--------------|
| 1 2 | 3 | 4 | 5 | 6 | | 7 | 8 | 9 | 0 |
| 12345678901234567890123 | 345678901234 | 567890123 | 3456789012 | 234567890 |)123456 | 67890123456 | 6789012345 | 6789012345 | 56789012345 |
| Sample records: 1032,"LBIL","A3 ", 100 |) () "NI/Z | | | | | ","NO | | | |
| 1032, LBIL , A3 , 100 1033, "LBIL", "A3a ", 95 | | 11 | | | | , NO | | | |
| 1034,"LBIL","A3a ", 101 | | | Detro | oit, Mich | nidan | ","Direct | tor | | |
| 1035, "LBIL", "A3a ", 102 | | | | oit, Mich | | | tant Direc | tor | |
| 1036,"LBIL","A3b ", 200 | _ | | | | 3 | , | | | |
| 1037,"LBIL","A3b ", 201 | | | Detro | oit, Mich | nigan | ","Vice H | President | - Market | ing/Busines |
| 1038,"LBIL","A3b ", 202 | 2.0,"James B | rown | Detro | oit, Mich | nigan | ","Execut | tive Vice | President | - Finance |
| | | | | | = | | | | |
| 1 1 1 | | 1 | 1 | 1 | | | | | |
| 0 1 2 67890123456789012345678 | | 012345678 | 5 | 6 789012345 | ; | | | | |
| Continuation of Sample | | 012343070 | 90123430 | 09012343 | <u> </u> | | | | |
| contin. of record 1032 | | N/A | | ","XQ' | | | | | |
| | | | | . ~ | | | | | |
| contin. of record 1034 | ","2000"," | 01011978 | to Preser | nt ","XQ' | | | | | |
| contin. of record 1035 | ","1993"," | 01011979 | to Preser | nt ","XQ' | | | | | |
| _ | | | | | | | | | |
| Development | ","1993"," | | | | | | | | |
| and External Affairs | ","1980"," | 10311979 | to 103119 | 980","XQ' | ' | | | | |
| | | | - OR - | _ | | | | | |
| | | | Oic | | | | | | |
| (If carrier enters "Yes | s" in column | c for ro | w 100.0 a | and submi | its a o | copy of its | s SEC Form | n 10 – K/Ar | nnual Report |
| with its ARMIS USOA Re | eport) | | | | | | | | |
| | | | | | | | | | |
| | | | _ | | _ | _ | | | 1 |
| 1 2 | 3 | 4 | 5 | 6 | | 7 | 8 | 9 | 0 |
| 12345678901234567890123 | 345678901234 | 567890123 | 3456789012 | 234567890 |)123456 | 67890123456 | 6789012345 | 6789012345 | 6789012345 |
| Sample records: |) () II NT / 7\ | | | | | " "Vog | | | |
| 1032,"LBIL","A3 ", 100 | J.U, "N/A | | | | | ","Yes | | | |
| 1 1 1 | 1 | 1 | 1 | 1 | - | | | | |
| 0 1 2 | 3 | 4 | 5 | 6 | | | | | |
| 67890123456789012345678 | 390123456789 | 012345678 | 901234567 | 789012345 | 5 | | | | |
| Continuation of Sample | records: | | | | | | | | |
| | | | | | | | | | |

RECORD TYPE A4 - SECTION ID RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------------|----------------|----------|--|
| 1 | Record Number | 1039 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "A4 " | 13 – 18 | Always contains the letter A capitalized and the number 4 with no space between them. Format: Include quotation marks. |
| 4 | Section ID Row Number | 95.0 | 20 – 25 | Section row number to identify sections of a table that requires reporting multiple rows of data for a particular item in Record type A4. Valid Ids: 95.0, 105.0, 205.0, 305.0, 405.0, 505.0, 605.0, 705.0, 805.0, 905.0 |
| 5 | Section Item Count | 2 - or - 0 | 27 – 30 | Counter to show the total number of individual sets of rows in a section. If there are no data applicable to a section, enter 0 (zero). Valid Set of Rows: 100.0, 200.0, 300.0 900.0, 110.0 to 139.0, 210.0 to 239.0, 310.0 to 339.0, 410.0 to 439.0, 510 to 539.0, 610.0 to 639.0, 710.0 to 739.0, 810.0 to 839.0, 910.0 to 939.0 Format: Right justified and space filled. |
| 6 | End of Record Code | "XQ" | 32 – 35 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: All fields are separated by commas.

2 $\underline{1234}\underline{5678901234567890123456789012345}$ Sample record:

1039, "LBIL", "A4 ", 95.0, 2, "XQ"

- OR -

1039,"LBIL","A4 ", 95.0, 0,"XQ"

RECORD TYPE A4 - STOCKHOLDERS DATA RECORD

| Field | <u>Item</u> | Example | Position | Description |
|-------|--------------------|--|-----------|---|
| 1 | Record Number | 1040 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "A4a " | 13 – 18 | Always contains the letter A capitalized and the number 4 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 100.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 100.0 to 970.0. Include only those rows for which there are data to report. Format: Right justified and space filled, with one decimal place. Since all applicable numbers are integers, append .0 to the row number. |
| 5 | Column (b) data | "Common Stock " or "N/A" (spaces until pos. 87) | 27 – 88 | This field contains the data corresponding to column (b) as shown in the Form Section of the Report Definition. Format: Left justified and space filled. Include quotation marks. |
| 6 | Column (c) data | -99999 | 90 – 98 | This field contains the data corresponding to column (c) as shown in the Form Section of the Report Definition. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |
| 7 | End of Record Code | "XQ" | 100 – 104 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

RECORD TYPE A4 - STOCKHOLDERS DATA RECORD (continued)

Note: Separate all fields with commas.

Footnote records are needed if any data for the current period differ materially from those for the previous period and the difference is not self–explanatory but was caused by unusual circumstances. Also, if the carrier does not follow the procedures described in the row/column instructions in the Report Definition.

| | | | | | | | | | 1 |
|------------------|------------|-------------|-------------|-------------|-----------|-------------|----------|----------|--------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| 1234567890123456 | 789012345 | 6789012345 | 6789012345 | 6789012345 | 678901234 | 5678901234 | 67890123 | 45678901 | 234567890123 |
| Sample records: | | | | | | | | | |
| 1040,"LBIL","A4a | ", 100.0 | ,"Common S | Stock | | | | | ", | -99999,"XQ" |
| 1041,"LBIL","A4a | ", 105.0 | , 1,"XQ" | i | | | | | | |
| 1042,"LBIL","A4a | ", 110.0 | ,"Amerited | ch Corporat | ion, Chica | go, Illin | ois | | ", | 19500,"XQ" |
| 1043,"LBIL","A4a | ", 140.0 | ,"N/A | | | | | | ", | 19500,"XQ" |
| 1044,"LBIL","A4a | ", 150.0 | ,"N/A | | | | | | ", | 1,"XQ" |
| 1045,"LBIL","A4a | ", 160.0 | , "12311991 | - | | | | | ", | -99999,"XQ" |
| 1046,"LBIL","A4a | . ", 170.0 | ,"Preparat | ion of thi | is USOA Rep | ort for 1 | 997 | | ", | -99999,"XQ" |
| 1047,"LBIL","A4b | ", 200.0 | ,"Preferre | ed Stock | | | | | ", | -99999,"XQ" |
| 1048,"LBIL","A4b | ", 205.0 | , 2,"XQ" | 1 | | | | | | |
| 1049,"LBIL","A4b | ", 210.0 | ,"Amerited | h Audiote | « Services, | Inc., Ch | icago, Ill: | inois | ", | 17500,"XQ" |
| 1050,"LBIL","A4b | ", 211.0 | ,"Tigon Co | rporation, | , Chicago, | Illinois | | | ", | 14500,"XQ" |
| 1051,"LBIL","A4b | ", 240.0 | ,"N/A | | | | | | ", | 32000,"XQ" |
| 1052,"LBIL","A4b | ", 250.0 | ,"N/A | | | | | | ", | 2,"XQ" |
| 1053,"LBIL","A4b | ", 260.0 | ,"12311991 | - | | | | | ", | -99999,"XQ" |
| 1054,"LBIL","A4b | ", 270.0 | ,"Preparat | ion of thi | is USOA Rep | ort for 1 | 999 | | ", | -99999,"XQ" |

RECORD TYPE A5 - SECTION ID RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------------|----------------|----------|--|
| 1 | Record Number | 1055 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "A5a " | 13 – 18 | Always contains the letter A capitalized and the number 5 with no space between them. Format: Include quotation marks. |
| 4 | Section ID Row Number | 100.0 | 20 – 25 | Section row number to identify sections of a table that requires reporting multiple rows of data for a particular item in Record type A5. Valid Ids: 100.0, 200.0, 400.0, 1000.0, 1100.0, 1200.0, 1300.0, 1400.0, 1500.0, 1600.0, 1800.0 |
| 5 | Section Item Count | 2 - or - 0 | 27 – 30 | Counter to show the total number of individual sets of rows in a section. If there are no data applicable to a section, enter 0 (zero). Valid Set of Rows: 110.0 to 192.0, 210.0 to 292.0, 401.0 to 999.0, 1010.0 to 1093.0, 1110.0 to 1193.0, 1210.0 to 1292.0, 1310.0 to 1393.0, 1410.0 to 1493.0, 1510.0 to 1592.0, 1610.0 to 1793.0, 1810.0 to 1892.0. Format: Right justified and space filled. |
| 6 | End of Record Code | "XQ" | 32 – 35 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: All fields are separated by commas.

2 $\underline{12345678901234567890123456789012345}$

Sample record:

1055, "LBIL", "A5a ", 100.0, 2, "XQ"

- OR -

1055, "LBIL", "A5a ", 100.0, 0, "XQ"

RECORD TYPE A5 – IMPORTANT CHANGES DURING THE YEAR DATA RECORD (Sample No. 1)

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|-----------------|---|-----------|--|
| 1 | Record Number | 1056 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "A5a " | 13 – 18 | Always contains the letter A capitalized and the number 5 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 110.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 110.0 to 1892.0. Include only those rows for which there are data to report. Format: Right justified and space filled, with one decimal place. Since all applicable numbers are integers, append .0 to the row number. |
| 5 | Column (b) data | "Acquisition of " - or – "N/A " (spaces until pos. 97) | 27 – 98 | This field contains the data corresponding to column (b) as shown in the Form Section of the Report Definition. Format: Left justified and space filled. Enter "N/A" in field if designated by N/A. Include quotation marks. |
| 6 | Column (c) data | "00000000" | 100 – 109 | This field contains the data corresponding to column (c) as shown in the Form Section of the Report Definition. Format: "mmddyyyy". Enter "00000000" in field if designated by N/A. Include quotation marks. |
| 7 | Column (d) data | "N/A " (spaces until pos. 150) | 111 – 151 | Column (d) data. Format: See Field 5 above. |

RECORD TYPE A5 – IMPORTANT CHANGES DURING THE YEAR RECORD (Sample No. 1 continued)

| <u>Field</u> | <u>Item</u> | Example | <u>Position</u> | Description |
|--------------|--------------------|--------------------------------|-----------------|---|
| 8 | Column (e) data | "NA" | 153 – 156 | This field contains the state code corresponding to column (e) as shown in the Report Definition. See reference Table for list of state codes. Format: Left justified and space filled. Enter "N/A" in field if designated by N/A. Include quotation marks. |
| 9 | Column (f) data | "00000000" | 158 – 167 | Column (f) data. Format: See Field 6 above. |
| 10 | Column (g) data | "N/A " (spaces until pos. 212) | 169 – 213 | Column (g) data. Format: See Field 5 above. |
| 11 | Column (h) data | -99999 | 215 – 223 | This field contains the data corresponding to column (h) as shown in the Form Section of the Report Definition. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |
| 12 | Column (i) data | -99999 | 225 – 233 | Column (i) data. Format: See Field 11 above. |
| 13 | End of Record Code | "XQ" | 235 – 238 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

RECORD TYPE A5 – IMPORTANT CHANGES DURING THE YEAR DATA RECORD (Sample No. 2)

| Field | <u>Item</u> | Example | Position | Description |
|-------|-----------------|---|-----------|--|
| 1 | Record Number | 1056 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "A5i " | 13 – 18 | Always contains the letter A capitalized and the number 5 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 1610.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 110.0 to 1892.0. Include only those rows for which there are data to report. Format: Right justified and space filled, with one decimal place. Since all applicable numbers are integers, append .0 to the row number. |
| 5 | Column (b) data | "Common Carrier " - or - "N/A " (spaces until pos. 97) | 27 – 98 | This field contains the data corresponding to column (b) as shown in the Form Section of the Report Definition. Format: Left justified and space filled. Enter "N/A" in field if designated by N/A. Include quotation marks. |
| 6 | Column (c) data | "01011991" | 100 – 109 | This field contains the data corresponding to column (c) as shown in the Form Section of the Report Definition. Format: "mmddyyyy". Enter "00000000" in field if designated by N/A. Include quotation marks. |
| 7 | Column (d) data | "Interconnection" - or - "N/A " (spaces until pos. 150) | 111 – 151 | Column (d) data. Format: See Field 5 above. |

RECORD TYPE A5 – IMPORTANT CHANGES DURING THE YEAR RECORD (Sample No. 2 continued)

| <u>Field</u> | <u>Item</u> | Example | <u>Position</u> | Description |
|--------------|--------------------|--------------------------------|-----------------|---|
| 8 | Column (e) data | "IL" | 153 – 156 | This field contains the state code corresponding to column (e) as shown in the Report Definition. See reference Table for list of state codes. Format: Left justified and space filled. Enter "N/A" in field if designated by N/A. Include quotation marks. |
| 9 | Column (f) data | "00000000" | 158 – 167 | Column (f) data. Format: See Field 6 above. |
| 10 | Column (g) data | "N/A " (spaces until pos. 212) | 169 – 213 | Column (g) data. Format: See Field 5 above. |
| 11 | Column (h) data | -99999 | 215 – 223 | This field contains the data corresponding to column (h) as shown in the Form Section of the Report Definition. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |
| 12 | Column (i) data | -99999 | 225 – 233 | Column (i) data. Format: See Field 11 above. |
| 13 | End of Record Code | "XQ" | 235 – 238 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

RECORD TYPE A5 – IMPORTANT CHANGES DURING THE YEAR DATA RECORD (Sample No. 3)

| <u>Field</u> | <u>Item</u> | Example | Position | Description |
|--------------|-----------------|--------------------------------|-----------|--|
| 1 | Record Number | 1056 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "A5k " | 13 – 18 | Always contains the letter A capitalized and the number 5 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 401.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 110.0 to 1892.0. Include only those rows for which there are data to report. Format: Right justified and space filled, with one decimal place. Since all applicable numbers are integers, append .0 to the row number. |
| 5 | Column (b) data | "N/A " (spaces until pos. 97) | 27 – 98 | This field contains the data corresponding to column (b) as shown in the Form Section of the Report Definition. Format: Left justified and space filled. Enter "N/A" in field if designated by N/A. Include quotation marks. |
| 6 | Column (c) data | "00000000" | 100 – 109 | This field contains the data corresponding to column (c) as shown in the Form Section of the Report Definition. Format: "mmddyyyy". Enter "00000000" in field if designated by N/A. Include quotation marks. |
| 7 | Column (d) data | "N/A " (spaces until pos. 150) | 111 – 151 | Column (d) data. Format: See Field 5 above. |

RECORD TYPE A5 – IMPORTANT CHANGES DURING THE YEAR RECORD (Sample No. 3 continued)

| <u>Field</u> | <u>Item</u> | Example | Position | Description |
|--------------|--------------------|--|-----------|---|
| 8 | Column (e) data | "NA" | 153 – 156 | This field contains the state code corresponding to column (e) as shown in the Report Definition. See reference Table for list of state codes. Format: Left justified and space filled. Enter "N/A" in field if designated by N/A. Include quotation marks. |
| 9 | Column (f) data | "01011991" | 158 – 167 | Column (f) data. Format: See Field 6 above. |
| 10 | Column (g) data | "Decrease in" or – "N/A " (spaces until pos. 212) | 169 – 213 | Column (g) data. Format: See Field 5 above. |
| 11 | Column (h) data | - 156890 | 215 – 223 | This field contains the data corresponding to column (h) as shown in the Form Section of the Report Definition. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |
| 12 | Column (i) data | 10000 | 225 – 233 | Column (i) data. Format: See Field 11 above. |
| 13 | End of Record Code | "XQ" | 235 – 238 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: Separate all fields with commas.

Footnote records are needed if any data for the current period differ materially from those for the previous period and the difference is not self–explanatory but was caused by unusual circumstances. Also, if the carrier does not follow the procedures described in the row/column instructions in the Report Definition.

RECORD TYPE A5 – IMPORTANT CHANGES DURING THE YEAR DATA RECORD (continued)

```
5
                                                                  7
                  2
                            3
                                     4
                                                         6
                                                                            8
                                                                                      9
Sample records:
1055, "LBIL", "A5a ", 100.0,
                            2,"XQ"
1056, "LBIL", "A5a ", 110.0, "Acquisition of building, COE equip. and outside plant located in the
1057, "LBIL", "A5a ", 111.0, "Broken Arrow Ok. Exchange Boundary to begin operations on June 1, 1977",
1058, "LBIL", "A5a ", 112.0, "from the SW Bell Tel. Co St. Louis, MO on Dec. 31, 1988 for $268,593 ",
1059, "LBIL", "A5a ", 120.0, "Acquisition of building, COE equip. and outside plant located in the ",
1060, "LBIL", "A5a ", 121.0, "Broken Arrow Ok. Exchange Boundary to begin operations on June 1, 1977",
1061, "LBIL", "A5a ", 122.0, "from the NYNEX Tel. Co Syracuse, NY on Jan. 31, 1989 for $367,693.50. ",
1062, "LBIL", "A5b ", 200.0,
                            0,"XQ"
1063, "LBIL", "A5 ", 300.0, "Yes
1064, "LBIL", "A5c ", 1000.0,
                            1,"XQ"
1065, "LBIL", "A5c ", 1010.0, "Sole
1066, "LBIL", "A5c ",1011.0, "Detroit Bell, 1020 E. Broad Str., Detroit, Michigan 20567
1067, "LBIL", "A5c ",1012.0, "Additional data as to how control was established, and any other
1068, "LBIL", "A5c ",1013.0, "pertinent data requisite to a clear understanding relating to control.",
1069, "LBIL", "A5d ",1100.0,
                            0,"XQ"
1070, "LBIL", "A5e ",1200.0,
                            0,"XQ"
1071, "LBIL", "A5f ",1300.0,
                            0,"XO"
1072, "LBIL", "A5g ",1400.0,
                            0,"XQ"
1073, "LBIL", "A5h ", 1500.0,
                            0,"XQ"
1074, "LBIL", "A5i ",1600.0,
                            1,"XQ"
1075, "LBIL", "A5i ",1610.0, "Common Carrier, Allnet Communications Services, Inc.
1076, "LBIL", "A5j ",1800.0,
                            0,"XQ"
1077, "LBIL", "A5k ", 400.0,
                            2,"XQ"
1078, "LBIL", "A5k ", 401.0, "N/A
1079, "LBIL", "A5k ", 402.0, "N/A
         1
                                                          1
                                                                                                 2
                                                                                       1
                                                                   7
O
         1
                   2
                             3
                                      4
                                                5
                                                          6
                                                                             8
                                                                                       9
                                                                                                Ω
Continuation of sample records:
(end of Record 1055, Type A5a, Row 100.0)
"00000000","N/A
                                                 ","NA","00000000","N/A
"00000000", "N/A
                                                 ", "NA", "00000000", "N/A
"00000000", "N/A
                                                 ","NA","00000000","N/A
"00000000", "N/A
                                                 ", "NA", "00000000", "N/A
"00000000", "N/A
                                                 ", "NA", "00000000", "N/A
                                                 ","NA","00000000","N/A
"00000000", "N/A
(end of Record 1062, Type A5b, Row 200.0)
"00000000","N/A
                                                 ","NA","00000000","N/A
(end of Record 1064, Type A5c, Row 1000.0)
"00000000", "N/A
                                                 ", "NA", "00000000", "N/A
"00000000", "N/A
                                                 ","NA","00000000","N/A
```

RECORD TYPE A5 - IMPORTANT CHANGES DURING THE YEAR DATA RECORD (continued)

```
1
                   1
                             1
                                      1
                                                1
                                                          1
                                                                    1
                                                                                       1
                                                                                                 2
0
         1
                   2
                             3
                                      4
                                                5
                                                          6
                                                                    7
                                                                             8
                                                                                       9
                                                                                                 0
Continuation of sample records:
"00000000","N/A
                                                 ","NA","00000000","N/A
"00000000","N/A
                                                 ","NA","00000000","N/A
(end of Record 1069, Type A5d, Row 1100.0)
(end of Record 1070, Type A5e, Row 1200.0)
(end of Record 1071, Type A5f, Row 1300.0)
(end of Record 1072, Type A5g, Row 1400.0)
(end of Record 1073, Type A5h, Row 1500.0)
(end of Record 1074, Type A5i, Row 1600.0)
"09301996", "Interconnection
                                                 ","IL","00000000","N/A
(end of Record 1076, Type A5j, Row 1800.0)
(end of Record 1077, Type A5k, Row 400.0)
"00000000", "N/A
                                                 ","NA","01011991","Decrease in Interstate
"00000000","N/A
                                                 ","NA","02011991","Increase in Switched Access
2
             2
                       2
             2
678901234567890123456789012345678
Continuation of sample records:
(end of Record 1055, Type A5a, Row 100.0)
      ۳,
           -99999,
                     -99999, "XQ"
           -99999,
                     -99999, "XQ"
           -99999,
                     -99999, "XQ"
           -99999,
                     -99999,"XQ"
           -99999,
                     -99999,"XQ"
           -99999,
                     -99999, "XQ"
. . .
(end of Record 1062, Type A5b, Row 200.0)
      ",
           -99999,
                     -99999, "XQ"
(end of Record 1064, Type A5c, Row 1000.0)
           -99999,
                     -99999, "XQ"
           -99999,
                     -99999,"XQ"
           -99999,
                     -99999, "XO"
           -99999,
                     -99999, "XQ"
(end of Record 1069, Type A5d, Row 1100.0)
(end of Record 1070, Type A5e, Row 1200.0)
(end of Record 1071, Type A5f, Row 1300.0)
(end of Record 1072, Type A5g, Row 1400.0)
(end of Record 1073, Type A5h, Row 1500.0)
(end of Record 1074, Type A5i, Row 1600.0)
     ", -99999,
                    -99999,"XQ"
(end of Record 1076, Type A5j, Row 1800.0)
(end of Record 1077, Type A5k, Row 400.0)
     ",
           - 156890,
                         - 500, "XQ"
           234590,
                      10000, "XQ"
```

RECORD TYPE B1 – ACCOUNT BALANCE DATA RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|----------------------|----------------|----------|--|
| 1 | Record Number | 1080 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "B1 " | 13 – 18 | Always contains the letter B capitalized and the number 1 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 1130.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 120.0 to 150.0, 340.0 to 490.0, 510.0 to 530.0, 790.0, 830.0 to 860.0, 1120.0 to 1500.0, 3100.0 to 4550.0, 5001.0 to 5320.0, 7100.0 to 7990.0. Format: Right justified and space filled, with one decimal place. Since all applicable numbers are integers, append .0 to the row number. |
| 5 | Account Balance data | 5432 | 27 – 35 | This field contains the ending balance or dollar amount recorded in the particular account. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |
| 6 | End of Record Code | "XQ" | 37 – 40 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

RECORD TYPE B1 – ACCOUNT BALANCE DATA RECORD (continued)

Note: Separate all fields with commas.

| 1 | 2 | 3 | 4 |
|-------------------|-------------|-----------|---------|
| 1234567890123456 | 78901234567 | 789012345 | 67890 |
| Sample records: | | | |
| 1080,"LBIL","B1 | ",1130.0, | 5432 | 2,"XQ" |
| 1113,"LBIL","B1 | ",3100.0, | 5432 | 2,"XQ" |
| 1222, "LBIL", "B1 | ",5001.0, | 5432 | 2,"XQ" |
| 1359."LBIL"."B1 | ",7110.0. | 5432 | 2. "XO" |

RECORD TYPE P1 – BALANCE/INCOME PERIOD ACTIVITY DATA RECORD

| <u>Field</u> | <u>Item</u> | Example | Position | Description |
|--------------|--------------------|---------|----------|--|
| 1 | Record Number | 1113 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "P1 " | 13 – 18 | Always contains the letter P capitalized and the number 1 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 2001.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 210.0 to 260.0, 2001.0 to 2690.0. Format: Right justified and space filled, with one decimal place. For row numbers that are integers, append .0 to the row number. For row numbers with one decimal place, (e.g., 2215.1) use the row number as shown. |
| 5 | Column (ab) data | 65432 | 27 – 35 | This field contains the data corresponding to column (ab) as shown in the Form Section of the Report Definition. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |
| 6 | Column (ac) data | 2716 | 37 – 45 | Column (ac) data Format: See Field 5 above. |
| 7 | Column (ad) data | 5432 | 47 – 55 | Column (ad) data Format: See Field 5 above. |
| 8 | Column (ae) data | 2716 | 57 – 65 | Column (ae) data Format: See Field 5 above. |
| 9 | Column (af) data | 60000 | 67 – 75 | Column (af) data Format: See Field 5 above. |
| 10 | End of Record Code | "XQ" | 77 – 80 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

RECORD TYPE P1 – BALANCE/INCOME PERIOD ACTIVITY DATA RECORD (continued)

Note: Separate all fields with commas.

| 1 | 2 | 3 | 4 | 5 | 6 | 7 8 |
|------------------|-------------|-------------|------------|-------------|-------------|---------------|
| 1234567890123456 | 78901234567 | 39012345678 | 3901234567 | 78901234567 | 89012345678 | 3901234567890 |
| Sample records: | | | | | | |
| 1113,"LBIL","P1 | ",2001.0, | 65432, | 2716, | 5432, | 2716, | 60000,"XQ" |
| 1134,"LBIL","P1 | ",2215.1, | 15432, | 2716, | 5432, | 2716, | 10000,"XQ" |

RECORD TYPE X1 – INCOME STATEMENT EXPENSE MATRIX DATA RECORD

| <u>Field</u> | <u>Item</u> | Example | Position | Description |
|--------------|--------------------|---------|----------|--|
| 1 | Record Number | 1270 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "X1 " | 13 – 18 | Always contains the letter X capitalized and the number 1 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 6112.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 610.0 to 730.0, 6110.0 to 6790.0. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to the row number. |
| 5 | Column (ab) data | 21728 | 27 – 35 | This field contains the data corresponding to column (ab) as shown in the Form Section of the Report Definition. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |
| 6 | Column (ac) data | 5432 | 37 – 45 | Column (ac) data Format: See Field 5 above. |
| 7 | Column (ad) data | 5432 | 47 – 55 | Column (ad) data Format: See Field 5 above. |
| 8 | Column (ae) data | 5432 | 57 – 65 | Column (ae) data Format: See Field 5 above. |
| 9 | Column (af) data | 5432 | 67 – 75 | Column (af) data Format: See Field 5 above. |
| 10 | End of Record Code | "XQ" | 77 – 80 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

RECORD TYPE X1 - INCOME STATEMENT EXPENSE MATRIX DATA RECORD (continued)

Note: Separate all fields with commas.

Footnote records are needed if any data for the current period differ materially from those for the previous period and the difference is not self–explanatory but was caused by unusual circumstances. Also, if the carrier does not follow the procedures described in the row/column instructions in the Report Definition.

Certain items require accompanying <u>mandatory</u> footnotes and must be entered in the Footnote Text record(s).

Such items as those for column (ac) to show the number of full – time and part – time employees at the end of the year.

| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|--------|-------------|--------------|-------------|------------|------------|------------|----------|------|
| 12345 | 67890123456 | 789012345678 | 39012345678 | 9012345678 | 9012345678 | 9012345678 | 90123456 | 7890 |
| Sample | e records: | | | | | | | |
| 1270, | "LBIL","X1 | ",6112.0, | 21728, | 5432, | 5432, | 5432, | 5432, | "XO" |

RECORD TYPE B2 – STATEMENT OF CASH FLOWS DATA RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------|----------------|----------|---|
| 1 | Record Number | 1402 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "B2 " | 13 – 18 | Always contains the letter B capitalized and the number 2 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 100.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 100.0 to 440.0 Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to the row number. |
| 5 | Column (b) data | -99999 | 27 – 35 | This field contains the data corresponding to column (b) as shown in the Form Section of the Report Definition. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |
| 6 | Column (c) data | 199210 | 37 – 45 | Column (c) data Format: See Field 5 above. |
| 7 | End of Record Code | "XQ" | 47 – 50 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: Separate all fields with commas.

| 1 | 2 | 3 | 4 | 5 |
|--|---------------|-----------|---------|----------------------|
| 12345678901234 | 4567890123456 | 789012345 | 6789012 | 34567890 |
| Sample records 1402,"LBIL","F 1403,"LBIL","F | B2 ", 100.0, | | , | 210,"XQ" 999,"XO" |

RECORD TYPE B3 - SECTION ID RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------------|----------------|----------|--|
| 1 | Record Number | 1438 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "B3a " | 13 – 18 | Always contains the letter B capitalized and the number 3 with no space between them. Format: Include quotation marks. |
| 4 | Section ID Row Number | 100.0 | 20 – 25 | Section row number to identify sections of a table that requires reporting multiple rows of data for a particular item in Record type B3. Valid Ids: 100.0, 200.0, 300.0, 400.0. |
| 5 | Section Item Count | 2 - or - 0 | 27 – 30 | Counter to show the total number of individual sets of rows in a section. If there are no data applicable to a section, enter 0 (zero). Valid Set of Rows: 110.0 to 129.0, 201.0 to 229.0, 301.0 to 329.0, 401.0 to 429.0. Format: Right justified and space filled. |
| 6 | End of Record Code | "XQ" | 32 – 35 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: All fields are separated by commas.

1 2 3 1234567890123456789012345

Sample record:

1438, "LBIL", "B3a ", 100.0, 2, "XQ"

- OR -

1438, "LBIL", "B3a ", 100.0, 0, "XQ"

RECORD TYPE B3 – INVESTMENTS IN AFFILIATES AND OTHER COMPANIES (PART I) – DATA RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|-----------------|---|----------|---|
| 1 | Record Number | 1339 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "B3a " | 13 – 18 | Always contains the letter B capitalized and the number 3 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 101.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 101.0 to 260.0. Include only those rows for which there are data to report. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to the row number. |
| 5 | Column (b) data | "Ameritech Services, Inc. – or – "N/A " (spaces until pos. 67) | 27 – 68 | This field contains the data corresponding to column (b) as shown in the form Section of the Report Definition. Do NOT override designated N/As. Format: Left justified and space filled. Include quotation marks. |
| 6 | Column (c) data | 5432 | 70 – 78 | This field contains the data corresponding to column (c) as shown in the Form Section of the Report Definition. Do NOT override designated N/As. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |
| 7 | Column (d) data | 5432 | 80 – 88 | Column (d) data Format: See Field 5 above. |
| 8 | Column (e) data | 1358 | 90 – 98 | Column (e) data Format: See Field 5 above. |

RECORD TYPE B3 – INVESTMENTS IN AFFILIATES AND OTHER COMPANIES (PART I) – DATA RECORD (continued)

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------|----------------|-----------|--|
| 9 | Column (f) data | 1358 | 100 – 108 | Column (f) data Format: See Field 5 above. |
| 10 | Column (g) data | 2716 | 110 – 118 | Column (g) data Format: See Field 5 above. |
| 11 | Column (h) data | 16296 | 120 – 128 | Column (h) data Format: See Field 5 above. |
| 12 | Column (i) data | 3197 | 130 – 138 | Column (i) data Format: See Field 5 above. |
| 13 | Column (j) data | 2242 | 140 – 148 | Column (j) data Format: See Field 5 above. |
| 14 | Column (k) data | 1404 | 150 – 158 | Column (k) data Format: See Field 5 above. |
| 15 | Column (l) data | 4035 | 160 – 168 | Column (l) data Format: See Field 5 above. |
| 16 | Column (m) data | 0 | 170 – 178 | Column (m) data Format: See Field 5 above. |
| 17 | Column (n) data | 0 | 180 – 188 | Column (n) data Format: See Field 5 above. |
| 18 | Column (o) data | 0 | 190 – 198 | Column (o) data Format: See Field 5 above. |
| 19 | Column (p) data | 0 | 200 – 208 | Column (p) data Format: See Field 5 above. |
| 20 | End of Record Code | "XQ" | 210 – 213 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

RECORD TYPE B3 – INVESTMENTS IN AFFILIATES AND OTHER COMPANIES (PART I) – DATA RECORD (continued)

Note: Separate all fields with commas.

| | | | | | | | | | 1 | |
|--------------|-------------|--------------|-------------|-------------|------------|------------|-------------|------------|-----------|----------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| 123456789012 | 23456789012 | 345678901234 | 15678901234 | 5678901234 | 5678901234 | 567890123 | 34567890123 | 3456789012 | 345678901 | 23456789 |
| Sample recor | rds: | | | | | | | | | |
| 1438,"LBIL", | "B3a ", 10 | 0.0, 2,"XÇ | 2 " | | | | | | | |
| 1439,"LBIL", | "B3a ", 10 | 1.0,"Amerite | ech Service | es, Inc. | | ", | 5432, | 5432, | 1358, | 2716, |
| 1440,"LBIL", | "B3a ", 10 | 2.0,"Illinoi | s Bell Adm | ninistratio | n Center I | nc.", | 1136, | 432, | 1020, | 356, |
| 1441,"LBIL", | "B3a ", 13 | 0.0,"N/A | | | | ", | 6568, | 5864, | 2378, | 3072, |
| 1442,"LBIL", | "B3b ", 20 | 0.0, 0,"XÇ | 2 " | | | | | | | |
| 1443,"LBIL", | "B3 ", 24 | 0.0,"N/A" | | | | ", | 6568, | 5864, | 2378, | 3072, |
| 1444,"LBIL", | "B3 ", 25 | 0.0,"N/A" | | | | ", | 0, | 0, | 0, | 0, |
| 1445,"LBIL", | "B3 ", 26 | 0.0,"N/A" | | | | ", | 6568, | 5864, | 2378, | 3072, |
| | | | | | | | | | | |
| | | | | | | | | | | |
| 1 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | |
| 1 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | |
| 012345678901 | 2345678901 | 234567890123 | 34567890123 | 34567890123 | 4567890123 | 3456789012 | 23456789012 | 2345678901 | 234567890 | 123 |
| Continuation | n of sample | records: | | | | | | | | |
| 2716, | 16296, | 3197, | 2242, | 1404, | 4035, | 0, | 0, | 0, | 0," | XQ" |
| 0, | 0, | 234, | 0, | 123, | 1020, | 0, | 0, | 0, | 0," | XQ" |
| 2716, | 16296, | 3431, | 2242, | 1527, | 5055, | 0, | 0, | 0, | 0," | XQ" |
| 2716, | 16296, | 3431, | 2242, | 1527, | 5055, | 0, | 0, | 0, | 0," | XQ" |
| 0, | 0, | 0, | 0, | 0, | 0, | 0, | 0, | 0, | 0," | XQ" |
| 2716, | 16296, | 3431, | 2242, | 1527, | 5055, | 0, | 0, | 0, | 0," | XQ" |

$\frac{\text{RECORD TYPE B3} - \text{INVESTMENTS IN AFFILIATES AND OTHER COMPANIES (PART II)} - \text{DATA}}{\text{RECORD}}$

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|------------------|---|----------|---|
| 1 | Record Number | 1446 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "B3c " | 13 – 18 | Always contains the letter B capitalized and the number 3 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 301.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 301 to 460.0. Include only those rows for which there are data to report. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to the row number. |
| 5 | Column (ab) data | "Ameritech Services, Inc." - or - "N/A " (spaces until pos. 67) | 27 – 68 | This field contains the data corresponding to column (ab) as shown in the form Section of the Report Definition. Do NOT override designated N/As. Format: Left justified and space filled. Include quotation marks. |
| 6 | Column (ac) data | 3863 | 70 – 78 | This field contains the data corresponding to column (c) as shown in the Form Section of the Report Definition. Do NOT override designated N/As. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |
| 7 | Column (ad) data | 0 | 80 – 88 | Column (ad) data Format: See Field 5 above. |
| 8 | Column (ae) data | - 3863 | 90 – 98 | Column (ae) data Format: See Field 5 above. |

$\frac{RECORD\ TYPE\ B3-INVESTMENTS\ IN\ AFFILIATES\ AND\ OTHER\ COMPANIES\ (PART\ II)\ -\ DATA}{RECORD}\ (continued)$

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------|----------------|-----------|--|
| 9 | Column (af) data | 0 | 100 – 108 | Column (af) data Format: See Field 5 above. |
| 10 | Column (ag) data | 1234 | 110 – 118 | Column (ag) data Format: See Field 5 above. |
| 11 | Column (ah) data | 3567 | 120 – 128 | Column (ah) data Format: See Field 5 above. |
| 12 | Column (ai) data | 0 | 130 – 138 | Column (ai) data Format: See Field 5 above. |
| 13 | Column (aj) data | 4801 | 140 – 148 | Column (aj) data Format: See Field 5 above. |
| 14 | Column (ak) data | 3456 | 150 – 158 | Column (ak) data Format: See Field 5 above. |
| 15 | Column (al) data | 2102 | 160 – 168 | Column (al) data Format: See Field 5 above. |
| 16 | Column (am) data | 1234 | 170 – 178 | Column (am) data Format: See Field 5 above. |
| 17 | Column (an) data | 6792 | 180 – 188 | Column (an) data Format: See Field 5 above. |
| 18 | Column (ao) data | 34732 | 190 – 198 | Column (ao) data Format: See Field 5 above. |
| 19 | End of Record Code | "XQ" | 200 – 203 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

RECORD TYPE B3 – INVESTMENTS IN AFFILIATES AND OTHER COMPANIES (PART II) – DATA RECORD (continued)

Note: Separate all fields with commas.

| | | | | | | | | | 1 | |
|--|---|---|-------------------------|---------------------------------------|--|--|---|---|------------|--------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| 123456789012 | 3456789012345 | 678901234 | 567890123 | 45678901234 | 1567890123 | 4567890123 | 34567890123 | 34567890123 | 4567890123 | 456789 |
| Sample recor | ds: | | | | | | | | | |
| 1446,"LBIL", | "B3c ", 300.0 |), 2,"XQ | ıı . | | | | | | | |
| 1447,"LBIL", | "B3c ", 301.0 | ,"Amerite | ch Servic | es, Inc. | | ", | 3863, | 0, | - 3863, | 0 |
| 1448,"LBIL", | "B3c ", 302.0 | ,"Illinoi: | s Bell Adı | ministratio | n Center | Inc.", | 50, | 0, | 0, | 0 |
| 1449,"LBIL", | "B3c ", 330.0 |),"N/A | | | | ", | 3913, | 0, | 0, | 0 , |
| 1450,"LBIL", | "B3d ", 400.0 | 0,"XQ | " | | | | | | | |
| 1451,"LBIL", | "B3 ", 440.0 |),"N/A" | | | | ", | 3913, | 0, | 0, | 0 , |
| 1452,"LBIL", | "B3 ", 450.0 |),"N/A" | | | | ", | 0, | 0, | 0, | 0 , |
| | | | | | | | | | | |
| 1453,"LBIL", | "B3 ", 460.0 |),"N/A" | | | | ", | 3913, | 0, | 0, | 0 |
| 1453, "LBIL", | "B3 ", 460.0 | 1 | 1 | 1 | 1 | 1 | 3913, | 0, | 0, | 0 |
| | | | 1 5 | 1 6 | 1 7 | | | | 0 , | 0 , |
| 1 1 1 1 2 | 1 | 1 4 | 5 | 6 | 7 | 1 8 | 1 9 | 2 0 | _ | 0, |
| 1 1 1 2 012345678901 | 1 3 | 1 4 1567890123 | 5 | 6 | 7 | 1 8 | 1 9 | 2 0 | _ | 0 |
| 1 1 1 2 012345678901 | 1 3 .2345678901234 | 1 4 1567890123 | 5 | 6 | 7 | 1 8 | 1 9 | 2 0 | | 0, |
| 1 1 1 2 012345678901 Continuation | 1 3 .2345678901234 1 of sample re | 1 4 1567890123 cords: | 5 456789012 | 6 34567890123 | - 7 3456789012 | 1 8 3456789012 | 1 9 23456789012 | 2 0 23456789012 | 23 | 0, |
| 1 1 1 2 012345678901 Continuation | 1 3 .2345678901234 n of sample re | 1 4 2567890123 ecords: | 5 456789012 4801, | - 6 34567890123 3456, | 7 3456789012 2102, | 1 8 3456789012 | 1 9 23456789012 6792, 0, | 2 0 23456789012 34732,"XQ | 2.3 | 0 |
| 1 1 1 2 012345678901 Continuation 1234, 456, | 1 3.2345678901234 n of sample re 3567, 2320, | 1 4 8567890123 ecords: 0, 0, | 4801, 33, | 6 34567890123 3456, 123, | 7 7 3456789012 2102, 1030, | 1 8 3456789012 | 1 9 23456789012 6792, 0, 6792, | 2 0 23456789012 34732,"XQ 2468,"XQ 37200,"XQ | 23 | 0 |
| 1 1 1 2 012345678901 Continuation 1234, 456, 1680, | 1 3.2345678901234 1 of sample re 3567, 2320, 5887, | 1 4 2567890123 ecords: 0, 0, | 4801, 33, 4834, | 34567890123 3456, 123, 3579, | 7 3456789012 2102, 1030, 3132, | 1 8 3456789012 1234, 0, 1234, | 1 9 23456789012 6792, 0, 6792, | 2 0 23456789012 34732,"XQ 2468,"XQ 37200,"XQ | 23 | 0, |

RECORD TYPE B4 - SECTION ID RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------------|----------------|----------|--|
| 1 | Record Number | 1454 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "B4a " | 13 – 18 | Always contains the letter B capitalized and the number 4 with no space between them. Format: Include quotation marks. |
| 4 | Section ID Row Number | 100.0 | 20 – 25 | Section row number to identify sections of a table that requires reporting multiple rows of data for a particular item in Record type B4. Valid Ids: 100.0 and 200.0. |
| 5 | Section Item Count | 2 - or - 0 | 27 – 30 | Counter to show the total number of individual sets of rows in a section. If there are no data applicable to a section, enter 0 (zero). Valid Set of Rows: 110.0 to 139.0, 201.0 to 239.0. Format: Right justified and space filled. |
| 6 | End of Record Code | "XQ" | 32 – 35 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: All fields are separated by commas.

Sample record:

1454, "LBIL", "B4a ", 100.0, 2, "XQ"

- OR -

1454, "LBIL", "B4a ", 100.0, 0, "XQ"

RECORD TYPE B4 – ANALYSIS OF ASSETS PURCHASED FROM OR SOLD TO AFFILIATES DATA RECORD

| Field | <u>Item</u> | Example | Position | Description |
|-------|-----------------|---|----------|---|
| 1 | Record Number | 1455 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "B4a " | 13 – 18 | Always contains the letter B capitalized and the number 4 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 101.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 101.0 to 240.0. Include only those rows for which there are data to report. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to the row number. |
| 5 | Column (b) data | "Ameritech Services, Inc." - or - "N/A " (spaces until pos. 67) | 27 – 68 | This field contains the data corresponding to column (b) as shown in the form Section of the Report Definition. Do NOT override designated N/As. Format: Left justified and space filled. Include quotation marks. |
| 6 | Column (c) data | 5432 | 70 – 78 | This field contains the data corresponding to column (c) as shown in the Form Section of the Report Definition. Do NOT override designated N/As. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |
| 7 | Column (d) data | 4321 | 80 – 88 | Column (d) data Format: See Field 5 above. |
| 8 | Column (e) data | 432 | 90 – 98 | Column (e) data Format: See Field 5 above. |

RECORD TYPE B4 – ANALYSIS OF ASSETS PURCHASED FROM OR SOLD TO AFFILIATES DATA RECORD (continued)

| <u>Field</u> | <u>Item</u> | <u>Example</u> | <u>Position</u> | Description |
|--------------|--------------------|----------------|-----------------|---|
| 9 | Column (ee) data | 234 | 100 – 108 | Column (ee) data Format: See Field 5 above. |
| 10 | Column (f) data | 1357 | 110 – 118 | Column (f) data Format: See Field 5 above. |
| 11 | Column (g) data | 11776 | 120 – 128 | Column (g) data Format: See Field 5 above. |
| 12 | End of Record Code | "XQ" | 130 – 133 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: Separate all fields with commas.

Footnote records are needed if any data for the current period differ materially from those for the previous period and the difference is not self–explanatory but was caused by unusual circumstances. Also, if the carrier does not follow the procedures described in the row/column instructions in the Report Definition.

| | | | | | | | | | 1 | |
|-----------------|------------|-------------|-----------|--------------|----------|----------|-----------|-------------|------------|----------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| 123456789012345 | 6789012345 | 6789012345 | 578901234 | 567890123456 | 78901234 | 56789012 | 345678901 | 23456789012 | 3456789012 | 23456789 |
| Sample records: | | | | | | | | | | |
| 1454,"LBIL","B4 | a ", 100.0 | , 2,"XQ" | | | | | | | | |
| 1455,"LBIL","B4 | a ", 101.0 | ,"Ameritech | n Service | s, Inc. | | ", | 5432, | 4321, | 432, | 234, |
| 1456,"LBIL","B4 | a ", 102.0 | ,"Ameritech | n Informa | tion Systems | , Inc. | ", | 0, | 234, | 123, | 0, |
| 1457,"LBIL","B4 | a ", 140.0 | ,"N/A | | | | ", | 5432, | 4555, | 555, | 234, |
| 1458,"LBIL","B4 | b ", 200.0 | , 0,"XQ" | | | | | | | | |

| 1 | 1 | 1 |
|---|---|---|
| 1 | 2 | 3 |

012345678901234567890123

Continuation of sample records:

1357, 11776, "XQ" 3456, 3813, "XQ" 4813, 15589, "XQ"

RECORD TYPE B5 – ANALYSIS OF ENTRIES IN ACCUMULATED DEPRECIATION DATA RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|-----------------|----------------|----------|--|
| 1 | Record Number | 1459 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "B5 " | 13 – 18 | Always contains the letter B capitalized and the number 5 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 100.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 100.0 to 490.0. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to the row number. |
| 5 | Column (b) data | 1243863 | 27 – 35 | This field contains the data corresponding to column (b) as shown in the Form Section of the Report Definition. Do NOT override designated N/As. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |
| 6 | Column (c) data | 56780 | 37 – 45 | Column (c) data Format: See Field 5 above. |
| 7 | Column (d) data | 0 | 47 – 55 | Column (d) data Format: See Field 5 above. |
| 8 | Column (e) data | 7890 | 57 – 65 | Column (e) data Format: See Field 5 above. |
| 9 | Column (f) data | 0 | 67 – 75 | Column (f) data Format: See Field 5 above. |
| 10 | Column (g) data | 54327 | 77 – 85 | Column (g) data Format: See Field 5 above. |

RECORD TYPE B5 – ANALYSIS OF ENTRIES IN ACCUMULATED DEPRECIATION DATA RECORD (continued)

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------|----------------|-----------|--|
| 11 | Column (h) data | 0 | 87 – 95 | Column (h) data Format: See Field 5 above. |
| 12 | Column (i) data | 4801 | 97 – 105 | Column (i) data Format: See Field 5 above. |
| 13 | Column (j) data | 1249405 | 107 – 115 | Column (j) data Format: See Field 5 above. |
| 14 | End of Record Code | "XQ" | 117 – 120 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: Separate all fields with commas.

Footnote records are needed if any data for the current period differ materially from those for the previous period and the difference is not self–explanatory but was caused by unusual circumstances. Also, if the carrier does not follow the procedures described in the row/column instructions in the Report Definition.

| | | | | | | | | | 1 |
|------------------|-------------|-------------|------------|----------|------------|--------------|------------|------------|------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| 1234567890123456 | 78901234567 | 89012345678 | 3901234567 | 89012345 | 6789012345 | 567890123456 | 7890123456 | 7890123456 | 7890123456 |
| Sample records: | | | | | | | | | |
| 1459,"LBIL","B5 | ", 100.0, | 1243863, | 56780, | 0 | , 7890 | 0, | 54327, | 0, | 4801, |

1 1 1 2 78901234567890

Continuation of sample records:

1249405,"XQ"

RECORD TYPE B6 – SUMMARY OF INVESTMENT AND ACCUMULATED DEPRECIATION BY JURISDICTION DATA RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|-----------------|----------------|----------|---|
| 1 | Record Number | 1498 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "B6 " | 13 – 18 | Always contains the letter B capitalized and the number 6 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 240.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 110.0 to 910.0. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to the row number. |
| 5 | Column (a) data | "IL" | 27 – 30 | This field contains the state code corresponding to column (a) as shown in the Report Definition. See Reference table for list of state codes. Format: Left justified and space filled. Include quotation marks. |
| 6 | Column (b) data | 23450 | 32 – 40 | This field contains the data corresponding to column (b) as shown in the Form Section of the Report Definition. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |
| 7 | Column (c) data | 1234 | 42 – 50 | Column (c) data Format: See Field 6 above. |
| 8 | Column (d) data | 0 | 52 – 60 | Column (d) data Format: See Field 6 above. |

$\frac{RECORD\ TYPE\ B6-SUMMARY\ OF\ INVESTMENT\ AND\ ACCUMULATED\ DEPRECIATION\ BY}{JURISDICTION\ DATA\ RECORD\ (continued)}$

| <u>Field</u> | <u>Item</u> | Example | Position | Description |
|--------------|--------------------|---------|-----------|--|
| 9 | Column (e) data | 500 | 62 – 70 | Column (e) data Format: See Field 6 above. |
| 10 | Column (f) data | 1280 | 72 – 80 | Column (f) data Format: See Field 6 above. |
| 11 | Column (g) data | 25464 | 82 – 90 | Column (g) data Format: See Field 6 above. |
| 12 | Column (h) data | 35678 | 92 – 100 | Column (h) data Format: See Field 6 above. |
| 13 | Column (i) data | 140 | 102 – 110 | Column (i) data Format: See Field 6 above. |
| 14 | Column (j) data | 0 | 112 – 120 | Column (j) data Format: See Field 6 above. |
| 15 | Column (k) data | 35678 | 122 – 130 | Column (k) data Format: See Field 6 above. |
| 16 | Column (l) data | 140 | 132 – 140 | Column (l) data Format: See Field 6 above. |
| 17 | Column (m) data | 36458 | 142 – 150 | Column (m) data Format: See Field 6 above. |
| 18 | Column (n) data | 130.00 | 152 – 160 | This field contains the data corresponding to column (n) as shown on the Form Section of the Report Definition. Format: Right justified and space filled. Enter as a ratio and round to two decimal places. |
| 19 | Column (o) data | 150.00 | 162 – 170 | Column (o) data Format: See Field 18 above. |
| 20 | End of Record Code | "XQ" | 172 – 175 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

$\frac{RECORD\ TYPE\ B6-SUMMARY\ OF\ INVESTMENT\ AND\ ACCUMULATED\ DEPRECIATION\ BY}{JURISDICTION\ DATA\ RECORD\ (continued)}$

Note: Separate all fields with commas.

| | | | | | | | | | 1 |
|-----------------|---------|-------------|------------|------------|------------|---------------|-----------|-------------|----------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| 123456789012345 | 6789012 | 34567890123 | 3456789012 | 3456789012 | 2345678901 | 2345678901234 | 567890123 | 34567890123 | 45678901 |
| Sample records: | | | | | | | | | |
| 1498,"LBIL","B6 | ", 24 | 0.0,"IL", | 23450, | 1234, | 0, | 500, | 1280, | 25464, | 35678, |
| 1499,"LBIL","B6 | ", 25 | 0.0,"IN", | 18467, | 234, | 792, | 40, | 12785, | 0, | 30654, |
| 1500,"LBIL","B6 | ", 91 | 0.0,"TO", | 41917, | 1468, | 792, | 540, | 14065, | 25464, | 56118, |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | |
| 234567890123456 | 7890123 | 45678901234 | 567890123 | 4567890123 | 3456789012 | 3456789012345 | | | |
| Continuation of | sample | e records: | | | | | | | |
| 140, | 0, | 35678, | 140, | 36458, | 130.00, | 150.00,"XQ" | | | |
| 0, | 223, | 16000, | 1201, | 18256, | 0.00, | 0.00,"XQ" | | | |
| 140, | 223, | 51678, | 1341, | 54714, | 130.00, | 150.00,"XQ" | | | |

RECORD TYPE B7 - SECTION ID RECORD

| <u>Field</u> | <u>Item</u> | Example | Position | Description |
|--------------|--------------------------|------------|----------|--|
| 1 | Record Number | 1501 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "B7 " | 13 – 18 | Always contains the letter B capitalized and the number 7 with no space between them. Format: Include quotation marks. |
| 4 | Section ID Row Number | 100.0 | 20 – 25 | Section row number to identify sections of a table that requires reporting multiple rows of data for a particular item in Record type B7. Valid Ids: 100.0. |
| 5 | Section Item Count | 2 - or - 0 | 27 – 30 | Counter to show the total number of individual sets of rows in a section. If there are no data applicable to a section, enter 0 (zero). Valid Set of Rows: 110.0 to 810.0. Format: Right justified and space filled. |
| 6 | End of Record Code | "XQ" | 32 – 35 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: All fields are separated by commas.

1 2 3 12345678901234567890123456789012345 Sample record:

1501, "LBIL", "B7 ", 100.0, 2, "XQ"

- OR -

1501, "LBIL", "B7 ", 100.0, 0, "XQ"

RECORD TYPE B7 – BASES OF CHARGES FOR DEPRECIATION DATA RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|-----------------|---|----------|---|
| 1 | Record Number | 1502 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "B7 " | 13 – 18 | Always contains the letter B capitalized and the number 7 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 240.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 110.0 to 810.0. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to the row number. |
| 5 | Column (a) data | "IL" | 27 – 30 | This field contains the state code corresponding to column (a) as shown in the Report Definition. See Reference table for list of state codes. Format: Left justified and space filled. Include quotation marks. |
| 6 | Column (b) data | 2112.00 | 32 – 38 | This field contains the data corresponding to column (b) as shown in the form Section of the Report Definition. Do NOT override designated N/As. Format: ####.##. Enter an account number using two decimal places. Enter –99999 if field is designated by N/A. Do NOT include quotation marks. |
| 7 | Column (c) data | "Motor Vehicles " — or — "N/A " (spaces until pos. 80) | 40 – 81 | This field contains the data corresponding to column (c) as shown in the form Section of the Report Definition. Do NOT override designated N/As. Format: Left justified and space filled. Include quotation marks. |

RECORD TYPE B7 – BASES OF CHARGES FOR DEPRECIATION DATA RECORD (continued)

| <u>Field</u> | <u>Item</u> | Example | Position | Description |
|--------------|-----------------|---------------------------------------|-----------|---|
| 8 | Column (d) data | "W" - or - "R" - or - "N" | 83 – 85 | This field contains the data corresponding to column (c) as shown in the form Section of the Report Definition. Do NOT override designated N/As. Valid entry: "W" (whole life), "R" (remaining life), "N" (N/A). Format: Enter "N" if field is designated by N/A. Capitalize and include quotation marks. |
| 9 | Column (e) data | 28.0 | 87 – 94 | This field contains the data corresponding to column (e) as shown in the Form Section of the Report Definition. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |
| 10 | Column (f) data | 5.32 | 96 – 104 | This field contains the data corresponding to column (f) as shown in the Form Section of the Report Definition. Format: Enter as a percent and round to two decimal places. See format for Field 9 above if field is designated by N/A. |
| 11 | Column (g) data | 4.32 | 106 – 114 | Column (g) data Format: See Field 10 above. |
| 12 | Column (h) data | 12.00 | 116 – 124 | Column (h) data Format: See Field 10 above. |
| 13 | Column (i) data | 56780 | 126 – 134 | Column (i) data Format: See Field 10 above. |
| 14 | Column (j) data | 23456 | 136 – 144 | Column (j) data Format: See Field 10 above. |
| 15 | Column (k) data | 2468 | 146 – 154 | Column (k) data Format: See Field 10 above. |

RECORD TYPE B7 – BASES OF CHARGES FOR DEPRECIATION DATA RECORD (continued)

| <u>Field</u> | <u>Item</u> | Example | Position | Description |
|--------------|--------------------|---------|-----------------|--|
| 16 | Column (1) data | 17.40 | 156 – 164 | Column (1) data Format: See Field 10 above. |
| 17 | End of Record Code | "XQ" | 166 – 169 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: Separate all fields with commas.

| | | | | | | | | | 1 |
|--------------|--------------|--------------|-------------|-----------|-----------------|-------------|------------|-----------|-----------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| 1234567890 | 123456789012 | 345678901234 | 5678901234 | 56789012 | 345678901234567 | 89012345678 | 9012345678 | 890123456 | 789012345 |
| Sample reco | ords: | | | | | | | | |
| 1501,"LBIL | ","B7 ", 10 | 0.0, 2,"XQ | " | | | | | | |
| 1502,"LBIL | ","B7 ", 24 | 0.0,"IL",211 | 2.00, "Moto | r Vehicle | es | | ","R", | 28.0, | 5.32, |
| 1503,"LBIL | ","B7 ", 24 | 0.0,"IL",211 | 5.00,"Gara | ge Work 1 | Equipment | | ","W", | 6.3, | 7.90, |
| 1504,"LBIL | ","B7 ", 2 | 40.0,"IL",22 | 15.30,"Oth | er Elect | ro - Mechanica | l Switching | " | ,"W", | 11.1, |
| 11.32, | | | | | | | | | |
| 1505,"LBIL | ","B7 ", 24 | 5.0,"TO", -9 | 9999,"N/A | | | | " "N",-9 | 99999.0,- | 99999.00, |
| 1506,"LBIL | ","B7 ", 25 | 0.0,"IN",212 | 3.10,"Offi | ce Suppor | rt Equipment | | ","R", | 38.0, | 3.32, |
| 1507,"LBIL | ","B7 ", 25 | 0.0,"IN",223 | 1.10,"Radi | 0 | | | ","W", | 5.3, | 5.90, |
| 1508,"LBIL | ","B7 ", 25 | 0.0,"IN",223 | 1.20,"Othe | r Radio 1 | Facilities | | ","R", | 14.1, | 12.34, |
| 1509,"LBIL | ","B7 ", 25 | 5.0,"TO", -9 | 9999,"N/A | | | | " "N",-9 | 99999.0,- | 99999.00, |
| | | | | | | | | | |
| | | | | | | | | | |
| 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| - | | 890123456789 | 0123456789 | 01234567 | 890123456789 | | | | |
| Continuation | on of sample | records: | | | | | | | |
| 4.32, | 12.00, | 56780, | 23456, | 2468, | 17.40,"XQ" | | | | |
| 13.00, | 5.23, | 7390, | 3200, | 246, | 5.40,"XQ" | | | | |
| 7.16, | 11.32, | 7716, | 1236, | 36972, | 11.00,"XQ" | | | | |
| -99999.00,- | -99999.00, | 71886, | 27892, - | 99999,-99 | 9999.00,"XQ" | | | | |
| 6.33, | 2.10, | 58980, | 12456, | 4567, | 14.40,"XQ" | | | | |
| 18.00, | 7.23, | 3692, | 5600, | 890, | 7.40,"XQ" | | | | |
| 9.16, | 12.32, | 2367, | 9101, | 12562, | 12.00,"XQ" | | | | |
| -99999.00,- | -99999.00, | 65039, | 27157, - | 99999,-99 | 9999.00,"XQ" | | | | |

RECORD TYPE B8 - SECTION ID RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------------|----------------|----------|--|
| 1 | Record Number | 1510 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "B8 " | 13 – 18 | Always contains the letter B capitalized and the number 8 with no space between them. Format: Include quotation marks. |
| 4 | Section ID Row Number | 100.0 | 20 – 25 | Section row number to identify sections of a table that requires reporting multiple rows of data for a particular item in Record type B8. Valid Ids: 100.0. |
| 5 | Section Item Count | 3 - or - 0 | 27 – 30 | Counter to show the total number of individual sets of rows in a section. If there are no data applicable to a section, enter 0 (zero). Valid Set of Rows: 101.0 to 130.0. Format: Right justified and space filled. |
| 6 | End of Record Code | "XQ" | 32 – 35 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: All fields are separated by commas.

 $\underline{12345678901234567890123456789012345}$ Sample record:

1510, "LBIL", "B8 ", 100.0, 3, "XQ"

- OR -

1510, "LBIL", "B8 ", 100.0, 0, "XQ"

RECORD TYPE B8 – CAPITAL LEASES DATA RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|-----------------|--|----------|---|
| 1 | Record Number | 1511 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "B8 " | 13 – 18 | Always contains the letter B capitalized and the number 8 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 101.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 110.0 to 140.0. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to the row number. |
| 5 | Column (b) data | 2111.00 | 27 – 33 | This field contains the data corresponding to column (b) as shown in the form Section of the Report Definition. Do NOT override designated N/As. Format: ####.##. Enter an account number using two decimal places. Enter –99999 if field is designated by N/A. Do NOT include quotation marks. |
| 6 | Column (c) data | "Land " - or - "N/A " (spaces until pos. 75) | 35 – 76 | This field contains the data corresponding to column (c) as shown in the form Section of the Report Definition. Do NOT override designated N/As. Format: Left justified and space filled. Include quotation marks. |
| 7 | Column (d) data | 3456 | 78 – 86 | This field contains the data corresponding to column (d) as shown in the Form Section of the Report Definition. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |

RECORD TYPE B8 - CAPITAL LEASES DATA RECORD (continued)

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------|----------------|-----------|--|
| 8 | Column (e) data | 0 | 88 – 96 | Column (e) data. Format: See Field 7 above. |
| 9 | Column (f) data | 3456 | 98 – 106 | Column (f) data Format: See Field 7 above. |
| 10 | Column (g) data | 400 | 108 – 116 | Column (g) data Format: See Field 7 above. |
| 11 | Column (h) data | 1780 | 118 – 126 | Column (h) data Format: See Field 7 above. |
| 12 | Column (i) data | 23456 | 128 – 136 | Column (i) data Format: See Field 7 above. |
| 13 | Column (j) data | 2468 | 138 – 146 | Column (j) data Format: See Field 7 above. |
| 14 | Column (k) data | 0 | 148 – 156 | Column (k) data Format: See Field 7 above. |
| 15 | End of Record Code | "XQ" | 158 – 161 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

RECORD TYPE B8 - CAPITAL LEASES DATA RECORD (continued)

Note: Separate all fields with commas.

| | | | | | | | | | 1 |
|--------------|--|-------------|-------------|--------------|-----------|-------------|-----------|-------------|----------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| 123456789012 | 3456789012 | 34567890123 | 45678901234 | 156789012345 | 678901234 | 56789012345 | 678901234 | 15678901234 | 15678901234567 |
| Sample recor | ds: | | | | | | | | |
| 1510,"LBIL", | "B8 ", 10 | 0.0, 3,"% | Q" | | | | | | |
| 1511,"LBIL", | "B8 ", 10 | 01.0,2111.0 |),"Land | | | | ", | 3456, | 0, |
| 3456, | | | | | | | | | |
| 1512,"LBIL", | "B8 ", 10 | 02.0,2116.0 | O,"Other Wo | rk Equipmen | t | | ", | 367, | 190, |
| 177, | | | | | | | | | |
| 1513,"LBIL", | "B8 ", 10 | 3.0,2124.00 |),"General | Purpose Comp | puters | | ", | 0, | 3432, - |
| 3432, | | | | | | | | | |
| 1514,"LBIL", | "B8 ", 14 | 10.0, -9999 | 9,"N/A | | | | II . | 4823, | 3622, |
| 3633, | | | | | | | | | |
| | | | | | | | | | |
| 1 | 1 | 1 1 | . 1 | 1 | | | | | |
| 1 | 2 | 3 4 | . 5 | 6 | | | | | |
| 890123456789 | 89012345678901234567890123456789012345678901 | | | | | | | | |
| Continuation | of sample | records: | | | | | | | |
| 400, | 1780, | 23456, | 2468, | 0,"XQ" | | | | | |
| 0, | 23, | 7390, | 3200, | 246,"XQ" | | | | | |
| 120, | 1803, | 30846, | 5668, | 246,"XQ" | | | | | |
| 520, | 3606, | 61792, | 11336, | 492,"XQ" | | | | | |

RECORD TYPE B9 - SECTION ID RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------------|----------------|----------|--|
| 1 | Record Number | 1515 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "B9 " | 13 – 18 | Always contains the letter B capitalized and the number 9 with no space between them. Format: Include quotation marks. |
| 4 | Section ID Row Number | 100.0 | 20 – 25 | Section row number to identify sections of a table that requires reporting multiple rows of data for a particular item in Record type B9. Valid Ids: 100.0. |
| 5 | Section Item Count | 2 - or - 0 | 27 – 30 | Counter to show the total number of individual sets of rows in a section. If there are no data applicable to a section, enter 0 (zero). Valid Set of Rows: 101.0 to 140.0. Format: Right justified and space filled. |
| 6 | End of Record Code | "XQ" | 32 – 35 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: All fields are separated by commas.

1 2 3 12345678901234567890123456789012345 Sample record:

1515, "LBIL", "B9 ", 100.0, 2, "XQ"

- OR -

1515, "LBIL", "B9 ", 100.0, 0, "XQ"

RECORD TYPE B9 – DEFERRED CHARGES DATA RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------|---|----------|---|
| 1 | Record Number | 1516 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "B9 " | 13 – 18 | Always contains the letter B capitalized and the number 9 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 101.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 110.0 to 150.0. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to the row number. |
| 5 | Column (b) data | "Compensated Absences " - or - "N/A " (spaces until pos. 82) | 27 – 83 | This field contains the data corresponding to column (b) as shown in the form Section of the Report Definition. Do NOT override designated N/As. Format: Left justified and space filled. Include quotation marks. |
| 6 | Column (c) data | 13456 | 85 – 93 | This field contains the data corresponding to column (c) as shown in the Form Section of the Report Definition. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |
| 7 | End of Record Code | "XQ" | 95 – 98 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

RECORD TYPE B9 – DEFERRED CHARGES DATA RECORD (continued)

Note: Separate all fields with commas.

| - | | | | | | | | _ |
|------------------|-----------|------------|-------------|------------|-------------|------------|-------------|--------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| 1234567890123456 | 789012345 | 6789012345 | 6789012345 | 6789012345 | 6789012345 | 6789012345 | 67890123456 | 789012345678 |
| Sample records: | | | | | | | | |
| 1515,"LBIL","B9 | ", 100.0 | , 2,"XQ" | ı | | | | | |
| 1516,"LBIL","B9 | ", 101.0 | ,"Compensa | ated Absenc | es | | | ", | 13456,"XQ" |
| 1517,"LBIL","B9 | ", 102.0 | ,"Engineer | ring charge | s on conte | emplated pr | ojects | ", | 2367,"XQ" |
| 1518,"LBIL","B9 | ", 150.0 | ,"N/A | | | | | ", | 15823,"XQ" |

RECORD TYPE B10 - SECTION ID RECORD

| <u>Field</u> | <u>Item</u> | Example | Position | Description |
|--------------|--------------------------|------------|----------|--|
| 1 | Record Number | 1519 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "B10 " | 13 – 18 | Always contains the letter B capitalized and the number 10 with no space between them. Format: Include quotation marks. |
| 4 | Section ID Row Number | 100.0 | 20 – 25 | Section row number to identify sections of a table that requires reporting multiple rows of data for a particular item in Record type B10. Valid Ids: 100.0. |
| 5 | Section Item Count | 2 - or - 0 | 27 – 30 | Counter to show the total number of individual sets of rows in a section. If there are no data applicable to a section, enter 0 (zero). Valid Set of Rows: 101.0 to 150.0. Format: Right justified and space filled. |
| 6 | End of Record Code | "XQ" | 32 – 35 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: All fields are separated by commas.

 $\underline{12345678901234567890123456789012345}$

Sample record:

1519, "LBIL", "B10 ", 100.0, 2, "XQ"

- OR -

1519, "LBIL", "B10 ", 100.0, 0, "XQ"

RECORD TYPE B10 – ACCOUNTS PAYABLE TO AFFILIATES DATA RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> <u>Position</u> | | Description | | |
|--------------|-----------------|--|-----------|---|--|--|
| 1 | Record Number | 1520 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. | | |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. | | |
| 3 | Record Type | "B10 " | 13 – 18 | Always contains the letter B capitalized and the number 10 with no space between them. Format: Include quotation marks. | | |
| 4 | Row Number | 101.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 101.0 to 160.0. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to the row number. | | |
| 5 | Column (b) data | "Wisconsin Bell " - or - "N/A " (spaces until pos. 67) | 27 – 68 | This field contains the data corresponding to column (b) as shown in the form Section of the Report Definition. Do NOT override designated N/As. Format: Left justified and space filled. Include quotation marks. | | |
| 6 | Column (c) data | 53456 | 70 – 78 | This field contains the data corresponding to column (c) as shown in the Form Section of the Report Definition. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. | | |
| 7 | Column (d) data | 468 | 80 – 88 | Column (d) data Format: See Field 6 above. | | |
| 8 | Column (e) data | 1256 | 90 – 98 | Column (e) data Format: See Field 6 above. | | |
| 9 | Column (f) data | 54253 | 100 – 108 | Column (f) data Format: See Field 6 above. | | |

| FCC Report 43-02 – | Automated Repo | ort Specifications |
|--------------------|----------------|--------------------|
|--------------------|----------------|--------------------|

December 1999

Page 72 of 122

RECORD TYPE B10 – ACCOUNTS PAYABLE TO AFFILIATES DATA RECORD (continued)

| <u>Field</u> | <u>Item</u> | <u>Example</u> | <u>Position</u> | Description |
|--------------|--------------------|----------------|-----------------|--|
| 10 | End of Record Code | "XQ" | 110 – 113 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: Separate all fields with commas.

Footnote records are needed if any data for the current period differ materially from those for the previous period and the difference is not self–explanatory but was caused by unusual circumstances. Also, if the carrier does not follow the procedures described in the row/column instructions in the Report Definition.

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
|--------------------|----------|-------------|-------------|-------------|----------|--------|-------------|------------|---------|
| 1234567890123456 | 78901234 | 56789012345 | 67890123456 | 78901234567 | 89012345 | 678901 | 23456789012 | 3456789012 | 3456789 |
| Sample records: | | | | | | | | | |
| 1519,"LBIL","B10 | ", 100. | 0, 2,"XQ" | | | | | | | |
| 1520,"LBIL","B10 | ", 101. | 0,"Wisconsi | n Bell | | | ", | 53456, | 468, | 1256, |
| 1521, "LBIL", "B10 | ", 102. | 0,"Ameritec | h Audiotex | Services, I | inc. | ", | 14367, | 90, | 0, |
| 1522, "LBIL", "B10 | ", 160. | 0,"N/A | | | | ", | 67823, | 558, | 1256, |

1 1 0 1

01234567890123

Continuation of sample records:

54253,"XQ"

14286,"XQ"

68521,"XQ"

RECORD TYPE B11 - SECTION ID RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------------|----------------|----------|--|
| 1 | Record Number | 1523 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "B11a" | 13 – 18 | Always contains the letter B capitalized and the number 11 with no space between them. Format: Include quotation marks. |
| 4 | Section ID Row Number | 100.0 | 20 – 25 | Section row number to identify sections of a table that requires reporting multiple rows of data for a particular item in Record type B11. Valid Ids: 100.0, 200.0, 300.0, 400.0 |
| 5 | Section Item Count | 2 - or - 0 | 27 – 30 | Counter to show the total number of individual sets of rows in a section. If there are no data applicable to a section, enter 0 (zero). Valid Set of Rows: 101.0 to 185.0, 201.0 to 289.0, 301.0 to 308.0, 401.0 to 408.0. Format: Right justified and space filled. |
| 6 | End of Record Code | "XQ" | 32 – 35 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: All fields are separated by commas.

1 2 3 1234567890123456789012345

Sample record:

1523, "LBIL", "B11a", 100.0, 2, "XQ"

- OR -

1523, "LBIL", "B11a", 100.0, 0, "XQ"

RECORD TYPE B11 – LONG – TERM DEBT DATA RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|-----------------|---|----------|---|
| 1 | Record Number | 1524 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "B11a" | 13 – 18 | Always contains the letter B capitalized and the number 11 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 101.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 101.0 to 500.0. Include only those rows for which there are data to report. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to the row number. |
| 5 | Column (b) data | "Series C, 3 – 14%" – or – "N/A" (spaces until pos. 49) | 27 – 50 | This field contains the data corresponding to column (b) as shown in the form Section of the Report Definition. Do NOT override designated N/As. Format: Left justified and space filled. Include quotation marks. |
| 6 | Column (c) data | "04011952" | 52 – 61 | This field contains the data corresponding to column (c) as shown in the form Section of the Report Definition. Do NOT override designated N/As. Format: "mmddyyyy". Enter "00000000" in the field if designated by N/A. Include quotation marks. |
| 7 | Column (d) data | "04011995" | 63 – 72 | Column (d) data Format: See Field 6 above. |

RECORD TYPE B11 – LONG – TERM DEBT DATA RECORD (continued)

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------|----------------|-----------|---|
| 8 | Column (e) data | 3000 | 74 – 82 | This field contains the data corresponding to column (e) as shown in the Form Section of the Report Definition. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |
| 9 | Column (f) data | - 234 | 84 – 92 | Column (f) data Format: See Field 8 above. |
| 10 | Column (g) data | 0 | 94 – 102 | Column (g) data Format: See Field 8 above. |
| 11 | Column (h) data | 3.25 | 104 – 112 | This field contains the data corresponding to column (h) as shown in the Form Section of the Report Definition. Format: Enter as a percent and round to two decimal places. See format for Field 8 above if field designated by N/A. |
| 12 | Column (i) data | 4.25 | 114 – 122 | Column (i) data Format: See Field 11 above. |
| 13 | End of Record Code | "XQ" | 124 – 127 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

RECORD TYPE B11 - LONG - TERM DEBT DATA RECORD (continued)

Note: Separate all fields with commas.

Footnote records are needed if any data for the current period differ materially from those for the previous period and the difference is not self–explanatory but was caused by unusual circumstances. Also, if the carrier does not follow the procedures described in the row/column instructions in the Report Definition.

| | | | | | | | | | 1 |
|------------------|-------------|------------|--------------|----------|------------|------------|------------|-------------|----------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| 12345678901234 | 56789012345 | 678901234 | 667890123456 | 78901234 | 5678901234 | 5678901234 | 5678901234 | 56789012345 | 67890123 |
| Sample records | : | | | | | | | | |
| 1523,"LBIL","B | lla", 100.0 | , 2,"XQ | 1 | | | | | | |
| 1524,"LBIL","B | lla", 101.0 | ,"Series (| C, 3 - 1/4% | ","04 | 011952","0 | 4011995", | 3000, | -234, | 0, |
| 1525,"LBIL","B | lla", 102.0 | ,"Series I | 0, 3 - 1/4% | ","07 | 151955","0 | 7151995", | 455, | -156, | 0, |
| 1526,"LBIL","B | lla", 190.0 | ,"N/A | | ","00 | 000000","0 | 0000000", | 3455, | - 390, | 0, |
| 1527, "LBIL", "B | 11b", 200.0 | , 0,"XQ | 1 | | | | | | |
| 1528,"LBIL","B | 11c", 300.0 | , 1,"XQ | 1 | | | | | | |
| 1529,"LBIL","B | 11c", 301.0 | ,"Series | I, 6% | ","06 | 011969","0 | 6011905", | 1000, | 234, | 125, |
| 1530,"LBIL","B | 11c", 310.0 | ,"N/A | | ","00 | 000000","0 | 0000000", | 1000, | 234, | 125, |
| 1531,"LBIL","B | 11d", 400.0 | , 1,"XQ | 1 | | | | | | |
| 1532,"LBIL","B | 11d", 401.0 | ,"Series H | 7 - 5/8% | ","12 | 101973","1 | .2101904", | 5000, | 1234, | 725, |
| 1533,"LBIL","B | 11d", 410.0 | ,"N/A | | ","00 | 000000","0 | 0000000", | 5000, | 1234, | 725, |
| 1534,"LBIL","B | 11 ", 500.0 | ,"N/A | | ","00 | 000000","0 | 0000000", | 9455, | 1468, | 850, |

| 1 | 1 | 1 |
|------|---------|---------------|
| 0 | 1 | 2 |
| 4567 | 8901234 | 5678901233467 |

Continuation of sample records:

3.25, 4.25, "XQ" 3.23, 3.50, "XQ"

-99999.00,-99999.00,"XQ"

6.23, 6.50, "XQ" -99999.00, -99999.00, "XQ"

7.23, 8.50,"XQ" -99999.00,-99999.00,"XQ"

-99999.00,-99999.00,"XQ"

RECORD TYPE B12 – NET DEFERRED INCOME TAXES DATA RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|-----------------|----------------|----------|---|
| 1 | Record Number | 1535 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "B12 " | 13 – 18 | Always contains the letter B capitalized and the number 12 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 100.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 100.0 to 450.0. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to the row number. |
| 5 | Column (b) data | 21728 | 27 – 35 | This field contains the data corresponding to column (b) as shown in the Form Section of the Report Definition. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |
| 6 | Column (d) data | 1234 | 37 – 45 | Column (d) data Format: See Field 5 above. |
| 7 | Column (e) data | 2345 | 47 – 55 | Column (e) data Format: See Field 5 above. |
| 8 | Column (f) data | 1234 | 57 – 65 | Column (f) data Format: See Field 5 above. |
| 9 | Column (g) data | 1234 | 67 – 75 | Column (g) data Format: See Field 5 above. |
| 10 | Column (h) data | 15678 | 77 – 85 | Column (h) data Format: See Field 5 above. |

RECORD TYPE B12 - NET DEFERRED INCOME TAXES DATA RECORD (continued)

| <u>Field</u> | <u>Item</u> | <u>Example</u> | <u>Position</u> | Description |
|--------------|--------------------|----------------|-----------------|--|
| 11 | End of Record Code | "XQ" | 87 – 90 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: Separate all fields with commas.

| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 9 |
|------|-------------|---------------|-------------|------------|------------|------------|------------|--------------|
| 1234 | 56789012345 | 6789012345678 | 39012345678 | 9012345678 | 9012345678 | 9012345678 | 9012345678 | 901234567890 |
| Samp | le records: | | | | | | | |
| 1535 | ,"LBIL","B1 | 2 ", 100.0, | 21728, | 1234, | 2345, | 1234, | 1234, | 15678,"XQ" |

RECORD TYPE B13 – SECTION ID RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------------|----------------|----------|---|
| 1 | Record Number | 1571 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "B13 " | 13 – 18 | Always contains the letter B capitalized and the number 13 with no space between them. Format: Include quotation marks. |
| 4 | Section ID Row Number | 100.0 | 20 – 25 | Section row number to identify sections of a table that requires reporting multiple rows of data for a particular item in Record type B13. Valid Id: 100.0. |
| 5 | Section Item Count | 2 - or - 0 | 27 – 30 | Counter to show the total number of individual sets of rows in a section. If there are no data applicable to a section, enter 0 (zero). Valid Set of Rows: 101.0 to 140.0 Format: Right justified and space filled. |
| 6 | End of Record Code | "XQ" | 32 – 35 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: All fields are separated by commas.

 $\underline{12345678901234567890123456789012345}$

Sample record:

1571, "LBIL", "B13 ", 100.0, 2, "XQ"

- OR -

1571, "LBIL", "B13 ", 100.0, 0, "XQ"

RECORD TYPE B13 – OTHER DEFERRED CREDITS DATA RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------|--|----------|---|
| 1 | Record Number | 1572 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "B13 " | 13 – 18 | Always contains the letter B capitalized and the number 13 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 101.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 101.0 to 150.0. Include only those rows for which there are data to report. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to the row number. |
| 5 | Column (b) data | "Sale of Salvage " - or - "N/A " (spaces until pos. 82) | 27 – 83 | This field contains the data corresponding to column (b) as shown in the form Section of the Report Definition. Do NOT override designated N/As. Format: Left justified and space filled. Include quotation marks. |
| 6 | Column (c) data | 13456 | 85 – 93 | This field contains the data corresponding to column (c) as shown in the Form Section of the Report Definition. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |
| 7 | End of Record Code | "XQ" | 95 – 98 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

RECORD TYPE B13 – OTHER DEFERRED CREDITS DATA RECORD (continued)

Note: Separate all fields with commas.

| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|-------|-------------|------------|------------|-----------|--------------|-----------|-------------|------------|---------------|
| 12345 | 67890123456 | 5789012345 | 6789012345 | 678901234 | 56789012345 | 678901234 | 56789012345 | 6789012345 | 6789012345678 |
| Sampl | e records: | | | | | | | | |
| 1571, | "LBIL","B13 | 3 ", 100.0 |), 2,"XQ" | | | | | | |
| 1572, | "LBIL","B13 | 3 ", 101.0 | ,"Sale of | Salvage S | Scrap Materi | al | | ", | 13456,"XQ" |
| 1573, | "LBIL","B13 | 3 ", 102.0 | ,"Accrual | for Intel | ligent Netw | ork Relea | se Platform | ۳, | 2367,"XQ" |
| 1574, | "LBIL","B13 | 3 ", 150.0 |),"N/A | | | | | п, | 15823,"XQ" |

RECORD TYPE B14 – SECTION ID RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------------|----------------|----------|---|
| 1 | Record Number | 1575 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "B14 " | 13 – 18 | Always contains the letter B capitalized and the number 14 with no space between them. Format: Include quotation marks. |
| 4 | Section ID Row Number | 100.0 | 20 – 25 | Section row number to identify sections of a table that requires reporting multiple rows of data for a particular item in Record type B14. Valid Id: 100.0. |
| 5 | Section Item Count | 2 - or - 0 | 27 – 30 | Counter to show the total number of individual sets of rows in a section. If there are no data applicable to a section, enter 0 (zero). Valid Set of Rows: 110.0 to 130.0 Format: Right justified and space filled. |
| 6 | End of Record Code | "XQ" | 32 – 35 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: All fields are separated by commas.

 $\underline{12345678901234567890123456789012345}$

Sample record:

1575, "LBIL", "B14 ", 100.0, 2, "XQ"

- OR -

1575, "LBIL", "B14 ", 100.0, 0, "XQ"

RECORD TYPE B14 – CAPITAL STOCK DATA RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|-----------------|---|----------|---|
| 1 | Record Number | 1576 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "B14 " | 13 – 18 | Always contains the letter B capitalized and the number 14 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 101.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 101.0 to 140.0. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to the row number. |
| 5 | Column (b) data | "Common Stock " - or - "N/A " (spaces until pos. 50) | 27 – 51 | This field contains the data corresponding to column (b) as shown in the form Section of the Report Definition. Do NOT override designated N/As. Format: Left justified and space filled. Include quotation marks. |
| 6 | Column (c) data | "Yes" - or - "No " - or - "N/A" (spaces until pos. 56) | 53 – 57 | This field contains the data corresponding to column (c) as shown in the Form Section of the Report Definition. Do NOT override designated N/As. Valid entry: "Yes", "No " or "N/A" Format: Left justified and space filled. Include quotation marks. |
| 7 | Column (d) data | 20 | 59 – 67 | This field contains the data corresponding to column (d) as shown in the Form Section of the Report Definition. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |

RECORD TYPE B14 – CAPITAL STOCK DATA RECORD (continued)

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------|----------------|-----------|---|
| 8 | Column (e) data | 100 | 69 – 77 | Column (e) data Format: See Field 7 above. |
| 9 | Column (f) data | 163 | 79 – 87 | Column (f) data Format: See Field 7 above. |
| 10 | Column (g) data | 259 | 89 – 97 | Column (g) data Format: See Field 7 above. |
| 11 | Column (h) data | 422 | 99 – 107 | Column (h) data Format: See Field 7 above. |
| 12 | Column (i) data | 0 | 109 – 117 | Column (I) data Format: See Field 7 above. |
| 13 | Column (j) data | 0 | 119 – 127 | Column (j) data Format: See Field 7 above. |
| 14 | End of Record Code | "XQ" | 129 – 132 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: Separate all fields with commas.

1656, -99999,

390,"XQ"

| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---------|----------|-----------|-------------|-------------|---------------|------------|-------------|------------|-----------|
| 1234567 | 89012345 | 678901234 | 5678901234 | 56789012345 | 6789012345678 | 9012345678 | 90123456789 | 0123456789 | 012345678 |
| Sample | records: | | | | | | | | |
| 1575,"L | BIL","B1 | 4 ", 100. | 0, 2,"XQ | " | | | | | |
| 1576,"L | BIL","B1 | 4 ", 101. | 0,"Common | Stock | ","Yes", | 20, | 100, | 163, | 259, |
| 1577,"L | BIL","B1 | 4 ", 102. | 0,"Preferre | ed Stock | ","No ", | 100, | 390, | 0, | 1234, |
| 1578,"L | BIL","B1 | 4 ", 140. | 0,"N/A | | ","N/A", | -99999, | -99999, | 163, | 1493, |
| | | | | | | | | | |
| 1 | 1 | 1 | 1 | | | | | | |
| 0 | 1 | 2 | 3 | | | | | | |
| 9012345 | 67890123 | 456789012 | 3456789012 | | | | | | |
| Continu | ation of | sample r | ecords: | | | | | | |
| 4 | 22, | 0, | 0,"XQ" | | | | | | |
| 12 | 34, | 123, | 390,"XQ" | | | | | | |

RECORD TYPE B15 – SECTION ID RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------------|----------------|----------|--|
| 1 | Record Number | 1579 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "B15a" | 13 – 18 | Always contains the letter B capitalized and the number 15 with no space between them. Format: Include quotation marks. |
| 4 | Section ID Row Number | 100.0 | 20 – 25 | Section row number to identify sections of a table that requires reporting multiple rows of data for a particular item in Record type B15. Valid Id: 100.0, 120.0, 200.0, 220.0 |
| 5 | Section Item Count | 2 - or - 0 | 27 – 30 | Counter to show the total number of individual sets of rows in a section. If there are no data applicable to a section, enter 0 (zero). Valid Set of Rows: 101.0 to 110.0, 121.0 to 130.0, 201.0 to 210.0, 221.0 to 299.0. Format: Right justified and space filled. |
| 6 | End of Record Code | "XQ" | 32 – 35 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: All fields are separated by commas.

Sample record:

1579, "LBIL", "B15a", 100.0, 2, "XQ"

- OR -

1579, "LBIL", "B15a", 100.0, 0, "XQ"

$\frac{\text{RECORD TYPE B15} - \text{CAPITAL STOCK AND FUNDED DEBT REACQUIRED OR RETIRED DURING THE}{\underline{\text{YEAR DATA RECORD}}}$

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|-----------------|--|----------|---|
| 1 | Record Number | 1580 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "B15a" | 13 – 18 | Always contains the letter B capitalized and the number 15 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 101.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 101.0 to 299.0. Include only those rows for which there are data to report. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to the row number. |
| 5 | Column (b) data | "35 – Year Debenture, 4.375%, due 12/1/200x" (spaces until pos. 67) | 27 – 68 | This field contains the data corresponding to column (b) as shown in the form Section of the Report Definition. Format: Left justified and space filled. Include quotation marks. |
| 6 | Column (c) data | 400 | 70 – 78 | This field contains the data corresponding to column (c) as shown in the Form Section of the Report Definition. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |

$\frac{RECORD\ TYPE\ B15-CAPITAL\ STOCK\ AND\ FUNDED\ DEBT\ REACQUIRED\ OR\ RETIRED\ DURING\ THE}{YEAR\ DATA\ RECORD}\ (continued)$

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | <u>Description</u> |
|--------------|--------------------|----------------|-----------|---|
| 7 | Column (d) data | 100 | 80 – 88 | Column (d) data Format: See Field 6 above. |
| 8 | Column (e) data | 200 | 90 – 98 | Column (e) data Format: See Field 6 above. |
| 9 | Column (f) data | 50 | 100 – 108 | Column (f) data Format: See Field 6 above. |
| 10 | Column (g) data | 5000 | 110 – 118 | Column (g) data Format: See Field 6 above. |
| 11 | Column (h) data | 0 | 120 – 128 | Column (h) data Format: See Field 6 above. |
| 12 | Column (i) data | "00000000" | 130 – 139 | This field contains the data corresponding to column (i) as shown in the Report Definition. Format: "mmddyyyy". Include quotation marks. |
| 13 | Column (j) data | 2045.00 | 141 – 147 | This field contains the data corresponding to column (j) as shown in Form Section of the Report Definition. Format: ####.##. Enter an account number using two decimal places. Do NOT include quotation marks. |
| 14 | Column (k) data | 150 | 149 – 157 | Column (k) data Format: See Field 6 above. |
| 15 | Column (l) data | 0000.00 | 159 – 165 | Column (1) data Format: See Field 13 above. |
| 16 | Column (m) data | 0 | 167 – 175 | Column (m) data Format: See Field 6 above. |
| 17 | Column (n) data | 1035.00 | 177 – 183 | Column (n) data Format: See Field 13 above. |
| 18 | Column (o) data | 130 | 185 – 193 | Column (o) data Format: See Field 6 above. |
| 19 | End of Record Code | "XQ" | 195 – 198 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

RECORD TYPE B15 – CAPITAL STOCK AND FUNDED DEBT REACQUIRED OR RETIRED DURING THE YEAR DATA RECORD (continued)

Note: Separate all fields with commas.

| | | | | | | | | | | 1 | |
|----------------------|---|---|--|---------------------|--------------------|--------------------|--------------------------------|---------------|-------------|-------------|---------|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| 123 | 456789012345 | 67890123456 | 789012345 | 678901234 | 567890123456 | 8901234 | 56789012345 | 67890123 | 34567890123 | 34567890123 | 3456789 |
| Sam | ple records: | | | | | | | | | | |
| 157 | 9,"LBIL","B1 | 5a", 100.0 | 2,"XQ" | | | | | | | | |
| 158 | 0,"LBIL","B1 | 5a", 101.0 | ,"35-Year | Debenture | , 4.207%, due | 12/3/2 | 00x ", | 400, | 100, | 200, | 50 |
| 158 | 1,"LBIL","B1 | 5a", 102.0 | ,"Medium T | erm Note, | 9.35%, due (| 7/1/200: | x ", | 0, | 0, | 0, | 0 |
| 158 | 2,"LBIL","B1 | 5b", 120.0, | 0,"XQ" | | | | | | | | |
| 158 | 3,"LBIL","B1 | .5c", 200.0, | 1,"XQ" | | | | | | | | |
| 158 | 4,"LBIL","B1 | .5c", 201.0, | ,"30-Year 1 | Debenture | , 3.507%, due | 11/30/ | 200x", | 100, | 200, | 300, | 100 |
| | | | | | | | | | | | |
| 158 | 5,"LBIL","B1 | .5d", 220.0, | 0,"XQ" | | | | | | | | |
| 158 | 5,"LBIL","B1 | 1 | , 0,"XQ" | 1 | 1 | 1 | 1 | 1 | | | |
| 158 | | | | 1 5 | 1 6 | 1 7 | 1 8 | 1 9 | | | |
| 1 | 1 2 | 1 3 | 1 4 | 5 | - | 7 | 8 | 9 | 2345678 | | |
| 1 1 012 | 1 2 | 1 3 !5678901234! | 1 4 5678901234 | 5 | 6 | 7 | 8 | 9 | 2345678 | | |
| 1 1 012 | 1 2 345678901234 tinuation of | 1 3 156789012345 E sample rec | 1 4 5678901234 cords: | 5 5 567890123 | 6 | 7 7 57890123 | - 8 45678901234 | 9 56789012 | | | |
| 1 1 012 | 1 2 345678901234 tinuation of 5000, | 1 3 56789012345 sample rec 0,"00000 | 1 4 5678901234 cords: | 5 5 567890123 | 6 4567890123456 | 7 7 7890123 | 8 45678901234 0,1035.00, | 9 56789012 | 30,"XQ" | | |
| 1 1 012 Con | 1 2 345678901234 tinuation of 5000, | 1 3 56789012345 sample rec 0,"00000 0,"01123 | 1 4 5678901234 cords: 0000",2045 | 5 5 567890123 | 6 4567890123456 | 7 7 7890123 | 8 45678901234 0,1035.00, | 9 56789012 | 30,"XQ" | | |
| 1 1 012 Con | 1 2 345678901234 tinuation of 5000, 0, | 1 3 56789012345 sample rec 0,"00000 0,"01121 | 1 4 5678901234 cords: 0000",2045 1992",0000 | 5 5 567890123 | 6 4567890123456 | 7 7 7890123 | 8 45678901234 0,1035.00, | 9 56789012 | 30,"XQ" | | |

RECORD TYPE I2 – SECTION ID RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------------|----------------|----------|---|
| 1 | Record Number | 1586 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "I2a " | 13 – 18 | Always contains the letter I capitalized and the number 2 with no space between them. Format: Include quotation marks. |
| 4 | Section ID Row Number | 100.0 | 20 – 25 | Section row number to identify sections of a table that requires reporting multiple rows of data for a particular item in Record type I2. Valid Id: 100.0, 200.0 |
| 5 | Section Item Count | 2 - or - 0 | 27 – 30 | Counter to show the total number of individual sets of rows in a section. If there are no data applicable to a section, enter 0 (zero). Valid Set of Rows: 101.0 to 139.0, 201.0 to 239.0 Format: Right justified and space filled. |
| 6 | End of Record Code | "XQ" | 32 – 35 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: All fields are separated by commas.

Sample record:

1586, "LBIL", "I2a ", 100.0, 2, "XQ"

- OR -

1586, "LBIL", "I2a ", 100.0, 0, "XQ"

$\frac{\text{RECORD TYPE I2} - \text{ANALYSIS OF SERVICES PURCHASED FROM OR SOLD TO AFFILIATES DATA}{\text{RECORD}}$

| <u>Field</u> | <u>Item</u> | Example | Position | Description |
|--------------|-----------------|--|----------|---|
| 1 | Record Number | 1587 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "I2a " | 13 – 18 | Always contains the letter I capitalized and the number 2 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 101.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 101.0 to 240.0. Included only those rows for which there are data to report. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to the row number. |
| 5 | Column (b) data | "Ameritech Services, Inc. " - or - "N/A " (spaces until pos. 67) | 27 – 68 | This field contains the data corresponding to column (b) as shown in the form Section of the Report Definition. Do NOT override designated N/As. Format: Left justified and space filled. Include quotation marks. |
| 6 | Column (c) data | 2716 | 70 – 78 | This field contains the data corresponding to column (c) as shown in the Form Section of the Report Definition. Do NOT override designated N/As. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |

RECORD TYPE I2 – ANALYSIS OF SERVICES PURCHASED FROM OR SOLD TO AFFILIATES DATA RECORD (continued)

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------|----------------|-----------|--|
| 7 | Column (cc) data | 5432 | 80 – 88 | Column (cc) data Format: See Field 6 above. |
| 8 | Column (d) data | 2716 | 90 – 98 | Column (d) data Format: See Field 6 above. |
| 9 | Column (dd) data | 60000 | 100 – 108 | Column (dd) data Format: See Field 6 above. |
| 10 | Column (e) data | 6789 | 110 – 118 | Column (e) data Format: See Field 6 above. |
| 11 | Column (f) data | 77653 | 120 – 128 | Column (f) data Format: See Field 6 above. |
| 12 | End of Record Code | "XQ" | 130 – 133 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: Separate all fields with commas.

65678, 85011,"XQ" (continuation of record 1590)

| | | | | | | | | | 1 | |
|-------------|---------------|-------------|-------------|-------------|----------|-----------|------------|------------|------------|----------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| 12345678901 | 2345678901234 | 5678901234 | 5678901234 | 56789012345 | 67890123 | 456789012 | 3456789012 | 3456789012 | 2345678901 | 23456789 |
| Sample reco | rds: | | | | | | | | | |
| 1586,"LBIL" | ,"I2a ", 100. | 0, 2,"XQ | " | | | | | | | |
| 1587,"LBIL" | ,"I2a ", 101. | 0,"Amerite | ch Service | , Inc. | | ", | 2716, | 5432, | 2716, | 10864, |
| 1588,"LBIL" | ,"I2a ", 102. | 0,"Illinoi: | s Bell Comr | munications | , Inc. | ", | 123, | 0, | 456, | 7890, |
| 1589,"LBIL" | ,"I2a ", 140. | 0,"N/A | | | | ", | 2839, | 5432, | 3172, | 18754, |
| 1590,"LBIL" | ,"I2b ", 200. | 0, 0,"XQ | " | | | | | | | |
| | | | | | | | | | | |
| 1 1 | 1 | | | | | | | | | |
| 1 2 | 3 | | | | | | | | | |
| 01234567890 | 1234567890123 | | | | | | | | | |
| Continuatio | n of sample r | ecords: | | | | | | | | |
| (continuati | on of record | 1586) | | | | | | | | |
| 60000, | 70864,"XQ" | | | | | | | | | |
| 5678, | 14147,"XQ" | | | | | | | | | |

RECORD TYPE I3 – PENSION COST DATA RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------|--------------------------|----------|---|
| 1 | Record Number | 1591 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "I3 " | 13 – 18 | Always contains the letter I capitalized and the number 3 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 100.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 100.0 to 410.0 Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to the row number. |
| 5 | Column (b) data | 21728 - or - 12.00 | 27 – 35 | This field contains the data corresponding to column (b) as shown in the Form Section of the Report Definition. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |
| 6 | Column (c) data | 12716 | 37 – 45 | Column (c) data Format: See Field 5 above. |
| 7 | End of Record Code | "XQ" | 47 – 50 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: Separate all fields with commas.

RECORD TYPE I4 – OPERATING OTHER TAXES (ACCOUNT 7240) DATA RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|-----------------|------------------------|----------|---|
| 1 | Record Number | 1679 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "I4 " | 13 – 18 | Always contains the letter I capitalized and the number 4 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 240.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 100.0 to 940.0 Include only those rows for which there are data to report. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to the row number. |
| 5 | Column (b) data | "IL" – or – "NA" | 27 – 30 | This field contains the state code corresponding to column (b) as shown in the Report Definition. See Reference table for list of state codes. Format: Left justified and space filled. Include quotation marks. |
| 6 | Column (c) data | 24035 | 32 – 40 | This field contains the data corresponding to column (c) as shown in the Form Section of the Report Definition. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |
| 7 | Column (d) data | 10567 | 42 – 50 | Column (d) data Format: See Field 6 above. |
| 8 | Column (e) data | 3478 | 52 – 60 | Column (e) data Format: See Field 6 above. |

RECORD TYPE I4 – OPERATING OTHER TAXES (ACCOUNT 7240) DATA RECORD (continued)

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------|----------------|-----------------|--|
| 9 | Column (f) data | 0 | 62 – 70 | Column (f) data Format: See Field 6 above. |
| 10 | Column (g) data | 0 | 72 – 80 | Column (g) data Format: See Field 6 above. |
| 11 | Column (h) data | 38080 | 82 – 90 | Column (h) data Format: See Field 6 above. |
| 12 | End of Record Code | "XQ" | 92 – 95 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: Separate all fields with commas.

| 1 | 2 | 2 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|------------------|------|----------------|------------|-------------|------------|------------|-----------|---------------|
| 1234567890123456 | 7890 | 01234567890123 | 4567890123 | 34567890123 | 4567890123 | 4567890123 | 456789012 | 3456789012345 |
| Sample records: | | | | | | | | |
| 1679,"LBIL","I4 | ", | 100.0,"NA", | 23456, | 5076, | 0, | 5678, | 0, | 34210,"XQ" |
| 1680,"LBIL","I4 | ", | 240.0,"IL", | 24035, | 10567, | 3478, | 0, | 0, | 38080,"XQ" |
| 1681,"LBIL","I4 | ", | 250.0,"IN", | 1234, | 6780, | 245, | 34560, | 3456, | 46275,"XQ" |
| 1682,"LBIL","I4 | ", | 910.0,"TO", | 25269, | 17347, | 3723, | 34560, | 3456, | 84355,"XQ" |
| 1683,"LBIL","I4 | ", | 920.0,"NA", | 4732, | 0, | 0, | 0, | 0, | 4732,"XQ" |
| 1684,"LBIL","I4 | ", | 930.0,"NA", | 0, | 0, | 0, | 0, | 0, | 0,"XQ" |
| 1685,"LBIL","I4 | ", | 940.0,"NA", | 43993, | 22423, | 3723, | 40238, | 3456, | 113833,"XQ" |
| | | | | | | | | |
| | | | | - OR - | | | | |
| (if there | are | no states or | jurisdicti | ons to rep | ort on row | s 110 thro | ugh 810) | |
| | | | | | | | | |
| 1679,"LBIL","I4 | ", | 100.0,"NA", | 23456, | 5076, | 0, | 5678, | 0, | 34210,"XQ" |
| 1680,"LBIL","I4 | ", | 920.0,"NA", | 4732, | 0, | 0, | 0, | 0, | 4732,"XQ" |
| 1681,"LBIL","I4 | ", | 930.0,"NA", | 0, | 0, | 0, | 0, | 0, | 0,"XQ" |
| 1682,"LBIL","I4 | ", | 940.0,"NA", | 18724, | 5076, | 0, | 5678, | 0, | 29478,"XO" |

RECORD TYPE I5 – SECTION ID RECORD

| <u>Field</u> | <u>Item</u> | Example | Position | Description |
|--------------|--------------------------|------------|----------|---|
| 1 | Record Number | 1686 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "I5a " | 13 – 18 | Always contains the letter I capitalized and the number 5 with no space between them. Format: Include quotation marks. |
| 4 | Section ID Row Number | 109.0 | 20 – 25 | Section row number to identify sections of a table that requires reporting multiple rows of data for a particular item in Record type I5. Valid Id: 109.0, 119.0, 129.0, 139.0, 149.0, 159.0, 169.0, 179.0, 189.0. |
| 5 | Section Item Count | 5 - or - 0 | 27 – 30 | Counter to show the total number of individual sets of rows in a section. If there are no data applicable to a section, enter 0 (zero). Valid Set of Rows: 110.0 to 115.0, 120.0 to 125.0, 130.0 to 135.0, 140.0 to 145.0, 150.0 to 155.0, 160.0 to 165.0, 170.0 to 175.0, 180.0 to 185.0, 190.0 to 195.0 Format: Right justified and space filled. |
| 6 | End of Record Code | "XQ" | 32 – 35 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: All fields are separated by commas.

Sample record:

1686, "LBIL", "I5a ", 109.0, 2, "XQ"

- OR -

1686, "LBIL", "I5a ", 109.0, 0, "XQ"

RECORD TYPE I5 – PREPAID TAXES AND TAX ACCRUALS DATA RECORD

| <u>Field</u> | <u>Item</u> | Example | Position | Description |
|--------------|-----------------|---------|----------|---|
| 1 | Record Number | 1687 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "I5a " | 13 – 18 | Always contains the letter I capitalized and the number 5 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 110.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 110.0 to 200.0. Include only those rows for which there are data to report. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to the row number. |
| 5 | Column (b) data | "1996" | 27 – 32 | This field contains the data corresponding to column (b) as shown in the Form Section of the Report Definition. See Reference table for list of state codes. Format: "yyyy". Enter "N/A" in field if designated by N/A. Include quotation marks. |
| 6 | Column (c) data | 0 | 34 – 42 | This field contains the data corresponding to column (c) as shown in the Form Section of the Report Definition. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |
| 7 | Column (d) data | -99999 | 44 – 52 | Column (d) data Format: See Field 6 above. |
| 8 | Column (e) data | 27345 | 54 – 62 | Column (e) data Format: See Field 6 above. |

RECORD TYPE I5 – PREPAID TAXES AND TAX ACCRUALS DATA RECORD (continued)

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------|----------------|-----------|---|
| 9 | Column (f) data | 7240.00 | 64 – 70 | This field contains the data corresponding to column (f) as shown in the Form Section of the Report Definition. Format: ####.##. Enter an account number using two decimal places. Enter –33333 to indicate that there was more than one account charged to taxes accrued and footnote each account. Enter –99999 if field is designated by N/A. |
| 10 | Column (g) data | 1234 | 72 – 80 | Column (g) data Format: See Field 6 above. |
| 11 | Column (h) data | 26601 | 82 – 90 | Column (h) data Format: See Field 6 above. |
| 12 | Column (i) data | 0 | 92 – 100 | Column (I) data Format: See Field 6 above. |
| 13 | Column (j) data | 0 | 102 – 110 | Column (j) data Format: See Field 6 above. |
| 14 | Column (k) data | 0 | 112 – 120 | Column (k) data Format: See Field 6 above. |
| 15 | Column (l) data | -99999 | 122 – 130 | Column (l) data Format: See Field 6 above. |
| 16 | Column (m) data | 1908 | 132 – 140 | Column (m) data Format: See Field 6 above. |
| 17 | End of Record Code | "XQ" | 142 – 155 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

RECORD TYPE I5 – PREPAID TAXES AND TAX ACCRUALS DATA RECORD (continued)

Note: Separate all fields with commas.

| 1 | 2 | 3 | 4 | 5 | 6 7 | 8 | 9 |
|---------------|------------|-------------|--------------|---------------|-------------------|--------------|-----------|
| 123456789012 | 3456789012 | 3456789012 | 234567890123 | 3456789012345 | 67890123456789012 | 234567890123 | 345678901 |
| Sample record | ds: | | | | | | |
| 1688,"LBIL", | "I5a ", 10 | 9.0, 6, | 'XQ" | | | | |
| 1689,"LBIL", | "I5a ", 11 | .0.0,"1992" | 0, | , -99999, | 27345,7240.00, | 1234, | 26601, |
| 1690,"LBIL", | "I5a ", 11 | 1.0,"1991" | , 12345 | , -99999, | 0,7440.00, | 2100, | 345, |
| 1691,"LBIL", | "I5a ", 11 | 2.0,"1990" | , 20000 | , -99999, | 0, -33333, | 0, | 100, |
| 1692,"LBIL", | "I5a ", 11 | 3.0,"1989" | 0, | , -99999, | 5000,7240.00, | 0, | 500, |
| 1693,"LBIL", | "I5a ", 11 | 4.0,"1988" | 0, | , -99999, | 1500,7240.00, | 0, | 42, |
| 1694,"LBIL", | "I5a ", 11 | 5.0,"N/A " | , 34567 | , -99999, | 0, -99999, | 2345, | 12346, |
| 1695,"LBIL", | "I5a ", 11 | 6.0,"N/A " | , 66912 | , -99999, | 33845, -99999, | 5679, | 39934, |
| 1696,"LBIL", | "I5b ", 11 | 9.0, 1," | 'XQ" | | | | |
| 1697,"LBIL", | "I5b ", 12 | 20.0,"1992" | 0, | , -99999, | 14567,7240.00, | 100, | 1656, |
| 1698,"LBIL", | "I5b ", 12 | 26.0,"N/A " | 0, | , -99999, | 14567, -99999, | 100, | 1656, |
| 1699,"LBIL", | "I5c ", 12 | 29.0, 0," | 'XQ" | | | | |
| 1700,"LBIL", | "I5d ", 13 | 39.0, 0," | 'XQ" | | | | |
| 1701,"LBIL", | "I5e ", 14 | 19.0, 0," | 'XQ" | | | | |
| 1702,"LBIL", | "I5f ", 15 | 59.0, 0," | 'XQ" | | | | |
| 1703,"LBIL", | "I5g ", 16 | 59.0, 0," | 'XQ" | | | | |
| 1704,"LBIL", | "I5h ", 17 | 79.0, 0," | 'XQ" | | | | |
| 1705,"LBIL", | "I5i ", 18 | 39.0, 0," | 'XQ" | | | | |
| 1706,"LBIL", | "I5 ", 20 | 00.0,"N/A " | 66912 | , 0, | 48412, -99999, | 5779, | 41590, |
| | | | | | | | |
| | | | | | | | |
| 1 | 1 | 1 | 1 | 1 | | | |
| 9 0 | 1 | 2 | 3 | 4 | | | |
| 234567890123 | 4567890123 | 34567890123 | 345678901234 | 456789012345 | | | |
| Continuation | of sample | records: | | | | | |
| 0, | 0, | 0, | -99999, | 1908,"XQ" | | | |
| 0, | 1234, | 12866, | -99999, | 0,"XQ" | | | |
| 0, | 0, | 19900, | -99999, | 0,"XQ" | | | |
| 0, | 0, | 0, | -99999, | 4500,"XQ" | | | |
| 0, | 0, | 0, | -99999, | 1458,"XQ" | | | |
| 4567, | 2340, | 26793, | -99999, | 0,"XQ" | | | |
| 4567, | 3574, | 33650, | -99999, | 583,"XQ" | | | |
| 1424, | 0, | 0, | -99999, | 14435,"XQ" | | | |
| 1424, | 0, | 0, | -99999, | 14435,"XQ" | | | |
| 5991, | 3574, | 33518, | 0, | 15018,"XQ" | | | |

RECORD TYPE I6 - SECTION ID RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------------|----------------|----------|---|
| 1 | Record Number | 1705 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "I6a " | 13 – 18 | Always contains the letter I capitalized and the number 6 with no space between them. Format: Include quotation marks. |
| 4 | Section ID Row Number | 205.0 | 20 – 25 | Section row number to identify sections of a table that requires reporting multiple rows of data for a particular item in Record type I6. Valid Id: 205.0, 225.0 |
| 5 | Section Item Count | 2 - or - 0 | 27 – 30 | Counter to show the total number of individual sets of rows in a section. If there are no data applicable to a section, enter 0 (zero). Valid Set of Rows: 210.0 to 218.0, 230.0 to 238.0 Format: Right justified and space filled. |
| 6 | End of Record Code | "XQ" | 32 – 35 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: All fields are separated by commas.

Sample record:

1705, "LBIL", "I6a ", 205.0, 2, "XQ"

- OR -

1705, "LBIL", "I6a ", 205.0, 0, "XQ"

RECORD TYPE I6 – SPECIAL CHARGES DATA RECORD

| Field | <u>Item</u> | Example | Position | Description |
|-------|--------------------|---|----------|---|
| 1 | Record Number | 1706 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "I6a " | 13 – 18 | Always contains the letter I capitalized and the number 6 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 210.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 100.0 to 270.0. Included only those rows for which there are data to report. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to the row number. |
| 5 | Column (b) data | "Ann Arbor Datakit " - or - "N/A " (spaces until pos. 82) | 27 – 83 | This field contains the data corresponding to column (b) as shown in the form Section of the Report Definition. Do NOT override designated N/As. Format: Left justified and space filled. Include quotation marks. |
| 6 | Column (c) data | 3456 | 85 – 93 | This field contains the data corresponding to column (c) as shown in the Form Section of the Report Definition. Do NOT override designated N/As. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |
| 7 | End of Record Code | "XQ" | 95 – 98 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

RECORD TYPE 16 - SPECIAL CHARGES DATA RECORD (continued)

Note: Separate all fields with commas.

| | 1 | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---------|-------------|----|-------|----------|--------------|--------|---|---|----|---------------|
| 123456 | 7890123456' | | _ | | = | - | - | • | - | 5789012345678 |
| Sample | records: | | | | | | | | | |
| 1705," | LBIL","I6 | ", | 100.0 | ,"N/A | | | | | ", | 2716,"XQ" |
| 1706," | LBIL","I6 | ", | 200.0 | ,"N/A | | | | | ", | 123,"XQ" |
| 1707,"1 | LBIL","I6a | ", | 205.0 | , 2,"X | Q" | | | | | |
| 1708,"1 | LBIL","I6a | ", | 210.0 | ,"Ann Ar | bor Datakit | | | | ", | 3456,"XQ" |
| 1709,"1 | LBIL","I6a | ", | 211.0 | ,"Illino | is Waterfron | t Mall | | | ", | 4567,"XQ" |
| 1710,"1 | LBIL","I6a | ", | 219.0 | ,"N/A | | | | | ", | 8023,"XQ" |
| 1711,"1 | LBIL","I6 | ", | 220.0 | ,"N/A | | | | | ", | 716,"XQ" |
| 1712,"1 | LBIL","I6b | ", | 225.0 | , 0,"X | Q" | | | | | |
| 1713,"1 | LBIL","I6 | ", | 240.0 | ,"N/A | | | | | ", | 6790,"XQ" |
| 1714,"1 | LBIL","I6 | ", | 250.0 | ,"N/A | | | | | ", | 14523,"XQ" |
| 1715,"1 | LBIL","I6 | ", | 260.0 | ,"N/A | | | | | ", | 30175,"XQ" |
| 1716,"1 | LBIL","I6 | ", | 270.0 | ,"N/A | | | | | ", | 32891,"XQ" |

RECORD TYPE I7 - SECTION ID RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------------|----------------|----------|--|
| 1 | Record Number | 1717 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "I7a " | 13 – 18 | Always contains the letter I capitalized and the number 7 with no space between them. Format: Include quotation marks. |
| 4 | Section ID Row Number | 101.0 | 20 – 25 | Section row number to identify sections of a table that requires reporting multiple rows of data for a particular item in Record type I7. Valid Id: 100.0, 200.0, 600.0, 700.0, 800.0, 900.0, 1300.0, 1400.0, 1500.0, 1600.0, 1700.0, 1800.0 |
| 5 | Section Item Count | 2 - or - 0 | 27 – 30 | Counter to show the total number of individual sets of rows in a section. If there are no data applicable to a section, enter 0 (zero). Valid Set of Rows: 101.0 to 198.0, 201.0 to 598.0, 601.0 to 698.0, 701.0 to 798.0, 801.0 to 898.0, 901.0 to 1298.0, 1301.0 to 1398.0, 1401.0 to 1498.0, 1501.0 to 1598.0, 1601.0 to 1698.0, 1701.0 to 1798.0, 1801.0 to 1898.0 Format: Right justified and space filled. |
| 6 | End of Record Code | "XQ" | 32 – 35 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: All fields are separated by commas.

1 2 3 12345678901234567890123456789012345 Sample record: 1717, "LBIL", "17a ", 101.0, 2, "XQ"

- OR -

1717, "LBIL", "I7a ", 101.0, 0, "XQ"

$\frac{\text{RECORD TYPE I7} - \text{DONATIONS OR PAYMENTS FOR SERVICES RENDERED BY PERSONS OTHER THAN}{\text{EMPLOYEES DATA RECORD}}$

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------|---|----------|---|
| 1 | Record Number | 1718 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "I7a " | 13 – 18 | Always contains the letter I capitalized and the number 7 with no space between them. Format: Include quotation marks. |
| 4 | Row Number | 101.0 | 20 – 25 | Row number as identified on the Report definition. Valid range: 101.0 to 2000.0. Include only those rows for which there are data to report. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to the row number. |
| 5 | Column (b) data | "Carrie M. Smith " - or - "N/A " (spaces until pos. 82) | 27 – 83 | This field contains the data corresponding to column (b) as shown in the form Section of the Report Definition. Do NOT override designated N/As. Format: Left justified and space filled. Include quotation marks. |
| 6 | Column (c) data | 1234 | 85 – 93 | This field contains the data corresponding to column (c) as shown in the Form Section of the Report Definition. Do NOT override designated N/As. Format: Right justified and space filled. Enter –99999 in all rows where a field is designated by N/A. All other fields must be populated. If there are no data applicable to an open field, enter zero. Enter –88888 in integer rows on the "public version" diskette to indicate that confidential treatment has been requested. |
| 7 | End of Record Code | "XQ" | 95 – 98 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

RECORD TYPE I7 – DONATIONS OR PAYMENTS FOR SERVICES RENDERED BY PERSONS OTHER THAN EMPLOYEES DATA RECORD (continued)

Note: Separate all fields with commas.

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|----------------------|------------|------------|-----------|------------|------------|------------|-------------|--------------|
| 123456789012345678 | 3901234567 | 890123456 | 789012345 | 6789012345 | 6789012345 | 6789012345 | 57890123456 | 789012345678 |
| Sample records: | | | | | | | | |
| 1717,"LBIL","I7a " | , 100.0, | 2,"XQ" | | | | | | |
| 1718,"LBIL","I7a " | ', 101.0," | Carrie M. | Smith | | | | ", | 1234,"XQ" |
| 1719,"LBIL","I7a " | ', 102.0," | Michigan S | State Uni | versity | | | ", | 1567,"XQ" |
| 1720,"LBIL","I7a " | ', 199.0," | N/A | | | | | ", | 2801,"XQ" |
| 1721"LBIL","I7b ", | 200.0, | 0,"XQ" | | | | | | |
| 1722, "LBIL", "I7c " | , 600.0, | 1,"XQ" | | | | | | |
| 1723, "LBIL", "I7c " | ', 601.0," | National H | Exchange | Carrier | | | ", | 1145,"XQ" |
| 1724,"LBIL","I7c " | ', 699.0," | N/A | | | | | ", | 1145,"XQ" |
| 1725,"LBIL","I7d " | 700.0, | 0,"XQ" | | | | | | |
| 1726,"LBIL","I7e " | , 800.0, | 1,"XQ" | | | | | | |
| 1727,"LBIL","I7e " | ', 801.0," | McDonnell | Douglas | Informatio | on Systems | | ", | 4836,"XQ" |
| 1728,"LBIL","I7e " | ', 899.0," | N/A | | | | | ", | 4836,"XQ" |
| 1729,"LBIL","I7f " | ', 900.0, | 0,"XQ" | | | | | | |
| 1730,"LBIL","I7g " | ,1300.0, | 0,"XQ" | | | | | | |
| 1731,"LBIL","I7h " | ,1400.0, | 0,"XQ" | | | | | | |
| 1732,"LBIL","I7i " | ,1500.0, | 0,"XQ" | | | | | | |
| 1733,"LBIL","I7j " | ,1600.0, | 0,"XQ" | | | | | | |
| 1734,"LBIL","I7k " | ,1700.0, | 0,"XQ" | | | | | | |
| 1735,"LBIL","I71 " | ,1800.0, | 0,"XQ" | | | | | | |
| 1736,"LBIL","I7 " | ,1900.0," | N/A | | | | | ", | 23567,"XQ" |
| 1737,"LBIL","I7 " | ,2000.0," | N/A | | | | | ", | 1000,"XQ" |

RECORD TYPE C3 - CONFIDENTIAL TREATMENT RECORD

| Field | <u>Item</u> | <u>Example</u> | Position | Description |
|-------|---|----------------|----------|--|
| 1 | Record Number (for this record) | 1738 | 1 – 4 | The sequential number of <u>this</u> record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "C3 " | 13 – 18 | Always contains the letter C capitalized and the number 3 with no space between them. Format: Include quotation marks. |
| 4 | Record Number (for the confidential data) | 1116 | 20 – 23 | This field contains the record number of the record which contains the data for which the carrier is seeking confidential treatment. If the request is for the entire column(s) or the entire submission, use 9999. Format: Right justified and space filled. |
| 5 | Table Number | "P1 " | 25 – 30 | This field contains the table number (Roman numerals) of the table in which the confidential data appear. If the request is for the entire table, use "ZZZZ". Format: Include quotation marks. Left justified and space filled. |
| 6 | Row Number | 2001.0 | 32 – 37 | This field contains the row number of the row which contains the confidential data as identified in the Report Definition. If the request is for the entire column(s), an entire table, or the entire submission, enter 9999.0. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to each row number. For row numbers with one decimal place (e.g., 2215.1), use the row number as shown. |
| 7 | Column Label | "AB" | 39 – 42 | This field contains the column letter(s) of the confidential data as identified in the Report Definition. If the request is for an entire row, an entire table, or the entire submission, enter "ZZ". If the request is for more than one column but less than the entire row, then populate this field and as many as need for fields 8 thru 26. Format: Include quotation marks. Left justified and space filled. |

RECORD TYPE C3 - CONFIDENTIAL TREATMENT RECORD (continued)

| <u>Field</u> | <u>Item</u> | Example | Position | Description |
|--------------|------------------------|---------|-----------|---|
| 8 | Second Column Label | "AC" | 44 – 47 | |
| 9 | Third Column Label | "AD" | 49 – 52 | Fields 8 through 26 are similar to field 7 and are used when the request is for the same row and more than one column. Otherwise, enter " ". |
| 26 | Twentieth Col. Label | " " | 134 – 137 | |
| 27 | End of Record Code | "XQ" | 139 – 142 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: All fields are separated by commas.

| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---------|-----------|--------------|----------|-----------|------------|------------|------------|-----------|----------------|
| 1234567 | 890123456 | 789012345678 | 90123456 | 789012345 | 6789012345 | 6789012345 | 6789012345 | 678901234 | 56789012345678 |
| Sample | records: | | | | | | | | |
| 1738,"L | BIL","C3 | ",1116,"P1 | ",2001. | 0,"AB","A | AC","AD"," | "," "," | "," "," | "," "," | "," "," ", |
| 1739,"L | BIL","C3 | ",1134,"P1 | ",2215. | 0,"AE","A | AF"," "," | "," "," | "," "," | "," "," | "," "," ", |
| 1740,"L | BIL","C3 | ",9999,"P1 | ",9999. | 0,"BB"," | "," "," | "," "," | "," "," | "," "," | "," "," ", |
| 1741,"L | BIL","C3 | ",1591,"I3 | ", 100. | 0,"ZZ"," | "," "," | "," "," | "," "," | "," "," | "," "," ", |
| | | | | | | | | | |
| | | | | | | | | | |
| 1 | 1 | 1 | 1 | 1 | | | | | |
| 0 | 1 | 2 | 3 | 4 | | | | | |
| 9012345 | 678901234 | 567890123456 | 78901234 | 56789012 | | | | | |

Continuation of sample records:

| " | "," | "," | "," | "," | "," | "," | "," | ","XQ" |
|---|-----|-----|-----|-----|-----|-----|-----|--------|
| " | "," | "," | "," | "," | "," | "," | "," | ","XQ" |
| " | "," | "," | "," | "," | "," | "," | "," | ","XQ" |
| | | | | | | | | |

RECORD TYPE F3 - FOOTNOTE TEXT RECORD

| <u>Field</u> | <u>Item</u> | Example | Position | Description |
|--------------|--|---------|----------|---|
| 1 | Record Number (for this record) | 1742 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "F3 " | 13 – 18 | Always contains the letter F capitalized and the number 3 with no space between them. Format: Include quotation marks. |
| 4 | Record Number (for the footnoted data) | 1116 | 20 – 23 | This field contains the record number of the record which contains the footnoted data. If the footnote pertains to the entire column(s), an entire table, or the entire submission, use 9999. Format: Right justified and space filled. |
| 5 | Table Number | "P1 " | 25 – 30 | This field contains the table number (Roman numerals) of the table in which the footnoted data appear. If the footnote pertains to an entire table, use "ZZZZ". Format: Include quotation marks. Left justified and space filled. |
| 6 | Row Number | 2001.0 | 32 – 37 | This field contains the row number of the row which contains the footnoted data as identified in the Report Definition. If the footnote pertains to the entire column(s), an entire table, or the entire submission, enter 9999.0. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to each row number. For row numbers with one decimal place (e.g., 2215.1), use the row number as shown. |
| 7 | Column Label | "AE " | 39 – 42 | This field contains the column letter(s) of the footnoted data as identified in the Report Definition. If the footnote pertains to an entire row, an entire table, or the entire submission, enter "ZZ". Format: Include quotation marks. Left justified and space filled. |
| 8 | Footnote Number | 1 | 44 – 46 | The number of this particular footnote. Valid range: 1 to 999. Format: Right justified and space filled. |

RECORD TYPE F3 – FOOTNOTE TEXT RECORD (continued)

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--------------------|--|-----------|--|
| 9 | Sequence Number | 1 | 48 – 49 | The sequence number of the record within the footnote. In other words, the order of the specific record in the sequence of records which, when combined, will provide the entire footnote. Valid range: 1 to 99. Format: Right justified and space filled. |
| 10 | Footnote Text | "Footnote text " (Spaces until pos. 106) | 51 – 107 | The text of the footnote or of the continuation line. Format: Include quotation marks at the beginning and end of this field and left justify within these quotation marks. |
| 11 | End of Record Code | "XQ" | 109 – 112 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: All fields are separated by commas.

Footnote records are needed if any data for the current period differ materially from those for the previous period and the difference is not self–explanatory but was caused by unusual circumstances. Also, if the carrier does not follow the procedures described in the row/column instructions in the Report Definition.

Certain items require accompanying footnotes and those items are specified in the appropriate section of the instructions for filing the 43-02. Such footnotes are mandatory and must be entered in the footnote text records.

| | | | | | | | | 1 | 1 |
|------------------|---------------|------------------|--------------|-----------|--------------|-----------|------------|-------------|----------|
| 1 | 2 | 3 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 |
| 1234567890123456 | 7890123456789 | 9012345678901234 | 56789012345 | 678901234 | 15678901234 | 567890123 | 4567890123 | 45678901234 | 56789012 |
| Sample records: | | | | | | | | | |
| 1742,"LBIL","F3 | ",1049,"A4b | ", 210.0,"C ", | 1, 1, "Foot: | note 1 pe | ertains to | column C, | Table A - | 4, row 210 | .0","XQ" |
| 1743,"LBIL","F3 | ",1116,"P1 | ",2001.0,"AE", | 2, 1, "Foot: | note text | for footn | ote 1 | | | ","XQ" |
| 1744,"LBIL","F3 | ",1116,"P1 | ",2001.0,"AE", | 2, 2, cont | inuation | text for for | ootnote 1 | | | ","XQ" |
| 1745,"LBIL","F3 | ",1116,"P1 | ",2001.0,"AE", | 2, 3,"last | line of | footnote 1 | • | | | ","XQ" |
| 1746,"LBIL","F3 | ",1270,"X1 | ",6112.0,"ZZ", | 3, 1, "Foot: | note 3 pe | ertains to a | all cols. | of Table I | -1 row 6112 | .0","XQ" |
| 1747,"LBIL","F3 | ",9999,"I3 | ",9999.0,"B ", | 4, 1, "Foot: | note 4 pe | ertains to a | all rows | of Table I | -3 column B | . ","XQ" |
| 1748,"LBIL","F3 | ",1736,"I7 | ",1900.0,"C ", | 5, 1, "Foot: | note 5 pe | ertains to ' | Table I-7 | row 1900. | O column C. | ","XQ" |

RECORD TYPE E4 - ERRATUM RECORD

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|--|----------------|----------|--|
| 1 | Record Number (for this record) | 1749 | 1 – 4 | The sequential number of <u>this</u> record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "E4 " | 13 – 18 | Always contains the letter E capitalized and the number 4 with no space between them. Format: Include quotation marks. |
| 4 | Record Number (for the corrected data) | 1116 | 20 – 23 | This field contains the record number of the record which contains the data which were corrected in this submission. If the entire column(s), an entire table, or the entire submission was corrected, use 9999. Format: Right justified and space filled. |
| 5 | Table Number | "P1 " | 25 – 30 | This field contains the table number (Roman numerals) of the table in which the corrected data appear. If an entire table or submission was corrected, use "ZZZZ". Format: Include quotation marks. Left justified and space filled. |
| 6 | Row Number | 2001.0 | 32 – 37 | This field contains the row number of the row which contains the corrected data as identified in the Report Definition. If the entire column(s), an entire table, or the entire submission was corrected, enter 9999.0. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to each row number. For row numbers with one decimal place (e.g., 2215.1), use the row number as shown. |
| 7 | Column Label | "AB" | 39 – 42 | This field contains the column letter of the corrected data as identified in the Report Definition. If an entire row, an entire table, or the entire submission was corrected, enter "ZZ". If more than one column but less than the entire row was corrected, then populate this field and as many as needed of fields 8 through 26. Format: Include quotation marks. Left justified and space filled. |

RECORD TYPE E4 - ERRATUM RECORD (continued)

| <u>Field</u> | <u>Item</u> | <u>Example</u> | Position | Description |
|--------------|------------------------|----------------|-----------|--|
| 8 | Second Column Label | "AC " | 44 - 47 | |
| 9 | Third Column Label | "AD " | 49 – 52 | Fields 8 thru 26 are similar to Field 7 and are used when the correction is in the same row and more than one column. |
| • | | | | Otherwise, enter " ". |
| 26 | Twentieth Col. Label | " " | 134 – 137 | |
| 27 | Footnote Number | 1 | 139 – 141 | This field contains the footnote number that explains the correction. If there is no footnote, use a zero. Format: Right justified and space filled. |
| 28 | End of Record Code | "XQ" | 143 – 146 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: All fields are separated by commas.

When an erratum occurs, carriers must use higher submission numbers and a new data entry date to denote a new submission. If there is a change in either the automated or paper report, the carrier must re – submit both. The automated report and the paper report submission numbers must be the same.

In addition to including these references in the erratum record(s) of the automated report, carriers must include a brief statement indicating the reason for the errata in the transmittal letter.

| | 1 | 2 | 3 | 4 | 5 | | 6 | | 7 | | 8 | | 9 | | |
|---------|-----------|-------------|-----------|-----------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|
| 1234567 | 890123456 | 78901234567 | 89012345 | 578901234 | 567890 | 12345 | 67890 | 12345 | 67890 | 12345 | 67890 | 12345 | 67890 | 12345 | 678 |
| Sample | records: | | | | | | | | | | | | | | |
| 1749,"L | BIL","E4 | ",1116,"P1 | ",2001 | .0,"AE"," | AF"," | "," | "," | "," | "," | "," | "," | "," | "," | "," | ", |
| 1750,"L | BIL","E4 | ",1270,"X1 | ",6112 | .0,"ZZ"," | "," | "," | "," | "," | "," | "," | "," | "," | "," | "," | ", |
| 1751,"L | BIL","E4 | ",9999,"I3 | ",9999 | .0,"B "," | "," | "," | "," | "," | "," | "," | "," | "," | "," | "," | ", |
| 1752,"L | BIL","E4 | ",1736,"I7 | ",1900 | .0,"C "," | "," | "," | "," | "," | "," | "," | "," | "," | "," | "," | ", |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| 1 | 1 | 1 | 1 | 1 | | | | | | | | | | | |
| 0 | 1 | 2 | 3 | 4 | | | | | | | | | | | |
| 9012345 | 678901234 | 56789012345 | 678901234 | 156789012 | 23456 | | | | | | | | | | |
| Continu | ation of | sample reco | rds: | | | | | | | | | | | | |
| " "," | "," "," | "," "," | "," ", | ' ", 2, | "XQ" | | | | | | | | | | |
| " "," | "," "," | "," "," | "," ", | ' ", 3, | "XQ" | | | | | | | | | | |
| " "," | "," "," | "," "," | "," ", | ' ", 4, | "XQ" | | | | | | | | | | |
| " "," | "," "," | "," "," | "," ", | ' ", 5, | "XQ" | | | | | | | | | | |

RECORD TYPE T1 - TRAILER RECORD

| <u>Field</u> | <u>Item</u> | Example | Position | Description |
|--------------|--------------------|------------------------------------|----------|--|
| 1 | Record Number | 1753 | 1 – 4 | The sequential number of this record within this data file plus 1000. Format: Right justified and space filled. |
| 2 | COSA | "LBIL" | 6 – 11 | The COSA code for the filing entity. Format: Include quotation marks. |
| 3 | Record Type | "T1 " | 13 – 18 | Always contains the letter T capitalized and the number 1 with no space between them. Format: Include quotation marks. |
| 4 | Contact Person | "John Doe " (spaces until pos. 60) | 18 – 61 | The name of the person to contact if there are questions about the report. Format: Include quotation marks. |
| 5 | Telephone # | "(202) 555 – 1212 x123 " | 63 – 84 | The Contact Person's telephone number. Format: Include quotation marks. |
| 6 | End of Record Code | "XQ" | 86 – 89 | Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks. |

Note: All fields are separated by commas.

1 2 3 4 5 6 7 8

Sample record:

1753, "LBIL", "T1 ", "John Doe

","(202) 555 - 1212 x123 ","XQ"

A. Introduction

This document contains the page layout and detailed specifications for the paper report to be filed as FCC Report 43-02, the ARMIS USOA Report.

B. General Instructions

- 1. See sections B and C on pages 1 and 2 of the Reporting Procedures for a discussion of the Confidential Version, the Public Version, and the Unrestricted Version of this report and for a definition and discussion of data items that are "Not Available" or are "Withheld."
- 2. The paper report must be printed on 8 1/2 inch by 11 inch paper. For ease of preparation, an original may be produced on larger paper and reduced to this size for submission. Copies filed must be legible and permanent, in black ink. The report may be printed in portrait mode (8 1/2 inches across the top of the page) or landscape mode (11 inches across the top of the page). In portrait mode, the printing should not be smaller than 17 characters per inch and 8 lines per inch; in landscape mode, the printing should not be smaller than 15 characters per inch and 10 lines per inch.

C. <u>Data Entry Conventions</u>

- 1. If an entry is to be a subtraction, indicate so by placing a minus sign in the column immediately preceding the numeric data, e.g., use -4, NOT -4 or (4).
- 2. Tables requiring the use of specific row numbers for a set of rows in a particular section of a table should follow the sequence patterns as shown on the Form section of the Report Definition.
- 3. Tables requiring the entry of multiple rows of data for a particular section of a table must enter data in <u>only</u> those rows for which there are data to report. If there are no data to report in a section of the table or in the entire table, include the table in the paper report with no data entries.
- 4. Tables requiring the use of row numbers that are associated with a state code or name, should use the assigned row numbers and the state name on the paper report, not the state code, as shown on the State Row Numbers and Codes Reference Table of the Report Definition.
- 5. In any data field requiring the entry of a state or territory (<u>e.g.</u>, State of Incorporation, State of Operation, etc.) enter on the paper report the state name, <u>not</u> the state code, as shown on the State Row Numbers and Codes Reference Table of the Report Definition.

- 6. Data fields requiring an entry of a date (e.g., Date of Incorporation) or year (e.g., Term Expired or Current Term Will Expire) should enter date as "mmddyyyy" (12031992) and the year as "yyyy" (1993).
- 7. Items that need not be reported because they do not apply are designated by N/A. If a "Public Version" report is filed, enter "W/H" in any numeric data field for which data are "Withheld" to indicate that confidential treatment has been requested. **DO**NOT override N/As. If a reporting carrier wishes to apply data to a field containing a N/A, the carrier must enter, as a footnote to the field, the amount(s) and an explanation. All other fields must be populated. If there are no data applicable to an open field, enter zero.

D. Rounding Conventions

- 1. As specified in the Report Definition, all monetary figures must be rounded to the nearest thousand dollars.
- 2. All percentage amounts (<u>e.g.</u>, Expected Long Term Return On Assets) must be entered in percent and must be rounded to two decimal places.

Example: 23.70561 percent must be entered as 23.71

- 3. All ratios must be rounded to two decimal places. Service life (e.g., Bases of Charges for Depreciation) must be rounded to one decimal place.
- 4. Unless otherwise indicated, account balances must reflect the results of operations as of the end of the reporting period (December 31, 19xx).

E. Footnotes

- 1. If any data for the current period differ materially from those for the previous period and the difference is not self explanatory but was caused by unusual circumstances, then include footnote text to explain the specific circumstances. Certain items require accompanying footnotes and those items are specified in the appropriate section of the instructions for filing the 43-02. Such footnotes are mandatory and must be entered in the Footnote Table.
- 2. If the reporting carrier does not follow the procedures described in the row and column instructions of the Report Definition, it must explain any deviations from those procedures in an explanatory footnote. Such footnotes must provide detailed explanations of the procedures actually used by the carrier and its specific reasons

for deviating from procedures prescribed by the Commission's Rules. This provision should not be interpreted to mean that deviations from the prescribed rules will automatically be approved by the Commission. See Section E of the Reporting Procedures for examples of valid footnotes.

3. Footnotes must be included in the footnote table(s), not on individual table pages.

F. Errata

1. Carriers are under a legal obligation to correct any erroneous data discovered in FCC Report 43-02. Submissions containing corrected data must include references to indicate which data items were corrected since the previous submission. These references must be included in the Erratum Table of the paper report. In addition, carriers must include in the transmittal letter a brief statement indicating the reason for the errata. See Section B of the Reporting Procedures for the use of submission numbers when an erratum occurs.

G. <u>Data Validation Programs</u>

1. Each reporting carrier must validate its data by using the most recent edit check program(s), provided by the Commission, for the reporting year. When an error is detected, the carrier must correct the error prior to submitting the report to the Commission. Once the carrier corrects its data so that the edit check program identifies no errors, the carrier should submit the ARMIS report along with a copy of the edit check printout to the Commission verifying that the program did not identify any errors.

H. Page Layouts

- 1. The page layout for this report is illustrated in the Form Section of the Report Definition. For Tables B–1 and I–1 there is a separate "table view" for Class A account and Class B account filing levels. Depending upon the account level used, the carrier should submit only the "table view" that applies.
- 2. The number of rows on a page may vary between carriers, but the column headings must appear as specified on the page layout for each table.
- 3. The following note must appear at the bottom of all pages, where applicable. THE COMPANY HAS REQUESTED CONFIDENTIAL TREATMENT FOR SOME DATA ON THIS PAGE. SEE THE CONFIDENTIAL TREATMENT TABLE FOR SPECIFIC INFORMATION.

4. The Paper Report will consist of a cover page and the following pages. **Note:** Carriers filing at the Class A account level must file all tables whether there are data to report on the table or not. Carriers filing at the Class B account level would file only Tables B–1, B–2, B–4, C–3, I–1, I–2 and the standard paper report tables:

Illustrated in Paper Report Specs. on Page

COVER PAGE

The Cover Page

118

| <u>Table</u> | | Report Definition Form on Page |
|--------------|---|--------------------------------|
| | CORPORATE INFORMATION SCHEDULES | |
| C – 1 | Identity of Respondent | 6 |
| C-2 | Control Over Respondent | 7 |
| C-3 | Board of Directors and General Officers | 8 |
| C-4 | Stockholders | 9 |
| C-5 | Important Changes During the Year | 10 – 13 |
| | BALANCE SHEET SCHEDULES | |
| B – 1 | Balance Sheet Accounts (Class A Level Reporting) | 14 - 17 |
| | Balance Sheet Accounts (Class B Level Reporting) | 18 - 20 |
| B-2 | Statement of Cash Flows | 21 |
| B-3 | Investments in Affiliated Companies | 22 - 27 |
| B-4 | Analysis of Assets Purchased From or Sold to Affiliates (Class A Level Reporting) | 28 |
| B-5 | Analysis of Entries in Accumulated Depreciation | 29 – 32 |
| B – 6 | Summary of Investment and Accumulated Depreciation by Jurisdiction | 33 |
| B-7 | Bases of Charges for Depreciation | 34 |
| B-8 | Capital Leases | 35 |
| | | |

| FCC Report 4 | 43-02 – Paper Report Specifications December | 1999 Page 116 of 122 |
|--------------|--|----------------------|
| B – 9 | Deferred Charges | 36 |
| B - 10 | Accounts Payable to Affiliates | 37 |
| B – 11 | Long – Term Debt | 38 |
| B - 12 | Net Deferred Income Taxes | 39 – 41 |
| B - 13 | Other Deferred Credits | 42 |
| B-14 | Capital Stock | 43 |
| B – 15 | Capital Stock and Funded Debt Reacquired or Retire During the Year | ed 44 – 45 |
| | INCOME STATEMENT SCHEDULES | |
| I-1 | Income Statement Accounts (Class A Level Reportin | g) 46 – 51 |
| | Income Statement Accounts (Class B Level Reporting | g) 52 – 53 |
| I-2 | Analysis of Services Purchased From or Sold to Affiliates (Class A Level Reporting) | 54 |
| I-3 | Pension Costs | 55 – 58 |
| I-4 | Other Operating Taxes | 59 |
| I-5 | Prepaid Taxes and Tax Accruals | 60 - 65 |
| I-6 | Special Charges | 66 |
| I-7 | Donations or Payments for Services Rendered by Persons Other Than Employees | 67 – 69 |

| | Illustrated in Paper Report Specs. on Page |
|--|--|
| STANDARD PAPER REPORT TABLES | |
| The Confidential Treatment Table (if reporting confidential data, as many pages as needed) | 119 |
| The Footnote Table (at least one page and as many pages as needed) | 120 |
| The Erratum Table (for submission number 2 or higher, as many pages as needed) | 121 |
| CERTIFICATION | |
| The Certification Page | 122 |

FCC Report 43-02 – Paper Report Specifications

January 2000 Rev.

Page 118 of 122

FCC Report 43-02 xxxxxxxxxxx Version SUBMISSION x COSA: XXXX Approved by OMB 3060 – 0395 Edition Date: 12/1999

Estimated Avg. Burden Per Response: 638 Hrs

FEDERAL COMMUNICATIONS COMMISSION WASHINGTON, D.C. 20554

ARMIS USOA REPORT

| Fo | r Y | ear | End | |
|----|-----|-----|-----|--|
| | | | | |

Account filing Level (Class A or Class B):

Name of Company:

Address of Company:

FCC Report 43-02, the ARMIS USOA Report, is prescribed for each local exchange carrier (LEC) with annual operating revenues for the preceding year equal to or above the indexed revenue threshold. This report collects the operating results of the carriers, total activities for every account in the USOA, as specified in Part 32 of the Commission's Rules. The ARMIS USOA Report specifies information requirements in a consistent format and is essential to the FCC to monitor revenue requirements, rate of return, jurisdictional separations and access charges. Response is mandatory.

Public reporting burden for this collection of information is estimated to average 638 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden to the Federal Communications Commission, Office of Managing Director, Washington, DC 20554.

An agency may not conduct or sponsor and a person is not required to respond to a collection of information unless it displays a currently valid control number.

FCC Report 43-02 – Paper Report Specifications December 1999 Page 119 of 122

FCC REPORT 43-02 Approved by OMB ARMIS USOA REPORT 3060 – 0395

Edition Date: 12/1999

COSA: xxxx PAGE 1 OF x

CONFIDENTIAL TREATMENT TABLE

| <u>Table</u> | Row | Column(s) | |
|--------------|---------|------------|--|
| (a) | (b) | (c) | |
| | | | |
| sample e | ntries: | | |
| P1 | 2001 | AB, AC, AD | |
| P1 | 2215.1 | AE, AF | |
| B1 | ALL | BB | |
| I 1 | 730 | ALL | |
| I 1 | 790 | ALL | |

THE COMPANY HAS REQUESTED CONFIDENTIAL TREATMENT FOR THE ABOVE DATA IN THIS REPORT.

FCC Report 43-02 – Paper Report Specifications December 1999 Page 120 of 122

FCC REPORT 43-02 Approved by OMB ARMIS USOA REPORT 3060 – 0395

ARMIS USOA REPORT 3060 – 0395 Edition Date: 12/1999

FOOTNOTE TABLE

| <u>Table</u> | Row | <u>Col</u> | <u>FN#</u> | Footnote |
|--------------|-----------|------------|------------|---|
| (a) | (b) | (c) | (d) | (e) |
| sampl | e entries | s: | | |
| A4 | 210.0 | C | 1 | Footnote 1 pertains to column C of Table A – 4 |
| P1 | 2001.0 |) AE | 2 | Footnote text for footnote 2 continuation text for footnote 2 last line of footnote 2 |
| I 1 | 6112.0 |) ALL | 3 | Footnote 3 pertains to all cols. of Table I – 1 row 6112.0 |
| I3 | ALL | В | 4 | Footnote 4 pertains to all rows of Table I – 3 column B |
| I 7 | 1900.0 |) C | 5 | Footnote 5 pertains to Table I – 7 row 1900.0 column C |

<u>REMINDER</u>: Certain items require accompanying footnotes and those items are specified

in the appropriate section of the instructions for filing the 43-02. Such footnotes are mandatory and must be entered in the footnote text records.

FCC Report 43-02 – Paper Report Specifications December 1999 Page 121 of 122

FCC REPORT 43-02 Approved by OMB ARMIS USOA REPORT 3060 – 0395

Edition Date: 12/1999

ERRATUM TABLE

| <u>Table</u> | Row | Column(s) | <u>FN#</u> |
|--------------|--------|-----------|------------|
| (a) | (b) | (c) | (d) |
| | | | |
| sample ent | tries: | | |
| P1 | 2001 | AE, AF | 2 |
| I1 | 6112.0 | ALL | 3 |
| I3 | ALL | В | 4 |
| I7 | 1600.0 | C | 5 |

THE ABOVE DATA HAVE BEEN CORRECTED IN THIS SUBMISSION. SEE THE FOOTNOTE TABLE FOR FOOTNOTES WHERE APPLICABLE.

CERTIFICATION

| I certify that I am an officer of; that I have examined the foregoing reportand that to the best of my knowledge, information, and belief, all statements of fact contained in this report are true and that said report is an accurate statement of the affairs of the above named respondent in respect to the data set forth herein for the period from to |
|---|
| PRINTED NAME |
| POSITION |
| SIGNATURE |
| DATE |
| (Persons making willful false statements in this report form can be punished by fine or imprisonment under the Communications Act, 47 U.S.C. 220(e).) |
| CONTACT PERSON |
| TELEPHONE NUMBER |