


**Station KCWC-TV • Analog Channel 4, DTV Channel 8 • Lander, WY**

**Expected Operation on June 13: Licensed**

**Digital License (solid): 60.0 kW ERP at 432 m HAAT, Network: PBS  
vs. Analog (dashed): 100 kW ERP at 463 m HAAT, Network: PBS**

**Market: Casper-Riverton, WY**



©2009 Hammett & Edison, Inc.

- Coverage gained after DTV transition
- No symbol = no change in coverage
- ◆ Coverage lost but still served by same network
- ▲ Coverage lost and no other service by same network


Analog service	35,227 persons
Digital service	34,736
Analog loss	625
Digital gain	134
Net gain	-491

Station KCWC-TV • Analog Channel 4, DTV Channel 8 • Lander, WY

Approved Post-Transition Operation: Licensed

Digital License (solid): 60.0 kW ERP at 432 m HAAT, Network: PBS  
 vs. Analog (dashed): 100 kW ERP at 463 m HAAT, Network: PBS

Market: Casper-Riverton, WY



©2009 Hammett & Edison, Inc.

- Coverage gained after DTV transition
- No symbol = no change in coverage
- ◆ Coverage lost but still served by same network
- ▲ Coverage lost and no other service by same network


Analog service	35,227 persons
Digital service	34,736
Analog loss	625
Digital gain	134
Net gain	-491

TV Station KCWY • Analog Channel 13, DTV Channel 12 • Casper, WY

Expected Operation on June 13: Appendix B Facility

Digital Appendix B (solid): 3.20 kW ERP at 534 m HAAT, Network: NBC  
 vs. Analog (dashed): 10.9 kW ERP at 488 m HAAT, Network: NBC

Market: Casper-Riverton, WY



● Coverage gained after DTV transition  
 No symbol = no change in coverage


Analog service	69,035 persons
Digital service	70,375
Analog loss	0
Digital gain	1,340
Net gain	1,340

**TV Station KCWY • Analog Channel 13, DTV Channel 12 • Casper, WY**

**Approved Post-Transition Operation: Granted Construction Permit**

**Digital CP (solid): 3.20 kW ERP at 572 m HAAT, Network: NBC  
vs. Analog (dashed): 10.9 kW ERP at 488 m HAAT, Network: NBC**

**Market: Casper-Riverton, WY**



©2009 Hammett & Edison, Inc.



- Coverage gained after DTV transition
- No symbol = no change in coverage
- ▲ Coverage lost after DTV transition


Analog service	69,035 persons
Digital service	69,980
Analog loss	9
Digital gain	954
Net gain	945

TV Station KFNB • Analog Channel 20, DTV Channel 20 • Casper, WY

Expected Operation on June 13: Appendix B Facility

Digital Appendix B (solid): 52.4 kW ERP at 582 m HAAT, Network: Fox  
 vs. Analog (dashed): 58.9 kW ERP at 582 m HAAT, Network: Fox

Market: Casper-Riverton, WY



©2009 Hammett & Edison, Inc.

- Coverage gained after DTV transition
- No symbol = no change in coverage


Analog service	68,129 persons
Digital service	70,321
Analog loss	0
Digital gain	2,192
Net gain	2,192

TV Station KFNB • Analog Channel 20, DTV Channel 20 • Casper, WY

Approved Post-Transition Operation: Granted Construction Permit

Digital CP (solid): 52.4 kW ERP at 560 m HAAT, Network: Fox  
 vs. Analog (dashed): 58.9 kW ERP at 582 m HAAT, Network: Fox

Market: Casper-Riverton, WY



©2009 Hammett & Edison, Inc.

- Coverage gained after DTV transition
- No symbol = no change in coverage
- ▲ Coverage lost after DTV transition


Analog service	68,129 persons
Digital service	70,623
Analog loss	3
Digital gain	2,497
Net gain	2,494

TV Station KFNE • Analog Channel 10, DTV Channel 10 • Riverton, WY

Expected Operation on June 13: Granted Construction Permit

Digital CP (solid): 11.3 kW ERP at 526 m HAAT, Network: Fox  
 vs. Analog (dashed): 170 kW ERP at 526 m HAAT, Network: Fox

Market: Casper-Riverton, WY



©2009 Hammett & Edison, Inc.



- Coverage gained after DTV transition
- No symbol = no change in coverage
- ▲ Coverage lost after DTV transition


Analog service	48,762 persons
Digital service	49,705
Analog loss	11
Digital gain	954
Net gain	943

TV Station KFNE • Analog Channel 10, DTV Channel 10 • Riverton, WY

Approved Post-Transition Operation: Granted Construction Permit

Digital CP (solid): 11.3 kW ERP at 526 m HAAT, Network: Fox  
 vs. Analog (dashed): 170 kW ERP at 526 m HAAT, Network: Fox

Market: Casper-Riverton, WY



©2009 Hammett & Edison, Inc.



- Coverage gained after DTV transition
- No symbol = no change in coverage
- ▲ Coverage lost after DTV transition

Analog service	48,762 persons
Digital service	49,705
Analog loss	11
Digital gain	954
Net gain	943




TV Station KFNR • Analog Channel 11, DTV Channel 9 • Rawlins, WY

Expected Operation on June 13: Granted Construction Permit

Digital CP (solid): 0.978 kW ERP at 51 m HAAT, Network: Fox  
 vs. Analog (dashed): 1.66 kW ERP at 67 m HAAT, Network: Fox

Market: Casper-Riverton, WY



©2009 Hammett & Edison, Inc.

● Coverage gained after DTV transition  
 No symbol = no change in coverage


Analog service	9,785 persons
Digital service	10,746
Analog loss	0
Digital gain	961
Net gain	961

TV Station KFNR • Analog Channel 11, DTV Channel 9 • Rawlins, WY

Approved Post-Transition Operation: Granted Construction Permit

Digital CP (solid): 0.978 kW ERP at 51 m HAAT, Network: Fox  
 vs. Analog (dashed): 1.66 kW ERP at 67 m HAAT, Network: Fox

Market: Casper-Riverton, WY



©2009 Hammett & Edison, Inc.

● Coverage gained after DTV transition  
 No symbol = no change in coverage


Analog service	9,785 persons
Digital service	10,746
Analog loss	0
Digital gain	961
Net gain	961

Station KGWC-TV • Analog Channel 14, DTV Channel 14 • Casper, WY

Expected Operation on June 13: Granted Construction Permit

Digital CP (solid): 53.3 kW ERP at 562 m HAAT, Network: CBS  
 vs. Analog (dashed): 1380 kW ERP at 573 m HAAT, Network: CBS

Market: Casper-Riverton, WY



©2009 Hammett & Edison, Inc.

- Coverage gained after DTV transition
- No symbol = no change in coverage
- ▲ Coverage lost after DTV transition


Analog service	70,406 persons
Digital service	70,756
Analog loss	44
Digital gain	394
Net gain	350

Station KGWC-TV • Analog Channel 14, DTV Channel 14 • Casper, WY

Approved Post-Transition Operation: Granted Construction Permit

Digital CP (solid): 53.3 kW ERP at 562 m HAAT, Network: CBS  
 vs. Analog (dashed): 1380 kW ERP at 573 m HAAT, Network: CBS

Market: Casper-Riverton, WY



©2009 Hammett & Edison, Inc.

- Coverage gained after DTV transition
- No symbol = no change in coverage
- ▲ Coverage lost after DTV transition


Analog service	70,406 persons
Digital service	70,756
Analog loss	44
Digital gain	394
Net gain	350

**Station KGWL-TV • Analog Channel 5, DTV Channel 7 • Lander, WY**

**Expected Operation on June 13: Granted Construction Permit**

**Digital CP (solid): 26.8 kW ERP at 113 m HAAT, Network: CBS  
vs. Analog (dashed): 100 kW ERP at 82 m HAAT, Network: CBS**

**Market: Casper-Riverton, WY**



©2009 Hammett & Edison, Inc.

- No symbol = no change in coverage
- ▲ Coverage lost after DTV transition


Analog service	33,884 persons
Digital service	32,682
Analog loss	1,202
Digital gain	0
Net gain	-1,202

**Station KGWL-TV • Analog Channel 5, DTV Channel 7 • Lander, WY**

**Approved Post-Transition Operation: Granted Construction Permit**

**Digital CP (solid): 26.8 kW ERP at 113 m HAAT, Network: CBS  
vs. Analog (dashed): 100 kW ERP at 82 m HAAT, Network: CBS**

**Market: Casper-Riverton, WY**



©2009 Hammett & Edison, Inc.



- No symbol = no change in coverage
- ▲ Coverage lost after DTV transition


Analog service	33,884 persons
Digital service	32,682
Analog loss	1,202
Digital gain	0
Net gain	-1,202

Station KGWR-TV • Analog Channel 13, DTV Channel 13 • Rock Springs, WY

Expected Operation on June 13: Granted Construction Permit

Digital CP (solid): 14.2 kW ERP at 495 m HAAT, Network: CBS  
 vs. Analog (dashed): 209 kW ERP at 495 m HAAT, Network: CBS

Market: Casper-Riverton, WY



©2009 Hammett & Edison, Inc.

● Coverage gained after DTV transition  
 No symbol = no change in coverage


Analog service	43,737 persons
Digital service	43,938
Analog loss	0
Digital gain	201
Net gain	201

Station KGWR-TV • Analog Channel 13, DTV Channel 13 • Rock Springs, WY

Approved Post-Transition Operation: Granted Construction Permit

Digital CP (solid): 14.2 kW ERP at 495 m HAAT, Network: CBS  
 vs. Analog (dashed): 209 kW ERP at 495 m HAAT, Network: CBS

Market: Casper-Riverton, WY



©2009 Hammett & Edison, Inc.

● Coverage gained after DTV transition  
 No symbol = no change in coverage

Analog service	43,737 persons
Digital service	43,938
Analog loss	0
Digital gain	201
Net gain	201




TV Station KPTW • Analog Channel 6, DTV Channel 8 • Casper, WY

Expected Operation on June 13: Granted Construction Permit

Digital CP (solid): 2.30 kW ERP at 568 m HAAT, Network: PBS  
 vs. Analog (dashed): 0.331 kW ERP at 536 m HAAT, Network: PBS

Market: Casper-Riverton, WY



©2009 Hammett & Edison, Inc.

- Coverage gained after DTV transition
- No symbol = no change in coverage
- ▲ Coverage lost after DTV transition


Analog service	68,525 persons
Digital service	70,289
Analog loss	32
Digital gain	1,796
Net gain	1,764

TV Station KPTW • Analog Channel 6, DTV Channel 8 • Casper, WY

Approved Post-Transition Operation: Granted Construction Permit

Digital CP (solid): 2.30 kW ERP at 568 m HAAT, Network: PBS  
 vs. Analog (dashed): 0.331 kW ERP at 536 m HAAT, Network: PBS

Market: Casper-Riverton, WY



©2009 Hammett & Edison, Inc.

- Coverage gained after DTV transition
- No symbol = no change in coverage
- ▲ Coverage lost after DTV transition


Analog service	68,525 persons
Digital service	70,289
Analog loss	32
Digital gain	1,796
Net gain	1,764

Station KTWO-TV • Analog Channel 2, DTV Channel 17 • Casper, WY

Expected Operation on June 13: Granted Construction Permit

Digital CP (solid): 741 kW ERP at 588 m HAAT, Network: ABC  
 vs. Analog (dashed): 100 kW ERP at 610 m HAAT, Network: ABC

Market: Casper-Riverton, WY



©2009 Hammett & Edison, Inc.

- Coverage gained after DTV transition
- No symbol = no change in coverage
- ▲ Coverage lost after DTV transition


Analog service	82,858 persons
Digital service	79,869
Analog loss	3,108
Digital gain	119
Net gain	-2,989

Station KTWO-TV • Analog Channel 2, DTV Channel 17 • Casper, WY

Approved Post-Transition Operation: Granted Construction Permit

Digital CP (solid): 741 kW ERP at 588 m HAAT, Network: ABC  
 vs. Analog (dashed): 100 kW ERP at 610 m HAAT, Network: ABC

Market: Casper-Riverton, WY



©2009 Hammett & Edison, Inc.

- Coverage gained after DTV transition
- No symbol = no change in coverage
- ▲ Coverage lost after DTV transition

Analog service	82,858 persons
Digital service	79,869
Analog loss	3,108
Digital gain	119
Net gain	-2,989