A. Introduction

This document contains the detailed automated data processing (ADP) specifications for the automated report to be filed as FCC Report 43-07, the ARMIS Infrastructure Report.

B. General Format and Media

- 1. All data must be submitted on 3.5 inch double-sided high density IBM-PC compatible diskettes.
- 2. All files must be coded in ASCII.
- 3. See sections B and C on pages 1 and 2 of the Reporting Procedures for a discussion of the Confidential Version, the Public Version, and the Unrestricted Version of this report and for a definition and discussion of data items that are "Not Available" or are "Withheld."
- 4. The file name for each file has six components:
 - a. the four letter COSA code (CO = Company, SA = Study Area, see the COSA Code Table for a list of companies and their respective COSAs).
 - b. the last two digits of the year which is covered by the data.
 - c. the letters "IS".
 - d. a decimal point.
 - e. the letter "P", "C", or "U" to indicate whether this is the Public version, the Confidential version, or the Unrestricted version.
 - f. two digits (zero filled) for the submission number: Submission 00 is for test data purposes only; Submission 01 is for the first submission of a year's data. If there is a change in the data in either the automated or paper report, the carrier must resubmit both. A higher number (2, 3, etc.) and a new data entry date must be used each time a change occurs to denote a new submission. The automated and paper report submission numbers must be the same. When correcting format errors, a new submission number is not required, however, the data entry date must be changed to reflect the date of the format change.

For example, the file name for the Unrestricted Version of the initial Infrastructure Report data file to be submitted by Illinois Bell to cover the calendar year 1998, would be LBIL98IS.U01:

LBIL COSA for Illinois Bell

98 Data for calendar year 1998

IS Infrastructure Report data file

- Decimal point
- U Unrestricted version
- O1 First submission of this year's data
- 5. A separate file must be prepared for each report. More than one file can be placed on the same diskette, as long as they cover the same period, version, and submission number.

C. Data Entry Conventions

- 1. Give each record a unique record number, beginning with 1001 and incrementing by one, with no numbers skipped.
- 2. Begin each data record in column 1 and make each record the proper length as specified in the record layouts. Commas are used as delimiters between fields. All numeric fields are right justified and space filled, e.g. use 123, NOT 123. All non-numeric fields are enclosed in double quotation marks and are left justified and space filled within these quotation marks, e.g. use "John Doe".
- 3. If an entry is to be a subtraction, indicate so by placing a minus sign in the column, <u>immediately</u> preceding the numeric data, <u>e.g.</u>, use -4, <u>NOT</u> 4 or (4).
- 4. Do NOT include "\$", "%", embedded commas, decimal points, quotes or other formatting characters in any numeric data fields, except for row numbers and percentage fields, which will include a decimal point but not a percent sign.
- 5. In any numeric data field designated by N/A, enter -99999. If a "Public Version" diskette is filed, enter -88888 in any numeric data field for which data are "Withheld". Enter -77777 in any numeric data field which the reporting carrier designates as "Irretrievable". Carriers must footnote the reason for that entry (including a cite to the waiver and a note as to its duration). Filing carriers are NOT permitted to enter additional designators. DO NOT override N/As. These entries must be formatted according to the format rules for the particular data field; e.g., in the percentage fields, -99999 would be entered as -99999.00.
- 6. If a reporting carrier wishes to apply data to a field containing an N/A, the carrier should enter as a footnote to the field, the amount(s) and an explanation. The amount(s) must not be entered in the N/A field. All other fields must be populated. If there are no data applicable to an open field, enter zero.

D. <u>Rounding Conventions</u>

1. As specified in the Report Definition, monetary amounts must be rounded to the nearest thousand dollars.

- 2. All kilometers must be rounded to 1 decimal place.
- 3. All access lines must be entered in whole numbers.
- 4. All switches, tandems, host remotes, interfaces, circuit lines, carrier links, terminations, channels, copper pairs, and fiber strands must be entered in whole numbers.
- 5. All percentage amounts must be entered in percent and must be rounded to 2 decimal places.

Example: 23.70561 percent must be entered as 23.71

E. Footnotes

- 1. If any data for the current period differ materially from those for the previous period and the difference is not self-explanatory but was caused by unusual circumstances not explained in a previous report, then include footnote text to explain the specific circumstances. Certain items require accompanying footnotes and those items are specified in the appropriate section of the instructions for filing the 43-07. Such footnotes are mandatory and must be entered in the Footnote Records.
- 2. If the reporting carrier does not follow the procedures described in the row and column instructions of the Report Definition, it must explain any deviations from those procedures in an explanatory footnote. Such footnotes must provide detailed explanations of the procedures actually used by the carrier and its specific reasons for deviating from procedures prescribed by the Commission's Rules. This provision should not be interpreted to mean that deviations from the prescribed rules will automatically be approved by the Commission. See Section D of the Reporting Procedures for examples of valid footnotes.
- 3. Footnotes must be included in the footnote text record(s) of the automated report.

F. <u>Errata</u>

1. Carriers are under a legal obligation to correct any erroneous data discovered in FCC Report 43-07. Submissions containing corrected data must include references to indicate which data items were corrected since the previous submission. These references must be included in the Erratum Records of the automated report. In addition, the carrier must include in the transmittal letter a brief statement indicating the reason for the errata. See Section B of the Reporting Procedures for use of submission numbers when an erratum occurs.

G. <u>Data Validation Programs</u>

1. Each reporting carrier must validate its data by using the most recent edit check program(s), provided by the Commission, for the reporting year. When an error is detected, the carrier must correct the error prior to submitting the report to the Commission. Once the carrier corrects its data so that the edit check program identifies no errors, the carrier should submit the ARMIS report along with a copy of the edit check printout to the Commission verifying that the program did not identify any errors.

H. <u>Data Record Descriptions</u>

The ten data record types are described below. See pages 6 through 20 for record layouts. The automated file will consist of the following record types:

1. Record Type H1 - Header Record

One Type H1 record per file. The first record of each file contains identifying data. See page 6 for record layout.

2. Record Type L2 - Label Record

One Type L2 record per file. The second record of each file contains report number, carrier classification, carrier name, study area name, etc. See page 7 for record layout.

3. Record Type V1 - Switching Equipment Data Record

Sixty-four Type V1 records per file. One record for each of the 64 rows of data on the total number of switching entities shown on pages 3 & 4 of the Report Definition. See pages 8 & 9 for record layout.

4. Record Type Y2 - Transmission Facilities Data Record

Thirty-six Type Y2 records per file. One record for each of the 36 rows of data on LEC transmission facilities shown on pages 5 & 6 of the Report Definition. See page 10 for record layout.

5. Record Type Z1 - LEC Call Set-up Time Data Record

Eight Type Z1 records per file. One record for each of the 8 rows of data shown on page 7 of the Report Definition. See pages 11 & 12 for record layout.

6. Record Type A1 - Additions and Book Costs Data Record

Three Type A1 records per file. One record for each of the 3 rows of data used to track capital investment amounts as shown on page 8 of the Report Definition. See page 13 for record layout.

7. Record Type C7 - Confidential Treatment Record

Optional. Zero or more Type C7 records per file contains information to identify the data for which the carrier is seeking confidential treatment. See pages 14 & 15 for record layout.

8. Record Type F3 - Footnote Record

One or more Type F3 records per file. Contains explanatory footnote text. See pages 16 & 17 for record layout.

9. Record Type E7 - Erratum Record

Zero Type E7 records in the first submission of a year's data. One or more Type E7 records per file in revisions filed to correct that year's submission. Each time an erratum occurs, a carrier must use a new submission number. The same submission number must be used for the automated report and the paper report. Contains information to identify the data which was corrected in this submission. See pages 18 & 19 for record layout.

10. Record Type T1 - Trailer Record

One Type T1 record per file. The last record of each file contains contact person, etc. See page 20 for record layout.

RECORD TYPE H1 - HEADER RECORD

<u>Field</u>	<u>Item</u>	<u>Example</u>	Position	<u>Description</u>
1	Record Number	1001	1-4	The sequential number of this record within this data file plus 1000. Format: Right justified and space filled.
2	COSA	"LBIL"	6-11	The COSA code for the filing entity. Format: Include quotation marks.
3	Record Type	"H1"	13-16	Always contains the letter H capitalized and the number 1 with no space between them. Format: Include quotation marks.
4	File Name	"LBIL98IS.U01"	18-31	Format: Include quotation marks. The name of the ASCII file. Format: See page 1, paragraph B.4. Include quotation marks.
5	Year	1998	33-36	The year covered by the data.
6	Quarter #	0	38	Always contains the number 0 since this is an annual data file.
7	Data Entry Date	19990315	40-47	The date on which the data were last entered or revised. Format: YYYYMMDD.
8	Version	"U"	49-51	The version letter U capitalized for Unrestricted. Format: Include quotation marks.
9	Submission #	01	53-54	00 for test data purposes only; 01 for first submission of a year's data. Higher numbers (02, 03, etc.) are used each time a change occurs to denote a new submission. The same submission number must be used for the automated and the paper reports. Format: Right justified and zero filed.
10	End of Record Code	"XQ"	56-60	Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks.

Note: All fields are separated by commas.

1 2 3 4 5 1234567890123456789012345678901234567890123456789

Sample record:

 $1001, \verb"LBIL", \verb"H1", \verb"LBIL98IS.U01", 1998, 0, 19990315, \verb"U", 01, \verb"XQ"", 1998, 0, 19990315, \verb"U", 01, \verb"XQ", 19990, 1999, 1999, 19990, 19990, 19990, 19990, 1999, 1999, 19990, 1999, 19990, 19990, 19990, 19990, 19990, 1$

RECORD TYPE L2 - LABEL RECORD

<u>Field</u>	<u>Item</u>	<u>Example</u>	<u>Position</u>	<u>Description</u>
1	Record Number	1002	1-4	The sequential number of this record within this data file plus 1000. Format: Right justified and space filled.
2	COSA	"LBIL"	6-11	The COSA code for the filing entity. Format: Include quotation marks.
3	Record Type	"L2"	13-16	Always contains the letter L capitalized and the number 2 with no space between them.
				Format: Include quotation marks.
4	Report Number	"FCC REPORT 43-07"	18-35	Always contains "FCC REPORT 43-07" capitalized.
				Format: Include quotation marks.
5	Carrier Class	п¥п	37-39	Carrier classification (Class A or B) capitalized.
				Format: Include quotation marks.
6	Carrier	"Illinois Bell " (spaces until pos. 71)	41-71	Name of the carrier. Format: Left justified and space filled. Include quotation marks.
-	a. 1 -	"Illinois "	F2 0F	
7	Study Area	"Illinois "	73-95	Name of the study area. Format: Left justified and space filled. Include quotation marks.
8	Period Covered	"Jan 1998 to Dec 1998"	97-118	Period covered by the data. Format: "mmm yyyy to mmm yyyy" Include quotation marks.
9	End of Record Code	"XQ"	120-123	Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks.
				rormac. Include Anocacion marks.

Note: All fields are separated by commas.

1 1 1 0 1 2

 $\underline{789012345678901234567890123}$

Continuation of sample record:

[&]quot;Jan 1998 to Dec 1998", "XQ"

RECORD TYPE V1 - SWITCHING EQUIPMENT DATA RECORD

<u>Field</u>	<u>Item</u>	<u>Example</u>	Position	Description
1	Record Number	1004	1-4	The sequential number of this record within this data file plus 1000. Format: Right justified and space filled.
2	COSA	"LBIL"	6-11	The COSA code for the filing entity. Format: Include quotation marks.
3	Record Type	"V1"	13-16	Always contains the letter V capitalized and the number 1 with no space between them Format: Include quotation marks.
4	Row Number	0111.0	18-23	Row numbers as identified on the Report Definition. Valid range: 0111.0 to 0312.0 Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to each row number.
5	Column (a) data	152	25-33	This field contains the data corresponding to column (a) as shown on the Form Section of the Report Definition. DO NOT override designated N/As. Format: Right justified and space filled. Enter -99999 in integer rows and -99999.00 in percentage rows where a field is designated by N/A. Enter -88888 in integer rows and -88888.00 in percentage rows on the "public version" diskette to indicate that confidential treatment has been requested. Enter -77777 in integer rows and -77777.00 in percentage rows where data for a field are Irretrievable. All other fields must be populated.
6	Column (b) data	132	35-43	Column (b) data Format: See Field 5 above.
7	Column (c) data	20	45-53	Column (c) data Format: See Field 5 above.

RECORD TYPE V1 - SWITCHING EQUIPMENT DATA RECORD (continued)

End of Record Code "XQ" 55-58 Always contains the letters XQ capitalized

with no space between them to indicate the end of the record.

Format: Include quotation marks.

Note: All fields are separated by commas.

If any data for the current period differ materially from that for the previous period and the difference is not self-explanatory but was caused by unusual circumstances not explained in a previous report, then include footnote text to explain the specific circumstances.

Certain items require accompanying footnotes and those items are specified in the appropriate sections of the instructions for filing the 43-07. Such items are mandatory and must be entered in the footnote text records and the footnote table.

	1	2	3	4	5
1234567	890123456	7890123456	7890123456	78901234567	89012345678
Sample	record:				
1004."I	BIL"."V1"	.0111.0.	152,	132.	20."XO"

RECORD TYPE Y2 - TRANSMISSION FACILITIES DATA RECORD

Field 1	<u>Item</u> Record Number	Example 1067	Position 1-4	<pre>Description The sequential number of this record within this data file plus 1000. Format: Right justified and space filled.</pre>
2	COSA	"LBIL"	6-11	The COSA code for the filing entity. Format: Include quotation marks.
3	Record Type	"Y1"	13-16	Always contains the letter Y capitalized and the number 1 with no space between them. Format: Include quotation marks.
4	Row Number	0320.0	18-23	Row numbers as identified on the Report Definition. Valid range: 0320.0 to 0490.0 Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to each row number.
5	Total Study Area	103852.3	25-33	This field contains the data corresponding to column (d) as shown on the Form Section of the Report Definition. Format: Right justified and space filled. Enter -77777 in integer rows and -77777.00 in percentage rows where data for a field are Irretrievable. Enter -88888 in integer rows and -88888.00 in percentage rows on the "public version" diskette to indicate that confidential treatment has been requested. All other fields must be populated.
12	End of Record Code	"XQ"	95-98	Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks.

Note: All fields are separated by commas.

If any data for the current period differ materially from that for the previous period and the difference is not self-explanatory but was caused by unusual circumstances not explained in a previous report, then include footnote text to explain the specific circumstances.

Certain items require accompanying footnotes and those items are specified in the appropriate sections of the instructions for filing the 43-07. Such items are mandatory and must be entered in the Footnote Text Records and Footnote Table.

1 2

RECORD TYPE Z1 - LEC CALL SET-UP TIME DATA RECORD

Field	Item	Example	Position	Description
1	Record Number	1103	1-4	The sequential number of this record
				within this data file plus 1000.
				Format: Right justified and space filled.
2	COSA	"LBIL"	6-11	The COSA code for the filing entity.
				Format: Include quotation marks.
3	Record Type	"Z1"	13-16	Always contains the letter Z capitalized
				and the number 1 with no space between them.
				Format: Include quotation marks.
4	Row Number	0510.0	18-23	Row numbers as identified on the Report
				Definition.
				Valid range: 0510.0 to 0523.0. Format: Right justified and space filled,
				with one decimal place.
				Since all applicable row numbers
				are integers, append .0 to each row number.
				row number.
5	Column (e) data	97	25-33	This field contains the data corresponding
				to column (e) as shown on the Form
				Section of the Report Definition.
				Format: Right justified and space filled. Enter -88888 in integer rows and
				-88888.00 in percentage rows
				on the "public version" diskette
				to indicate that confidential
				treatment has been requested. Enter -77777 in integer rows and
				-77777.00 in percentage rows
				where data for a field are
				Irretrievable.
				All other fields must be populated.
6	Column (f) data	1.46	35-43	Column (f) data
				Format: See Field 5 above.
7	Column (g) data	2.02	45-53	Column (g) data
				Format: See Field 5 above.
8	Column (h) data	3.07	55-63	Column (h) data
				Format: See Field 5 above.
9	Column (i) data	2.16	65-73	Column (i) data
				Format: See Field 5 above.
10	Column (j) data	1.34	75-83	Column (j) data
				Format: See Field 5 above.

RECORD TYPE Z1 - LEC CALL SET-UP TIME DATA RECORD (continued)

11 End of Record Code "XQ" 85-88 Always contains the letters XQ capitalized

with no space between them to indicate $% \left(1\right) =\left(1\right) \left(1\right)$

the end of the record.

Format: Include quotation marks.

Note: All fields are separated by commas.

If any data for the current period differ materially from that for the previous period and the difference is not self-explanatory but was caused by unusual circumstances not explained in a previous report, then include footnote text to explain the specific circumstances.

Certain items require accompanying footnotes and those items are specified in the appropriate sections of the instructions for filing the 43-07. Such items are mandatory and must be entered in the Footnote Text Records and Footnote Table.

	1	2	3	4	5	6	7	8
123456	7890123456	5789012345	67890123456	7890123456	7890123456	7890123456	7890123456	789012345678
Sample	record:							
1103,"	LBIL","Z1	,0510.0,	97,	1.46	2.02,	3.07,	2.16,	1.34,"XQ"

RECORD TYPE A1 - ADDITIONS AND BOOK COST DATA RECORD

Field	<u>Item</u>	<u>Example</u>	Position	Description
1	Record Number	1111	1-4	The sequential number of this record
				within this data file plus 1000.
				Format: Right justified and space filled.
2	COSA	"LBIL"	6-11	The COSA code for the filing entity.
				Format: Include quotation marks.
3	Record Type	"A1"	13-16	Always contains the letter A capitalized
				and the number 1 with no space between them.
				Format: Include quotation marks.
4	Row Number	0530.0	18-23	Row numbers as identified on the Report Definition.
				Valid range: 0530.0 to 0540.0
				Format: Right justified and space filled,
				with one decimal place.
				Since all applicable row numbers
				are integers, append .0 to each
				row number.
5	Total Study Area	10358	25-33	This field contains the data corresponding
				to column (k) as shown on the Form
				Section of the Report Definition.
				Format: Right justified and space filled.
				Enter -77777 in integer rows and
				-77777.00 in percentage rows where data for a field are
				Irretrievable.
				Enter -88888 in integer rows and
				-88888.00 in percentage rows
				on the "public version" diskette
				to indicate that confidential
				treatment has been requested.
				All other fields must be populated.
12	End of Record Code	" XQ "	95-98	Always contains the letters XQ capitalized
				with no space between them to indicate
				the end of the record.
				Format: Include quotation marks.

Note: All fields are separated by commas.

If any data for the current period differ materially from that for the previous period and the difference is not self-explanatory but was caused by unusual circumstances not explained in a previous report, then include footnote text to explain the specific circumstances.

Certain items require accompanying footnotes and those items are specified in the appropriate sections of the instructions for filing the 43-07. Such items are mandatory and must be entered in the footnote text records and footnote table.

1 2

 $\underline{12345678901234567890123456789012345678}$

Sample record:

1111, "LBIL", "A1", 0530.0, 10358, "XQ"

RECORD TYPE C7 - CONFIDENTIAL TREATMENT RECORD

<u>Field</u>	<u>Item</u>	<u>Example</u>	Position	Description
1	Record Number (for <u>this</u> record)	1114	1-4	The sequential number of this record within this data file plus 1000. Format: Right justified and space filled.
2	COSA	"LBIL"	6-11	The COSA code for the filing entity. Format: Include quotation marks.
3	Record Type	"C7"	13-16	Always contains the letter C capitalized and the number 7 with no space between them. Format: Include quotation marks.
4	Record Number (for the confidential data)	1003	18-21	This field contains the record number of the record which contains the data for which the carrier is seeking confidential treatment. If the request is for the entire column(s) or the entire submission, use 9999. Format: Right justified and space filled.
5	Table Number	"I "	23-28	This field contains the table number (Roman numerals) of the table in which the confidential data appear. If the request is for the entire submission, enter "ZZZZ". Format: Include quotation marks. Left justified and space filled.
6	Row Number	0110.0	30-35	This field contains the row number of the row which contains the confidential data as identified in the Report Definition. If the request is for the entire column(s), an entire table or the entire submission, enter 9999.0. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to each row number.
7	Column Label	"A "	37-40	This field contains the column letter of the confidential data as identified in the Report Definition. If the request is for an entire row, an entire table, or the entire submission, enter "ZZ". If the request is for more than one column but less than the entire row, then populate this field and as many as needed of fields 8 thru 26. Format: Include quotation marks. Left justified and space filled.

RECORD TYPE C7- CONFIDENTIAL TREATMENT RECORD (continued)

<u>Field</u>	<u>Item</u>	<u>Example</u>	Position	Description
8	Second Column Label	"B "	42-45	
9	Third Column Label	"C "	47-50	
•				Fields 8 thru 26 are similar
•				to Field 7 and are used
•				when the request is for
•				the same row and more than
•				one column.
26	Twentieth Col. Label	н н	132-135	Otherwise, enter " ".
27	End of Record Code	" XQ "	137-140	Always contains the letters XQ capitalized with no space between them to indicate
				the end of the record.
				Format: Include quotation marks.

Note: All fields are separated by commas.

	1	2	3	4	5	6	7	8	9
12345678	9012345678	39012345	7890123456	789012345	6789012345	678901234	56789012345	678901234	567890123456
Sample r	ecords:								
1114,"LB	IL","C7",1	L003,"I	",0110.0	,"A ","B "	,"C","	'," ","	"," "," "	," ","	"," "," ",

1	1	1	1	1
0	1	2	3	4
78901234	56789012345	678901234	56789012345	67890

Continuation of sample records:

" "," "," "," "," "," "," "," "," XQ"

RECORD TYPE F3 - FOOTNOTE TEXT RECORD

<u>Field</u>	<u>Item</u>	<u>Example</u>	Position	Description
1	Record Number (for this record)	1115	1-4	The sequential number of this record within this data file plus 1000. Format: Right justified and space filled.
2	COSA	"LBIL"	6-11	The COSA code for the filing entity. Format: Include quotation marks.
3	Record Type	"F3"	13-16	Always contains the letter F capitalized and the number 3 with no space between them. Format: Include quotation marks.
4	Record Number (for the footnoted data)	1102	18-21	This field contains the record number of the record which contains the footnoted data. If the footnote pertains to the entire column(s), an entire table, or the entire submission, use 9999. Format: Right justified and space filled.
5	Table Number	"III "	23-28	This field contains the table number (Roman numerals) of the table in which the footnoted data appear. If the footnote pertains to an entire table, use "ZZZZZ". Format: Include quotation marks. Left justified and space filled.
6	Row Number	0510.0	30-35	This field contains the row number of the row which contains the footnoted data as identified in the Report Definition. If the footnote pertains to the entire column(s), an entire table, or the entire submission, enter 9999.0. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to each row number.
7	Column Label	"E "	37-40	This field contains the column letter(s) of the footnoted data as identified in the Report Definition. If the footnote pertains to an entire row, an entire table, or the entire submission, enter "ZZ". Format: Include quotation marks. Left justified and space filled.
8	Footnote Number	1	42-44	The number of this particular footnote. Valid range: 1 to 999. Format: Right justified and space filled.

RECORD TYPE F3 - FOOTNOTE TEXT RECORD (continued)

<u>Field</u>	<u>Item</u>	<u>Example</u>	Position	Description
9	Sequence Number	1	46-47	The sequence number of the record within the footnote. In other words, the order of the specific record in the sequence of records which, when combined, will provide the entire footnote. Valid range: 1 to 99. Format: Right justified and space filled.
10	Footnote Text	"Footnote text " (Spaces until pos.		The text of the footnote or of the continuation line. Format: Include quotation marks at the beginning and end of this field and left justify within these quotation marks.
11	End of Record Code	"XQ"	107-110	Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks.

Note: All fields are separated by commas.

										1	1
	1	2	3	4	5	6	7	8	9	0	1
12	345678901234	6789012345	578901234	56789012	3456789012	345678901234	5678901234	5678901234	56789012345	67890123	4567890
Sar	mple records	1									
11:	L5,"LBIL","F3	3",1102,"II	r ",0510.	O,"E ",	1, 1, "Foot	tnote text f	or footnot	e 1			","XQ"
11	L6,"LBIL","F	3",1102,"II	r ",0510.0	O,"E ",	1, 2, con	tinuation te	xt for foo	tnote 1			","XQ"
11	L7,"LBIL","F3	3",1102,"II	r ",0510.0	O,"E ",	1, 3,"las	t line of fo	otnote 1.				","XQ"
11:	L8,"LBIL","F3	3",9999,"II	",9999.	0,"D ",	2, 1, "Foot	tnote 2 pert	ains to al	l rows of	Table II co	lumn D.	","XQ"

RECORD TYPE E2- ERRATUM RECORD

<u>Field</u>	<u>Item</u>	<u>Example</u>	Position	Description
1	Record Number (for this record)	1119	1-4	The sequential number of https://doi.org/10.100 within this data file plus 1000. Format: Right justified and space filled.
2	COSA	"LBIL"	6-11	The COSA code for the filing entity. Format: Include quotation marks.
3	Record Type	"E7"	13-16	Always contains the letter E capitalized and the number 7 with no space between them. Format: Include quotation marks.
4	Record Number (for the corrected data)	1003	18-21	This field contains the record number of the record which contains the data which were corrected in this submission. If the entire column(s), an entire table, or the entire submission was corrected, use 9999. Format: Right justified and space filled.
5	Table Number	"I "	23-28	This field contains the table number (Roman numerals) of the table in which the corrected data appear. If an entire table or submission was corrected, use "ZZZZ". Format: Include quotation marks. Left justified and space filled.
6	Row Number	0110.0	30-35	This field contains the row number of the row which contains the corrected data as identified in the Report Definition. If the entire column(s), an entire table, or the entire submission was corrected, enter 9999.0. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to each row number.
7	Column Label	"A "	37-40	This field contains the column letter of the corrected data as identified in the Report Definition. If an entire row, an entire table, or the entire submission was corrected, enter "ZZ". If more than one column but less than the entire row was corrected, then populate this field and as many as needed of fields 8 thru 26. Format: Include quotation marks. Left justified and space filled.

RECORD TYPE E2 - ERRATUM RECORD (continued)

<u>Field</u>	<u>Item</u>	<u>Example</u>	Position	<u>Description</u>
8	Second Column Label	"B "	42-45	
9	Third Column Label	"C "	47-50	Fields 8 thru 26 are similar to Field 7 and are used when the correction is in the same row and more than
				one column.
26	Twentieth Col. Label	" "	132-135	Otherwise, enter " ".
27	Footnote Number	1	137-139	This field contains the footnote number that explains the correction. If there is no footnote, use a zero. Format: Right justified and space filled.
28	End of Record Code	"XQ"	141-144	Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks.

Note: All fields are separated by commas.

When an errata occurs, carriers must use higher submission numbers and a new data entry date to denote a new submission. If there is a change in either the automated or paper report, the carrier must resubmit both. The automated report and the paper report submission numbers must be the same.

In addition to including these references in the $erratum\ record(s)$ of the automated report, carriers must include a brief statement indicating the reason for the errata in the transmittal letter.

	1	2	3	4	5	6	7	8	9
12345	67890123456	78901234	56789012345	6789012345	6789012345	6789012345	678901234	5678901234	567890123456
Sample records:									

1	1	1	1	1
0	1	2	3	4

789012345678901234567890123456789012345678901234 Continuation of sample records:

" "," "," "," "," "," "," ", 1,"XQ"

RECORD TYPE T1 - TRAILER RECORD

<u>Field</u>	<u>Item</u>	<u>Example</u>	Position	Description
1	Record Number	1120	1-4	The sequential number of this record within this data file plus 1000. Format: Right justified and space filled.
2	COSA	"LBIL"	6-11	The COSA code for the filing entity. Format: Include quotation marks.
3	Record Type	"T1"	13-16	Always contains the letter T capitalized and the number 1 with no space between them. Format: Include quotation marks.
4	Contact Person	"John Doe " (spaces until pos. 59	18-59 9)	The name of the person to contact if there are questions about the report. Format: Include quotation marks.
5	Telephone #	"(202) 555-1212 x123	" 61-82	The Contact Person's telephone number. Format: Include quotation marks.
6	End of Record Code	"XQ"	84-87	Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks.

Note: All fields are separated by commas.

1120, "LBIL", "T1", "John Doe

","(202) 555-1212 x123 ","XQ"

A. Introduction

This document contains the page layout and detailed specifications for the paper report to be filed as FCC Report 43-07, the ARMIS Infrastructure Report.

B. General Instructions

- 1. See sections B and C on pages 1 and 2 of the Reporting Procedures for a discussion of the Confidential Version, the Public Version, and the Unrestricted Version of this report and for a definition and discussion of data items that are "Not Available" or are "Withheld."
- 2. The paper report must be printed on 8 1/2 inch by 11 inch paper. For ease of preparation, an original may be produced on larger paper and reduced to this size for submission. Copies filed must be legible and permanent, in black ink. The report may be printed in portrait mode (8 1/2 inches across the top of the page) or landscape mode (11 inches across the top of the page). In portrait mode, the printing should not be smaller than 17 characters per inch and 8 lines per inch; in landscape mode, the printing should not be smaller than 15 characters per inch and 10 lines per inch.

C. Data Entry Conventions

- 1. If an entry is to be a subtraction, indicate so by placing a minus sign in the column immediately preceding the numeric data, e.g., use -4, NOT 4 or (4).
- 2. Items that need not be reported because they do not apply are designated by N/A. If a "Public Version" report is filed, enter W/H in any numeric data field for which data are "Withheld". If a filing carrier has a waiver applicable to a certain field, treat the data in that field as "Irretrievable" and enter "I/T". Carriers must footnote the reason for that entry (including a cite to the waiver and a note as to its duration). DO NOT override N/As. If a reporting carrier wishes to apply data to a field containing an N/A, the carrier should enter as a footnote to the field, the amount(s) and an explanation. All other fields must be populated. If there are no data applicable to an open field, enter zero.
- 3. If a data measure equals the quality zero, enter zero in that field. This is the only proper use of zero in this report.

D. Rounding Conventions

1. As specified in the Report Definition, monetary amounts must be rounded to the nearest thousand dollars.

- 2. All kilometers must be rounded to 1 decimal place.
- 3. All access lines must be entered in whole numbers.
- 4. All switches, tandems, host remotes, interfaces, circuit lines, carrier links, terminations, channels, copper pairs, and fiber strands must be entered in whole numbers.
- 5. All percentage amounts must be entered in percent and must be rounded to 2 decimal places.

Example: 23.70561 percent must be entered as 23.71

E. Footnotes

- 1. If any data for the current period differ materially from those for the previous period and the difference is not self-explanatory but was caused by unusual circumstances not explained in a previous report, then include footnote text to explain the specific circumstances. Certain items require accompanying footnotes and those items are specified in the appropriate section of the instructions for filing the 43-07. Such footnotes are mandatory and must be entered in the Footnote Table.
- 2. If the reporting carrier does not follow the procedures described in the row and column instructions of the Report Definition, it must explain any deviations from those procedures in an explanatory footnote. Such footnotes must provide detailed explanations of the procedures actually used by the carrier and its specific reasons for deviating from procedures prescribed by the Commission's Rules. This provision should not be interpreted to mean that deviations from the prescribed rules will automatically be approved by the Commission. See Section D of the Reporting Procedures for examples of valid footnotes.
- 3. Footnotes must be included in the footnote table(s), not on individual table pages.

F. Errata

1. Carriers are under a legal obligation to correct any erroneous data discovered in FCC Report 43-07. Submissions containing corrected data must include references to indicate which data items were corrected since the previous submission. These references must be included in the Erratum Table of the paper report. In addition, carriers must include in the transmittal letter, a brief statement indicating the reason for the errata. See Section B of the Reporting Procedures for use of submission numbers when an erratum occurs.

G. Data Validation Programs

1. Each reporting carrier must validate its data by using the most recent edit check program(s), provided by the Commission, for the reporting year. When an error is detected, the carrier must correct the error prior to submitting the report to the Commission. Once the carrier corrects its data so that the edit check program identifies no errors, the carrier should submit the ARMIS report along with a copy of the edit check printout to the Commission verifying that the program did not identify any errors.

H. Page Layouts

- 1. The page layout for this report is illustrated in the Form Section of the Report Definition.
- 2. The following note must appear at the bottom of all pages, where applicable. THE COMPANY HAS REQUESTED CONFIDENTIAL TREATMENT FOR SOME DATA ON THIS PAGE. SEE THE CONFIDENTIAL TREATMENT TABLE FOR SPECIFIC INFORMATION.
- 3. The Paper Report will consist of the following pages, in order:

	Illustrated in
	Paper Report
	Specs. on Page
The Cover Page	5

		Illustrated in Report Definition
<u>Table</u>		Form on Page
Table I	Switching Equipment Table	3-4
Table II	Transmission Facilities Table	5-6
Table III	LEC Call Set-Up Time Table	7
Table IV	Additions and Book Costs Table	8

	Illustrated in Paper Report Specs. on Page
The Confidential Treatment Table (if reporting confidential data, as many pages as needed)	6
The Footnote Table (at least one page and as many pages as needed)	7
The Erratum Table (for submission number 2 or higher, as many pages as needed)	8
The Certification Page	9

FCC Report 43-07 xxxxxxxxxxxx Version Submission x COSA: XXXX

Approved by OMB 3060-0395 Expires 03/31/2002 Estimated Avg. Burden Per Response: 555 Hrs

FEDERAL COMMUNICATIONS COMMISSION WASHINGTON, D.C. 20554

ARMIS INFRASTRUCTURE REPORT

For	Year	End	

Carrier Classification:

Name of Company:

Address of Company:

FCC Report 43-07, the ARMIS Infrastructure Report, is prescribed for every mandatory price cap local exchange carrier and local exchange carriers electing the incentive regulation plan. This report collects data designed to capture trends in telephone industry infrastructure development under price cap regulation and improves and standardizes existing reporting requirements for this purpose. The ARMIS Infrastructure Report specifies information requirements in a consistent format and is essential to the FCC to monitor service quality under price cap regulation. Response is mandatory.

Public reporting burden for this collection of information is estimated to average 555 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Federal Communications Commission, Office of Managing Director, Washington, D.C. 20554.

An agency may not conduct or sponsor and a person is not required to respond to a collection of information unless it displays a currently valid control number.

FCC REPORT 43-07 Approved by OMB

ARMIS INFRASTRUCTURE REPORT 3060-0395 Expires 03/31/2002

PERIOD: From mmm yyyy to mmm yyyy CONF. TREATMENT TABLE

COSA: xxxx PAGE 1 OF x

CONFIDENTIAL TREATMENT TABLE

Table	Row	Column(s)
(a)	(b)	(c)
sample entries:		
I	0110.0	A , B , C
I	0300.0	ALL
II	ALL	D

THE COMPANY HAS REQUESTED CONFIDENTIAL TREATMENT FOR THE ABOVE DATA IN THIS REPORT.

FCC REPORT 43-07 ARMIS INFRASTRUCTURE REPORT Approved by OMB 3060-0395 Expires 03/31/2002

COMPANY: xxxxxxxxxxxxxxxxxxxxxxxxxxxxxx

COSA: xxxx

xxxxxxxxxxx VERSION

SUBMISSION x FOOTNOTE TABLE

PAGE 1 OF x

FOOTNOTE TABLE

Table	Row	Col	FN#	Footnote
(a)	(b)	(c)	(d)	(e)
sample	entries:			
III	0510.0	E	1	Footnote text for footnote 1
				continuation text for footnote 1
				last line of footnote 1
II	ALL	D	2	Footnote 2 pertains to all rows of Table II column D

December 1998

Page 8 of 9

FCC REPORT 43-07 ARMIS INFRASTRUCTURE REPORT Approved by OMB 3060-0395

Expires 03/31/2002

COMPANY: xxxxxxxxxxxxxxxxxxxxxxxxxxxxxx

xxxxxxxxxxx VERSION SUBMISSION x ERRATUM TABLE PAGE 1 OF x

ERRATUM TABLE

Table	Row	Column(s)	FN#
(a) sample	(b) e entries:	(c)	(d)
I	0110.0	A , B , C ,	1

THE ABOVE DATA HAVE BEEN CORRECTED IN THIS SUBMISSION. SEE THE FOOTNOTE TABLE FOR FOOTNOTES WHERE APPLICABLE.

CERTIFICATION

I certify that I am an officer of; that I have examined the foregoing reportand that to the best of my knowledge, information, and belief, all statements of fact contained in this report are true and that said report is an accurate statement of the affairs of the above named respondent in respect to the data set forth herein for the period from to
PRINTED NAME
POSITION
SIGNATURE
DATE
(Persons making willful false statements in this report form can be punished by fine or imprisonment under the Communications Act, 47 U.S.C. 220(e).)
CONTACT PERSON
TELEDHONE NUMBED