

## A. **Introduction**

This document contains the detailed automated data processing (ADP) specifications for the automated report to be filed as FCC Report 43-03, the ARMIS Joint Cost Report.

## B. **General Format**

### 1. **Electronically-Filed Data**

- a. For data reporting years 1990 and beyond, carriers must file their ARMIS Reports and related documents electronically. Electronic submission of both is made through the Internet by selecting the “**Upload ARMIS Data**” link on the EAFS Home Page, at <http://www.fcc.gov/wcb/eafs/>.
- b. All files must be coded in ASCII. Header records in the ARMIS Report data files must include the report number, company, study area, period, COSA code, version, and submission number. A higher number (2, 3, etc.) and a new data entry date must be used each time a change occurs to denote a new submission.
- c. A separate ASCII file must be prepared for each report. More than one ASCII file can be included in the same electronic upload file – which is created by the data validation program – as long as they are for the same report and cover the same period and version (different submission numbers and multiple reasons for correcting data are allowed).
- d. The electronic submission will serve as the carrier’s official filing.

### 2. **ASCII File Name** – each file has six components:

- a. the four letter COSA code (CO = Company, SA = Study Area, see the COSA Code Table for a list of companies and their respective COSAs)
- b. the last two digits of the year which is covered by the data
- c. the letters “JC”
- d. a decimal point
- e. the letter “P”, “C”, or “U” to indicate whether this is the Public version, the Confidential version, or the Unrestricted version
- f. two digits (zero filled) for the submission number: Submission 00 is for test data purposes only; Submission 01 is for the first submission of a year’s data

For example, the file name for the Unrestricted Version of the initial Joint Cost Report data file to be submitted by Illinois Bell to cover the calendar year 2006 would be LBIL06JC.U01:

LBIL	COSA for Illinois Bell
06	Data for calendar year 2006
JC	Joint Cost Report data file
.	Decimal point
U	Unrestricted version
01	First submission of this year's data

### C. Filing Requirement

1. **Proprietary Treatment:** Carriers seeking proprietary treatment for some data must provide two electronic versions of the automated report. The Confidential Version must contain all the required information. Confidential Treatment Data Records **must** be provided to identify confidential data but are not a substitute for applying for confidential treatment with this Commission following established Commission procedures. The Public Version **should neither** include data for which the carrier is seeking proprietary treatment nor Confidential Treatment Data Records.

Carriers not seeking proprietary treatment for any data should provide only one electronic version which should be identified as the Unrestricted Version.

2. **Data Items That Are "Not Available," "Withheld," or Are "Irretrievable"** – See Sections B and C of the Reporting Procedures for a discussion of the Confidential Version, the Public Version, and the Unrestricted Version of this report and for a definition and discussion of data items that are "Not Available," "Withheld," or are "Irretrievable."
3. **Document Conversion Requirements:** Convert directly through a word-processing application or through the use of a scanning device. Other than a letterhead graphic, the documents to be converted should consist of text only—no graphics. Conversion of a document to PDF should result in a black and white document with a resolution no greater than 300 dpi, and having a file size no more than 40 to 50 Kb per page.

The related documents to be included in the electronic upload file for Report 43-03 are described below:

- a. **Transmittal Letter** – Each ARMIS report submission must be accompanied by a letter of transmittal. When filing confidential data, a separate letter is required. These letters must be on official company letterhead and be included in each electronic upload file. The transmittal letter must list **only** COSAs included in the submission. See Section G.2 of the Reporting Procedures for a description of the information to be provided in the transmittal letter.
- b. **Data Certification Statement** – Carriers must certify the accuracy of the data submitted in the ARMIS Reports by including one certification statement, signed by a corporate

officer, in each electronic upload file. The certification statement must list **all** COSAs required for a specific ARMIS report. See Section G.3 of the Reporting Procedures for a description of the information to be included in the statement.

- c. **Independent Auditor’s Opinion:** As required by Part 64.904 of the Commission’s rules, local exchange carriers that file the ARMIS Report 43-03 must provide a copy of the independent auditor’s opinion, every two years (odd years beginning in 2001), at the same time the report is filed.

#### 4. **Data Validation Programs**

- a. Each reporting carrier must validate its data by using the most recent edit check program(s), provided by the Commission, for the reporting year. When an error is detected, the carrier must correct the error prior to submitting the report to the Commission.
  - b. The edit check program creates the electronic upload file to be used as the carrier’s official filing. It will normally contain the following:
    - 1 The ASCII file(s)
    2. Text files that will be stored in the database
    3. The edit check results (“the Discrepancy Report”)
    4. The comparison utility results for roll-up comparisons (“the Detailed Error Report”)
    5. Related documents – one each per upload file, when applicable – in PDF
5. **Upload Comment Field:** Enter the reason for the filing, which must include a brief description of ALL data (including footnotes) that have been added, removed, or modified since the previous submission. This description must agree with what is being filed. The comments should not contain references to IATD letters. Maximum comment length is 245 characters (including spaces). If comment length will exceed 245 characters, include in the comments a reference to the associated transmittal letter by its date, for additional information.

#### D. **Data Entry Conventions**

1. Give each record a unique record number, beginning with 1001 and incrementing by one, with no numbers skipped.
2. Begin each data record in column 1 and make each record the proper length as specified in the record layouts. Commas are used as delimiters between fields. All numeric fields are right justified and space filled, e.g. use   123, NOT 123. All non-numeric fields are enclosed in double quotation marks and are left justified and space filled within these quotation marks, e.g. use “John Doe ”.

3. If an entry is to be a subtraction, indicate so by placing a minus sign in the column immediately preceding the numeric data, e.g., use -4, NOT - 4 or (4).
4. Do NOT include “\$”, “%”, embedded commas, decimal points, quotes or other formatting characters in any numeric data fields, except for row numbers and percentage fields, which will include a decimal point but not a percent sign.
5. In any numeric data field designated by N/A, enter -99999. In any text data field designated by N/A, enter “N/A”. If a “Public Version” is filed, enter -88888 in any numeric data field and “W/H” in any text data field for which data are “Withheld” to indicate that confidential treatment has been requested. These entries must be formatted according to the format rules for the particular data field; e.g., in the percentage fields, -99999 is entered as -99999.00 and text fields are enclosed in double quotation marks.
6. Do not override designated N/As. However, if a reporting carrier wishes to apply data to a field containing a N/A, the carrier should enter as a footnote to the field, the amount(s) and an explanation. The amount(s) **must not** be entered in the N/A field. All other fields must be populated. If there are no data applicable to an open field, enter zero.

#### E. **Rounding Conventions**

1. As specified in the Report Definition, all monetary figures must be rounded to the nearest thousand dollars.
2. Unless otherwise indicated, account balances must reflect the result of operations as of the end of the reporting period (December 20xx).

#### F. **Footnotes**

1. **General:**
  - a. For initial (annual) filings, if any data for the current period differ materially from those for the previous period and the difference is not self-explanatory but was caused by unusual circumstances, the carrier must include detailed footnote text to explain the specific circumstances. For resubmission filings, footnotes must be provided for all changed data, which includes changed footnotes. When a summary row value changes because of changes to one or more of its detail rows, the summary row must also be footnoted.
  - b. Footnotes should be filed for the entities to which they apply: a footnote might apply to a holding company COSA only, to a study area COSA only, or to both entities. (However, footnotes should not be submitted at the holding company level if they apply only to a company’s study areas.)

- c. If the reporting carrier does not follow the procedures described in the row and column instructions of the applicable Report Definition, it must explain any deviations from those procedures in an explanatory footnote. Such footnotes must provide detailed explanations of the procedures actually used by the carrier and its specific reasons for deviating from procedures prescribed by the Commission's Rules. This provision should not be interpreted to mean that deviations from the prescribed rules will automatically be approved by the Commission. See Section E of the Reporting Procedures for examples of valid footnotes.
  - d. Footnote entries must provide detailed explanations for only those items reported in the current submission. Footnotes from prior submissions should be included only if they remain applicable. In other words, when a resubmission nullifies an existing footnote, remove the footnote.
  - e. The footnote text must be included in the Footnote Text Records.
2. **Mandatory:** Certain items require accompanying footnotes and those items are specified in the appropriate section of the Report Definition for filing the reports. Such footnotes are mandatory and must be entered in the Footnote Text Records.

### 3. **Footnote Structure:**

Observe the footnote specifications to the letter and strive for an efficient footnote structure. Reduce the size and number of footnotes by using global and referring footnotes.

#### Global Footnotes

- a. If a footnote applies to an entire table, its row number is 9999.0, and its column letter is ZZ;
- b. If a footnote applies to all columns within a single row, its column letter is ZZ;
- c. If a footnote applies to a single column within all rows, its row number is 9999.0;
- d. If a footnote applies to a majority of (but not all) columns within a single row, its column letter is ZZ, and its text should include the identity of the columns to which the footnote applies;
- e. If a footnote applies to a single column within a majority of (but not all) rows, its row number is 9999.0, and its text should include the identity of the rows to which the footnote applies;

### Referring (non-Global) Footnotes

- f. If a footnote applies to more than one, but less than a majority of rows or columns, use individual referring footnotes for the rows or columns to refer to a single explanatory footnote. The referring footnote must include the explanatory footnote's number, row, and column;
- g. Referring footnotes and the footnotes to which they refer should be in the same table.

### Footnote Removal

- h. For resubmissions, remove footnotes if they no longer apply, and renumber the remaining footnotes.
- i. When removing one or more footnotes from a table that were erroneously included in a previous filing, provide a single explanatory footnote that includes a list of the affected rows and columns. This footnote's record number for the footnoted data is 9999 (field 4), its table number is ZZZZ, its row number is 9999.0, and its column letters are ZZ.

## G. Errata

1. Carriers are under a legal obligation to correct any erroneous data, which includes footnotes, reported in ARMIS Reports. Thus, whenever there are changes in table data, footnotes are added, footnotes are removed because they were erroneously-filed, or the text of an existing footnote is changed, an erratum (and resubmission) is required. See Section B of the Reporting Procedures for the use of submission numbers when an erratum occurs.
2. Submissions containing corrected data must include references to indicate which data items were corrected since the previous submission. If the data items being corrected impact other data items in the report, then those items must also be corrected and referenced. Erratum references should reflect only those items corrected in the new submission. References from prior submissions must not be included in the new submission.
3. Current errata references must be included in the Erratum Record(s).
4. **Errata Structure:**

Observe the errata record specifications to the letter, and strive for proper structure.

- a. An errata record should reference more than one column, if multiple—but not all—columns are affected for the same row. (Where all columns are affected use “ZZ” as the column reference.)

- b. When a footnote column field contains “ZZ” to indicate multiple—but not all—columns, the errata record column field should not use “ZZ.” Instead, list the columns affected in this field.
- c. The errata record should reference the footnote number to which it applies.
- d. For Submission Number 3 or higher, be careful to clear the errata table of entries from previous filings, prior to adding new errata entries for the new submission.
- e. When removing one or more footnotes from a table that were erroneously included in a previous filing, the erratum record should refer to a single footnote explaining the removed footnote(s). In the erratum record, use 9999 for the record number of the corrected data (field 4), ZZZZ for the table number, 9999.0 for the row number, and ZZ for the column letters.

#### H. Data Record Descriptions

The seven data record types are described below. See pages 9 through 19 for record layout. The automated file will consist of the following record types:

1. Record Type H1 - Header Record  
One Type H1 record per file. The first record of each file. Contains identifying data. See page 9 for record layout.
2. Record Type L2 - Label Record  
One Type L2 record per file. The second record of each file. Contains report number, accounting level reporting (Class A or Class B), carrier name, study area name, etc. See page 10 for record layout.
3. Record Type J4 - Joint Cost Data Record  
140 Type J4 records per file for Class A account level reporting as shown on pages 3 – 12 of the Report Definition. Each record contains data values for a particular account broken out by the columns. See pages 11 & 12 for record layout.
4. Record Type C3 – Confidential Treatment Record (Confidential Version only)  
One or more Type C3 records per file. Contains information to identify the data for which the carrier is seeking confidential treatment. Do not include this record type in the Public or Unrestricted Versions of a report. See pages 13 & 14 for record layout.
5. Record Type F2 - Footnote Record  
Optional. Zero or more Type F2 records per file. Contains explanatory footnote text. See pages 15 & 16 for record layout.

6. Record Type E3 - Erratum Record

Zero Type E3 records in the first submission of a year's data. One or more Type E3 records per file in revisions filed to correct that year's submission. Each time an erratum occurs, a carrier must use a new submission number. Contains information to identify the data which was corrected in the submission. See pages 17 & 18 for record layout.

7. Record Type T1 - Trailer Record

One Type T1 record per file. The last record of each file. Contains contact person, etc. See page 19 for record layout.



RECORD TYPE H1 - HEADER RECORD

<u>Field</u>	<u>Item</u>	<u>Example</u>	<u>Position</u>	<u>Description</u>
1	Record Number	1001	1 – 4	The sequential number of this record within this data file plus 1000. Format: Right justified and space filled.
2	COSA	"LBIL"	6 – 11	The COSA code for the filing entity. Format: Include quotation marks.
3	Record Type	"H1"	13 – 16	Always contains the letter H capitalized and the number 1 with no space between them. Format: Include quotation marks.
4	File Name	"LBIL06JC.U01"	18 – 31	The name of the ASCII file. Format: See page 1, paragraph B.2. Include quotation marks.
5	Year	2006	33 – 36	The year covered by the data.
6	Quarter #	0	38	Always contains the number 0 since this is an annual data file.
7	Data Entry Date	20070315	40 – 47	The date on which the data were last entered or revised. Format: YYYYMMDD.
8	Version	"U"	49 – 51	The version letter (P, C or U) capitalized (Public, Confidential or Unrestricted). Format: Include quotation marks.
9	Submission #	01	53 – 54	00 for test data purposes only; 01 for first submission of a year's data. Higher numbers (02, 03, etc.) are used each time a change occurs to denote a new submission. Format: Right justified.
10	End of Record Code	"XQ"	56 – 59	Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks.

Note: All fields are separated by commas.

1            2            3            4            5  
12345678901234567890123456789012345678901234567890123456789  
 Sample record:  
 1001,"LBIL","H1","LBIL06JC.U01",2006,0,20070315,"U",01,"XQ"

RECORD TYPE L2 - LABEL RECORD

<u>Field</u>	<u>Item</u>	<u>Example</u>	<u>Position</u>	<u>Description</u>
1	Record Number	1002	1 – 4	The sequential number of this record within this data file plus 1000. Format: Right justified and space filled.
2	COSA	"LBIL"	6 – 11	The COSA code for the filing entity. Format: Include quotation marks.
3	Record Type	"L2"	13 – 16	Always contains the letter L capitalized and the number 2 with no space between them. Format: Include quotation marks.
4	Report Number	"FCC REPORT 43-03"	18 – 35	Always contains "FCC REPORT 43-03" capitalized. Format: Include quotation marks.
5	Account Filing Level	"A"	37 – 39	Account filing level (Class A) capitalized. Format: Include quotation marks.
6	Carrier	"Illinois Bell "	41 – 71	Name of the carrier. Format: Left justified and space filled. Include quotation marks.
7	Study Area	"Illinois "	73 – 95	Name of the study area. Format: Left justified and space filled. Include quotation marks.
8	Period Covered	"Jan 2006 to Dec 2006"	97 – 118	Period covered by the data. Format: "mmm yyyy to mmm yyyy". Include quotation marks.
9	End of Record Code	"XQ"	120 – 123	Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks.

Note: All fields are separated by commas.

1 2 3 4 5 6 7 8 9  
12345678901234567890123456789012345678901234567890123456789012345678901234567890123456

Sample record:

1002,"LBIL","L2","FCC REPORT 43-03","A","Illinois Bell ","Illinois ",

1 1 1  
 0 1 2

789012345678901234567890123

Continuation of sample record:

"Jan 2006 to Dec 2006","XQ"

RECORD TYPE J4 - JOINT COST DATA RECORD

<u>Field</u>	<u>Item</u>	<u>Example</u>	<u>Position</u>	<u>Description</u>
1	Record Number	1011	1 – 4	The sequential number of this record within this data file plus 1000. Format: Right justified and space filled.
2	COSA	"LBIL"	6 – 11	The COSA code for the filing entity. Format: Include quotation marks.
3	Record Type	"J4"	13 – 16	Always contains the letter J capitalized and the number 4 with no space between them. Format: Include quotation marks.
4	Row Number	5100.0	18 – 23	Row numbers as identified on the Report Definition. Valid range: 230.0 to 750.0, 1220.0 to 7990.0. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to each row number.
5	Column (b) data	22592	25 – 33	This field contains the data corresponding to column (b) as shown on the Form Section of the Report Definition. Format: Right justified and space filled. See Sections D and E for data entry and rounding conventions. If there are no data applicable to an open field enter zero.
6	Column (c) data	5432	35 – 43	Column (c) data Format: See Field 5 above.
7	Column (d) data	-99999	45 – 53	Column (d) data Format: See Field 5 above.
8	Column (e) data	-99999	55 – 63	Column (e) data Format: See Field 5 above.
9	Column (f) data	-99999	65 – 73	Column (f) data Format: See Field 5 above.
10	Column (g) data	-99999	75 – 83	Column (g) data Format: See Field 5 above.

RECORD TYPE J4 - JOINT COST DATA RECORD (continued)

<u>Field</u>	<u>Item</u>	<u>Example</u>	<u>Position</u>	<u>Description</u>
11	Column (h) data	-99999	85 – 93	Column (h) data Format: See Field 5 above.
12	Column (i) data	3023	95 – 103	Column (i) data Format: See Field 5 above.
13	Column (j) data	-99999	105 – 113	Column (j) data Format: See Field 5 above.
14	Column (k) data	1345	115 – 123	Column (k) data Format: See Field 5 above.
15	Column (m) data	1678	125 – 133	Column (m) data Format: See Field 5 above.
16	End of Record Code	"XQ"	135 – 138	Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks.

Note: Separate all fields with commas.

1	2	3	4	5	6	7	8	9	10
1234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234									
Sample records:									
1003,"LBIL","J4",5001.0,	35432,	15432,	-99999,	-99999,	-99999,	-99999,	-99999,	-99999,	15432,
1010,"LBIL","J4", 522.0,	30864,	10864,	-99999,	-99999,	-99999,	-99999,	-99999,	-99999,	10864,
1011,"LBIL","J4",5100.0,	22592,	5432,	-99999,	-99999,	-99999,	-99999,	-99999,	-99999,	2023,

1	2	3
1	2	3
5678901234567890123456789012345678		
Continuation of sample records:		
-99999,	3478,	-99999,"XQ"
67905,	7431,	3433,"XQ"
-99999,	1345,	1678,"XQ"

RECORD TYPE C3 - CONFIDENTIAL TREATMENT RECORD

<u>Field</u>	<u>Item</u>	<u>Example</u>	<u>Position</u>	<u>Description</u>
1	Record Number (for <u>this</u> record)	1143	1 – 4	The sequential number of <u>this</u> record within this data file plus 1000. Format: Right justified and space filled.
2	COSA	"LBIL"	6 – 11	The COSA code for the filing entity. Format: Include quotation marks.
3	Record Type	"C3"	13 – 16	Always contains the letter C capitalized and the number 3 with no space between them. Format: Include quotation marks.
4	Record Number (for the confidential data)	1003	18 – 21	This field contains the record number of the record which contains the data for which the carrier is seeking confidential treatment. If the request is for the entire column(s) or the entire submission, use 9999. Format: Right justified and space filled.
5	Table Number	"I "	23 – 28	This field contains the table number of the table in which the confidential data appear. If the request is for the entire table, use "ZZZZ". Format: Include quotation marks. Left justified and space filled.
6	Row Number	5001.0	30 – 35	This field contains the row number of the row which contains the confidential data as identified in the Report Definition. If the request is for the entire column(s), an entire table, or the entire submission, enter 9999.0. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to each row number.
7	Column Label	"B "	37 – 40	This field contains the column letter(s) of the confidential data as identified in the Report Definition. If the request is for an entire row, an entire table, or the entire submission, enter "ZZ". If the request is for more than one column but less than the entire row, then populate this field and as many as needed for fields 8 thru 26. Format: Include quotation marks. Left justified and space filled.



RECORD TYPE F2 - FOOTNOTE TEXT RECORD

<u>Field</u>	<u>Item</u>	<u>Example</u>	<u>Position</u>	<u>Description</u>
1	Record Number (for <u>this</u> record)	1147	1 – 4	The sequential number of <u>this</u> record within this data file plus 1000. Format: Right justified and space filled.
2	COSA	"LBIL"	6 – 11	The COSA code for the filing entity. Format: Include quotation marks.
3	Record Type	"F2"	13 – 16	Always contains the letter F capitalized and the number 2 with no space between them. Format: Include quotation marks.
4	Record Number (for the footnoted data)	1003	18 – 21	This field contains the record number of the record which contains the footnoted data. See Section F for Footnote structure guidelines. Format: Right justified and space filled.
5	Table Number	"I "	23 – 28	This field contains the table number of the table in which the footnoted data appear. See Section F for Footnote structure guidelines. Format: Include quotation marks. Left justified and space filled.
6	Row Number	5001.0	30 – 35	This field contains the row number of the row which contains the footnoted data as identified in the Report Definition. See Section F for Footnote structure guidelines. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to each row number.
7	Column Label	"B "	37 – 40	This field contains the column letter(s) of the footnoted data as identified in the Report Definition. See Section F for Footnote structure guidelines. Format: Include quotation marks. Left justified and space filled.
8	Footnote Number	1	42 – 44	The number of this particular footnote. Valid range: 1 to 999. Format: Right justified and space filled.

RECORD TYPE F2 – FOOTNOTE TEXT RECORD (continued)

<u>Field</u>	<u>Item</u>	<u>Example</u>	<u>Position</u>	<u>Description</u>
9	Sequence Number	1	46 – 47	The sequence number of the record within the footnote. In other words, the order of the specific record in the sequence of records which, when combined, will provide the entire footnote. Valid range: 1 to 99. Format: Right justified and space filled.
10	Footnote Text	"Footnote text " (Spaces until pos. 104)	49 – 105	The text of the footnote or of the continuation line. Format: Include quotation marks at the beginning and end of this field and left justify within these quotation marks.
11	End of Record Code	"XQ"	107 – 110	Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks.

Notes: All fields are separated by commas.

See Section F for detailed footnote content and structure guidelines.

1	2	3	4	5	6	7	8	9	0	1	1
1234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890											
Sample records:											
1147,"LBIL",	"F2",	1003,"I	"	,5001.0,"B "	, 1, 1,"Footnote 1 pertains to Col. B of Table 1 row 5001	"	,	"XQ"			
1148,"LBIL",	"F2",	1003,"I	"	,5001.0,"B "	, 1, 2,"continuation text for footnote 1	"	,	"XQ"			
1149,"LBIL",	"F2",	1003,"I	"	,5001.0,"B "	, 1, 3,"last line of footnote 1.	"	,	"XQ"			
1150,"LBIL",	"F2",	1003,"I	"	,5001.0,"C "	, 2, 1,"Footnote 2 pertains to Col C of Table 1 row 5001	"	,	"XQ"			
1151,"LBIL",	"F2",	1010,"I	"	, 522.0,"ZZ",	3, 1,"Footnote 3 pertains to all cols. of Table I row 522.0.	"	,	"XQ"			
1152,"LBIL",	"F2",	9999,"I	"	,9999.0,"M "	, 4, 1,"Footnote 4 pertains to the entire Table I column M.	"	,	"XQ"			



RECORD TYPE E3 - ERRATUM RECORD

<u>Field</u>	<u>Item</u>	<u>Example</u>	<u>Position</u>	<u>Description</u>
1	Record Number (for <u>this</u> record)	1153	1 – 4	The sequential number of <u>this</u> record within this data file plus 1000. Format: Right justified and space filled.
2	COSA	"LBIL"	6 – 11	The COSA code for the filing entity. Format: Include quotation marks.
3	Record Type	"E3"	13 – 16	Always contains the letter E capitalized and the number 3 with no space between them. Format: Include quotation marks.
4	Record Number (for the corrected data)	1003	18 – 21	This field contains the record number of the record which contains the data which were corrected in this submission. See Section G for Errata structure guidelines. Format: Right justified and space filled.
5	Table Number	"I "	23 – 28	This field contains the table number of the table in which the corrected data appear. See Section G for Errata structure guidelines. Format: Include quotation marks. Left justified and space filled.
6	Row Number	5001.0	30 – 35	This field contains the row number of the row which contains the corrected data as identified in the Report Definition. See Section G for Errata structure guidelines. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to each row number.
7	Column Label	"B "	37 – 40	This field contains the column letter of the corrected data as identified in the Report Definition. See Section G for Errata structure guidelines. If more than one column but less than the entire row was corrected, then populate this field and as many as needed of fields 8 through 26. Format: Include quotation marks. Left justified and space filled.



RECORD TYPE T1 - TRAILER RECORD

<u>Field</u>	<u>Item</u>	<u>Example</u>	<u>Position</u>	<u>Description</u>
1	Record Number	1156	1 – 4	The sequential number of this record within this data file plus 1000. Format: Right justified and space filled.
2	COSA	"LBIL"	6 – 11	The COSA code for the filing entity. Format: Include quotation marks.
3	Record Type	"T1"	13 – 16	Always contains the letter T capitalized and the number 1 with no space between them. Format: Include quotation marks.
4	Contact Person	"John Doe " (spaces until pos. 58)	18 – 59	The name of the person to contact if there are questions about the report. Format: Include quotation marks.
5	Telephone #	"(202) 555-1212 x123 "	61 – 82	The Contact Person’s telephone number. Format: Include quotation marks.
6	End of Record Code	"XQ"	84 – 87	Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks.

Note: All fields are separated by commas.

1 2 3 4 5 6 7 8  
123456789012345678901234567890123456789012345678901234567890123456789012345678901234567  
 Sample record:  
 1156,"LBIL","T1","John Doe", "(202) 555-1212 x123 ", "XQ"