A. Introduction

This document contains the detailed automated data processing (ADP) specifications for the automated report to be filed as FCC Report 43-08, the ARMIS Operating Data Report.

B. General Format

1. Electronically-Filed Data

- a. For data reporting years 1990 and beyond, carriers must file their ARMIS Reports and related documents electronically. Electronic submission of both is made through the Internet by selecting the "Upload ARMIS Data" link on the EAFS Home Page, at <u>http://www.fcc.gov/wcb/eafs/</u>.
- b. All files must be coded in ASCII. Header records in the ARMIS Report data files must include the report number, company, study area, period, COSA code, version, and submission number. A higher number (2, 3, etc.) and a new data entry date must be used each time a change occurs to denote a new submission.
- c. A separate ASCII file must be prepared for each report. More than one ASCII file can be included in the same electronic upload file which is created by the data validation program as long as they are for the same report and cover the same period and version (different submission numbers and multiple reasons for correcting data are allowed).
- d. The electronic submission will serve as the carrier's official filing.
- 2. **ASCII File Name** each file has six components:
 - a. the four letter COSA code (CO = Company, SA = Study Area, see the COSA Code Table for a list of companies and their respective COSAs)
 - b. the last two digits of the year which is covered by the data
 - c. the letters "OD"
 - d. a decimal point
 - e. the letter "P", "C", or "U" to indicate whether this is the Public version, the Confidential version, or the Unrestricted version
 - f. two digits (zero filled) for the submission number: Submission 00 is for test data purposes only; Submission 01 is for the first submission of a year's data

For example, the file name for the Unrestricted Version of the initial Operating Data Report data file to be submitted by Illinois Bell to cover the calendar year 2006 would be LBIL06OD.U01:

Report 43-08 - Automated Report Specifications

LBIL	COSA for Illinois Bell
06	Data for calendar year 2006
OD	Operating Data Report data file
	Decimal point
U	Unrestricted version

01 First submission of this year's data

C. Filing Requirement

1. **Proprietary Treatment**: Carriers seeking proprietary treatment for some data must provide two electronic versions of the automated report. The <u>Confidential Version</u> must contain all the required information. Confidential Treatment Data Records **must** be provided to identify confidential data but are not a substitute for applying for confidential treatment with this Commission following established Commission procedures. The <u>Public Version</u> **should neither** include data for which the carrier is seeking proprietary treatment nor Confidential Treatment Data Records.

Carriers not seeking proprietary treatment for any data should provide only one electronic version which should be identified as the <u>Unrestricted Version</u>.

- 2. Data Items That Are "Not Available," "Withheld," or Are "Irretrievable" See Sections B and C of the Reporting Procedures for a discussion of the Confidential Version, the Public Version, and the Unrestricted Version of this report and for a definition and discussion of data items that are "Not Available," "Withheld," or are "Irretrievable."
- 3. **Related Documents** These documents are required by Commission Order to be filed with specific ARMIS reports. The electronic submission of these documents must be converted to Adobe Acrobat's Portable Document Format (PDF), prior to submitting the documents to the Commission.

Document Conversion Requirements: Convert directly through a word-processing application or through the use of a scanning device. Other than a letterhead graphic, the documents to be converted should consist of text only—no graphics. Conversion of a document to PDF should result in a black and white document with a resolution no greater than 300 dpi, and having a file size no more than 40 to 50 Kb per page.

The related documents to be included in the electronic upload file for Report 43-08 are described below:

a. **Transmittal Letter** – Each ARMIS report submission must be accompanied by a letter of transmittal. When filing confidential data, a separate letter is required. These letters must be on official company letterhead and be included in each electronic upload file. The transmittal letter must list **only** COSAs included in the submission. See Section G.2 of the Reporting Procedures for a description of the information to be provided in the transmittal letter.

b. Data Certification Statement – Carriers must certify the accuracy of the data submitted in the ARMIS Reports by including one certification statement, signed by a corporate officer, in each electronic upload file. The certification statement must list all COSAs required for a specific ARMIS report. See Section G.3 of the Reporting Procedures for a description of the information to be included in the statement.

4. Data Validation Programs

- a. Each reporting carrier must validate its data by using the most recent edit check program(s), provided by the Commission, for the reporting year. When an error is detected, the carrier must correct the error prior to submitting the report to the Commission.
- b. The edit check program creates the electronic upload file to be used as the carrier's official filing. It will normally contain the following:
 - 1 The ASCII file(s)
 - 2. Text files that will be stored in the database
 - 3. The edit check results ("the Discrepancy Report")
 - 4. The comparison utility results for roll-up comparisons ("the Detailed Error Report")
 - 5. Related documents one each per upload file, when applicable in PDF
- 5. **Upload Comment Field**: Enter the reason for the filing, which must include a brief description of ALL data (including footnotes) that have been added, removed, or modified since the previous submission. This description must agree with what is being filed. The comments should <u>not</u> contain references to IATD letters. Maximum comment length is 245 characters (including spaces). If comment length will exceed 245 characters, include in the comments a reference to the associated transmittal letter by its date, for additional information.

D. Data Entry Conventions

- 1. Give each record a unique record number, beginning with 1001 and incrementing by one, with no numbers skipped.
- 2. Begin each data record in column 1 and make each record the proper length as specified in the record layouts. Commas are used as delimiters between fields. All numeric fields are right justified and space filled, <u>e.g.</u> use <u>123</u>, NOT <u>123</u>. All non-numeric fields are enclosed in double quotation marks and are left justified and space filled within these quotation marks, <u>e.g.</u> use <u>"John Doe "</u>.
- 3. If an entry is to be a subtraction, indicate so by placing a minus sign in the column <u>immediately</u> preceding the numeric data, <u>e.g.</u> use -4, <u>NOT</u> 4 or (4).
- 4. Do NOT include "\$", "%", embedded commas, decimal points, quotes or other formatting characters in any numeric data fields, except for row numbers and percentage fields, which

will include a decimal point but not a percent sign. Use the assigned row numbers and associated state codes, <u>not</u> the state name, as shown on the State Row Numbers and Codes Reference Table of the Report Definition for this report. State Codes are to be enclosed in quotation marks, left justified and space filed.

- 5. In any numeric data field designated by N/A, enter -99999. In any text data field designated by N/A, enter "N/A". Enter -77777 in any numeric data and "I/R" in any text data field which the reporting carrier designates as "Irretrievable" and footnote the reason for that entry (including a cite to the waiver and a note as to its duration). If a "Public Version" is filed, enter -88888 in any numeric data field and "W/H" in any text data field for which data are "Withheld" to indicate that confidential treatment has been requested. These entries must be formatted according to the format rules for the particular data field; e.g., in the percentage fields, -99999 is entered as -99999.00 and text fields are enclosed in double quotation marks.
- 6. Do not override designated N/As. However, if a reporting carrier wishes to apply data to a field containing a N/A, the carrier should enter as a footnote to the field, the amount(s) and an explanation. The amount(s) **must not** be entered in the N/A field. All other fields must be populated. If a data field equals the quantity zero, enter the numeral zero in that field. This is the only proper use of zero in this report.

E. Rounding Conventions

- 1. To convert miles to kilometers, compute total miles, multiply by 1.6093, and then round to the nearest whole number.
- 2. Internal calculations should retain, where applicable, at least 4 decimal places of accuracy; compute totals and then round to the nearest whole number before applying weighting factors.
- 3. Round final results (in kilometers) to the nearest whole number, but report any non-zero entry that is less than 1 kilometer as 1 kilometer.
- 4. Round the number of equivalent telephone poles to the nearest whole number.
- 5. Round telephone calls and minutes to the nearest thousand, but report any non-zero entry that is less than 1 (thousand) as 1 (thousand).
- 6. Report all other amounts in actual units.

F. Footnotes

1. General:

a. For initial (annual) filings, if any data for the current period differ materially from those for the previous period and the difference is not self-explanatory but was caused

by unusual circumstances, the carrier must include detailed footnote text to explain the specific circumstances. For resubmission filings, footnotes must be provided for all changed data, which includes changed footnotes. When a summary row value changes because of changes to one or more of its detail rows, the summary row must also be footnoted.

- b. Footnotes should be filed for the entities to which they apply: a footnote might apply to a holding company COSA only, to a study area COSA only, or to both entities. (However, footnotes should not be submitted at the holding company level if they apply only to a company's study areas.)
- c. If the reporting carrier does not follow the procedures described in the row and column instructions of the applicable Report Definition, it must explain any deviations from those procedures in an explanatory footnote. Such footnotes must provide detailed explanations of the procedures actually used by the carrier and its specific reasons for deviating from procedures prescribed by the Commission's Rules. This provision should not be interpreted to mean that deviations from the prescribed rules will automatically be approved by the Commission. See Section E of the Reporting Procedures for examples of valid footnotes.
- d. Footnote entries must provide detailed explanations for only those items reported in the current submission. Footnotes from prior submissions should be included only if they remain applicable. In other words, when a resubmission nullifies an existing footnote, remove the footnote.
- e. The footnote text must be included in the Footnote Text Records.
- 2. **Mandatory**: Certain items require accompanying footnotes and those items are specified in the appropriate section of the Report Definitions for filing the reports. Such footnotes are mandatory and must be entered in the Footnote Text Records.

3. Footnote Structure:

Observe the footnote specifications to the letter and strive for an efficient footnote structure. Reduce the size and number of footnotes by using <u>global</u> and <u>referring</u> footnotes.

Global Footnotes

- a. If a footnote applies to an entire table, its row number is 9999.0, and its column letter is ZZ;
- b. If a footnote applies to all columns within a single row, its column letter is ZZ;
- c. If a footnote applies to a single column within all rows, its row number is 9999.0;

- d. If a footnote applies to a majority of (but not all) columns within a single row, its column letter is ZZ, and its text should include the identity of the columns to which the footnote applies;
- e. If a footnote applies to a single column within a majority of (but not all) rows, its row number is 9999.0, and its text should include the identity of the rows to which the footnote applies;

Referring (non-Global) Footnotes

- f. If a footnote applies to more than one, but less than a majority of rows or columns, use individual referring footnotes for the rows or columns to refer to a single explanatory footnote. The referring footnote must include the explanatory footnote's number, row, and column;
- g. Referring footnotes and the footnotes to which they refer should be in the same table.

Footnote Removal

- h. For resubmissions, remove footnotes if they no longer apply, and renumber the remaining footnotes.
- i. When removing one or more footnotes from a table that were erroneously included in a previous filing, provide a single explanatory footnote that includes a list of the affected rows and columns. This footnote's record number for the footnoted data is 9999 (field 4), its table number is ZZZZ, its row number is 9999.0, and its column letters are ZZ.

G. <u>Errata</u>

- 1. Carriers are under a legal obligation to correct any erroneous data, which includes footnotes, reported in ARMIS Reports. Thus, whenever there are changes in table data, footnotes are added, footnotes are removed because they were erroneously-filed, or the text of an existing footnote is changed, an erratum (and resubmission) is required. See Section B of the Reporting Procedures for the use of submission numbers when an erratum occurs.
- 2. Submissions containing corrected data must include references to indicate which data items were corrected since the previous submission. If the data items being corrected impact other data items in the report, then those items must also be corrected and referenced. Erratum references should reflect only those items corrected in the new submission. References from prior submissions must not be included in the new submission.
- 3. Current errata references must be included in the Erratum Record(s).

4. Errata Structure:

Observe the errata record specifications to the letter, and strive for proper structure.

- a. An errata record should reference more than one column, if multiple—but not all—columns are affected for the same row. (Where all columns are affected use "ZZ" as the column reference.)
- b. When a footnote column field contains "ZZ" to indicate multiple—but not all—columns, the errata record column field should not use "ZZ." Instead, list the columns affected in this field.
- c. The errata record should reference the footnote number to which it applies.
- d. For Submission Number 3 or higher, be careful to clear the errata table of entries from previous filings, prior to adding new errata entries for the new submission.
- e. When removing one or more footnotes from a table that were erroneously included in a previous filing, the erratum record should refer to a single footnote explaining the removed footnote(s). In the erratum record, use 9999 for the record number of the corrected data (field 4), ZZZZ for the table number, 9999.0 for the row number, and ZZ for the column letters.

H. Data Record Descriptions

The eleven data record types are described below. See pages 9 through 28 for record layouts. The automated file will consist of the following record types:

- <u>Record Type H1 Header Record</u> One Type H1 record per file. The first record of each file. Contains identifying data. See page 9 for record layout.
- 2. <u>Record Type L2 Label Record</u>

One Type L2 record per file. The second record of each file. Contains report number, carrier classification, carrier name, study area name, etc. See page 10 for record layout.

3. <u>Record Type K1 - (Table I.A)</u> Outside Plant Statistics-Cable and Wire Facilities Data <u>Record</u>

One Type K1 record for each row with data to be reported. Include one K1 record for total company data, even if there is only one state row, as shown on pages 5 & 6 of the Report Definition. Each record represents a state, district, or territory in which the reporting company has cable and wire facilities. See pages 11 - 13 for record layout.

- 4. <u>Record Type S1 (Table I.B) Outside Plant Statistics-Other Data Record</u> One Type S1 record for each row with data to be reported. Include one S1 record for total company data, even if there is only one state row, as shown on pages 6 & 7 of the Report Definition. Each record represents a state, district, or territory in which the reporting company has outside plant facilities. See pages 14 & 15 for record layout.
- 5. <u>Record Type N1 (Table II) Switched Access Lines In Service Data Record</u> One Type N1 record for each row with data to be reported. Include one N1 record for total company data, even if there is only one state row, as shown on pages 7 & 8 of the Report Definition. Each record represents a state, district, or territory in which the reporting company has switched access lines. See pages 16 & 17 for record layout.
- 6. <u>Record Type A2 (Table III) Access Lines In Service By Customer Data Record</u> One Type A2 record for each row with data to be reported. Include one A2 record for total company data, even if there is only one state row, as shown on pages 8 & 9 of the Report Definition. Each record represents a state, district, or territory in which the reporting company has access lines. See pages 18 & 19 for record layout.
- <u>Record Type P1 (Table IV) Telephone Calls Data Record</u> One Type P1 record for each row with data to be reported. Include one P1 record for total company data, even if there is only one state row, as shown on page 9 of the Report Definition. Each record represents a state, district, or territory in which the reporting company provides service. See pages 20 & 21 for record layout.
- <u>Record Type C3 Confidential Treatment Record (Confidential Version only)</u> One or more Type C3 records per file. Contains information to identify the data for which the carrier is seeking confidential treatment. Do not include this record type in the Public or Unrestricted Versions of a report. See pages 22 & 23 for record layout.
- 9. Record Type F3 Footnote Record

Optional. Zero or more Type F3 records per file. Contains explanatory footnote text. Certain items require accompanying mandatory footnotes and those items are specified in the appropriate section of the instructions for filing the 43-08. See pages 24 & 25 for record layout.

10. Record Type E4 - Erratum Record

Zero Type E4 records in the first submission of a year's data. One or more Type E4 records per file in revisions filed to correct that year's submission. Each time an erratum occurs, a carrier must use a new submission number. Contains information to identify the data which was corrected in the submission. See pages 26 & 27 for record layout.

11. <u>Record Type T1 - Trailer Record</u>

One Type T1 record per file. The last record of each file. Contains contact person, etc. See page 28 for record layout.

RECORD TYPE H1 - HEADER RECORD

<u>Field</u>	Item	Example	Position	Description
1	Record Number	1001	1 – 4	The sequential number of this record within this data file plus 1000. Format: Right justified and space filled.
2	COSA	"LBIL"	6 – 11	The COSA code for the filing entity. Format: Include quotation marks.
3	Record Type	"H1"	13 – 16	Always contains the letter H capitalized and the number 1 with no space between them. Format: Include quotation marks.
4	File Name	"LBIL06OD.U01"	18 – 31	The name of the ASCII file. Format: See page 1, paragraph B.2. Include quotation marks.
5	Year	2006	33 – 36	The year covered by the data.
6	Quarter #	0	38	Always contains the number 0 since this is an annual data file.
7	Data Entry Date	20070315	40 - 47	The date on which the data were last entered or revised. Format: YYYYMMDD.
8	Version	"U"	49 - 51	The version letter U capitalized for Unrestricted. Format: Include quotation marks.
9	Submission #	01	53 - 54	00 for test data purposes only; 01 for first submission of a year's data. Higher numbers (02, 03, etc.) are used each time a change occurs to denote a new submission. Format: Right justified.
10	End of Record Code	"XQ"	56 - 59	Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks.
Note:	All fields are separated h	ov commas.		- strate mondo quotation marks.

Note: All fields are separated by commas.

 1
 2
 3
 4
 5

 123456789012345678901234567890123456789012345678901234567890123456789

 Sample record:

 1001,"LBIL","H1","LBIL060D.U01",2006,0,20070315,"U",01,"XQ"

Page 10 of 28

RECORD TYPE L2 - LABEL RECORD

<u>Field</u>	Item	Example	Position	Description			
1	Record Number	1002	1 – 4	The sequential number of this record within this data file plus 1000. Format: Right justified and space filled.			
2	COSA	"LBIL"	6 – 11	The COSA code for the filing entity. Format: Include quotation marks.			
3	Record Type	"L2"	13 – 16	Always contains the letter L capitalized and the number 2 with no space between them. Format: Include quotation marks.			
4	Report Number	"FCC REPORT 43-08"	18 – 35	Always contains "FCC REPORT 43-08" capitalized. Format: Include quotation marks.			
5	Account Filing Level	"A"	37 – 39	Account filing level (Class A or B) capitalized. Format: Include quotation marks.			
6	Carrier	"Illinois Bell " (spaces until pos. 70)	41 - 71	Name of the carrier. Format: Left justified and space filled. Include quotation marks.			
7	Study Area	"Illinois "	73 - 95	Name of the study area. Format: Left justified and space filled. Include quotation marks.			
8	Period Covered	"Jan 2006 to Dec 2006"	97 – 118	Period covered by the data. Format: "mmm yyyy to mmm yyyy" Include quotation marks.			
9	End of Record Code	"XQ"	120 - 123	Always contains the letters XQ capitalized with no space between them to indicate the end of the record.			
Note:	All fields are separated b	y commas.		Format: Include quotation marks.			
1 2 3 4 5 6 7 8 9 12345678901284589789012345678901234567890128678900000000000000000000000000000000000							

 1
 1
 1

 0
 1
 2

 6789012345678901234567890123

 Continuation of sample record:

,"Jan 2006 to Dec 2006","XQ"

Report 43-08 - Automated Report Specifications

December 2006

RECORD TYPE K1 (Table I.A) - OUTSIDE PLANT STATISTICS-CABLE AND WIRE FACILITIES DATA RECORD

Field	Item	Example	Position 1997	Description
1	Record Number	1003	1 – 4	The sequential number of this record within this data file plus 1000. Format: Right justified and space filled.
2	COSA	"LBIL"	6 – 11	The COSA code for the filing entity. Format: Include quotation marks.
3	Record Type	"K1"	13 – 16	Always contains the letter K capitalized and the number 1 with no space between them. Format: Include quotation marks.
4	Row Number	0240.0	18 – 23	Row numbers as identified on the Report Definition. Valid range: 0110.0 to 0910.0 Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to each row number.
5	Column (b) data	"IL"	25 – 28	This field contains the data corresponding to column (b) as shown on the Form Section of the Report Definition. See the State Row Numbers and Codes Reference Table for a list of state codes. Format: Left justified and space filled. Include quotation marks.
6	Column (c) data	5432	30 – 39	This field contains the data corresponding to column (c) as shown on the Form Section of the Report Definition. DO NOT override designated N/As. <u>Format</u> : Right justified and space filled. See Sections D and E for data entry and rounding conventions. All fields must be populated. If there are no data applicable to an open field, enter zero.

				,
7	Column (d) data	5432	41 - 50	Column (d) data Format: See Field 6 above.
8	Column (e) data	1358	52 - 61	Column (e) data Format: See Field 6 above.
9	Column (f) data	1358	63 – 72	Column (f) data Format: See Field 6 above.
10	Column (g) data	2716	74 - 83	Column (g) data Format: See Field 6 above.
11	Column (h) data	1358	85 – 94	Column (h) data Format: See Field 6 above.
12	Column (i) data	5432	96 - 105	Column (I) data Format: See Field 6 above.
13	Column (n) data	5432	107 – 116	Column (n) data Format: See Field 6 above.
14	Column (o) data	2716	118 – 127	Column (o) data Format: See Field 6 above.
15	Column (p) data	13580	129 – 138	Column (p) data Format: See Field 6 above.
16	Column (q) data	12222	140 - 149	Column (q) data Format: See Field 6 above.
17	Column (r) data	1358	151 - 160	Column (r) data Format: See Field 6 above.
18	Column (s) data	2716	162 – 171	Column (s) data Format: See Field 6 above.
19	Column (t) data	20370	173 – 182	Column (t) data Format: See Field 6 above.
20	Column (u) data	16296	184 – 193	Column (u) data Format: See Field 6 above.
21	Column (v) data	25432	195 – 204	Column (v) data Format: See Field 6 above.
22	Column (w) data	7431	206 - 215	Column (w) data Format: See Field 6 above

RECORD TYPE K1 (Table I.A) - OUTSIDE PLANT STATISTICS-CABLE AND WIRE FACILITIES DATA RECORD (continued)

Report 43-08 - Automated Report Specifications

December 2006 Pa

RECORD TYPE K1 (Table I.A) - OUTSIDE PLANT STATISTICS-CABLE AND WIRE FACILITIES DATA RECORD (continued)

23	Column (x) data	54320	217 – 226	Column (x) data Format: See Field 6 above
24	End of Record Code	"XQ"	228 - 231	Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks.

Notes: All fields are separated by commas.

Certain items require accompanying <u>mandatory</u> footnotes and must be entered in the Footnote Text record(s). Record Type K1 requires mandatory footnotes for those data fields designated as "Irretrievable"

:	1	2	3	4	5	6		7	8	9
123456789	0123456789	012345678	390123456	789012345	67890123	4567890	1234567	789012345678	90123456789	9012345
Sample records:										
1003,"LBI	L","K1",02	40.0,"IL	', 5	432,	5432,	135	8,	1358,	2716,	1358,
1004,"LBI	L","K1",09	10.0,"TO	', 5	432,	5432,	135	8,	1358,	2716,	1358,
1	1	1	1	1		1	1	1	1	
0	1	2	3	4		5	б	7	8	
678901234	5678901234	567890123	345678901	234567890	12345678	9012345	6789012	234567890123	4567890123	
543	2, 54	32,	2716,	13580,	1222	2,	1358,	2716,	20370,	
543	2, 54	32,	2716,	13580,	1222	2,	1358,	2716,	20370,	
1	2	2		2	2					
9	0	1		2	3					
456789012	3456789012	34567890	123456789	012345678	901					
Continuat	ion of sam	ple recon	rds:							
1629	б, 254	32,	7431,	54320,"	XQ″					
1629	5, 254	32,	7431,	54320,′	XQ″					

Page 14 of 28

RECORD TYPE S1 (Table I.B) - OUTSIDE PLANT STATISTICS-OTHER DATA RECORD

<u>Field</u>	Item	Example	Position	Description
1	Record Number	1005	1 – 4	The sequential number of this record within this data file plus 1000. Format: Right justified and space filled.
2	COSA	"LBIL"	6 – 11	The COSA code for the filing entity. Format: Include quotation marks.
3	Record Type	"S1"	13 – 16	Always contains the letter S capitalized and the number 1 with no space between them. Format: Include quotation marks.
4	Row Number	0240.0	18 – 23	Row numbers as identified on the Report Definition. Valid range: 0110.0 to 0910.0 Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to each row number.
5	Column (bb) data	"IL"	25 - 28	This field contains the data corresponding to column (bb) as shown on the Form Section of the Report Definition. See the State Row Numbers and Codes Reference Table for a list of state codes. Format: Left justified and space filled. Include quotation marks.
6	Column (bc) data	5432	30 - 39	This field contains the data corresponding to column (bc) as shown on the Form Section of the Report Definition. DO NOT override designated N/As. Format: Right justified and space filled. See Sections D and E for data entry and rounding conventions. All fields must be populated. If there are no data applicable to an open field, enter zero.
7	Column (bd) data	35432	41 - 50	Column (bd) data Format: See Field 6 above.
8	Column (bf) data	1358	52 - 61	Column (bf) data Format: See Field 6 above.

RECORD TYPE S1 (Table I.B) - OUTSIDE PLANT STATISTICS-OTHER DATA RECORD (continued)

9	Column (bg) data	101358	63 – 72	Column (bg) data Format: See Field 6 above.
10	Column (bh) data	72816	74 - 83	Column (bh) data Format: See Field 6 above.
11	Column (bi) data	601358	85 – 94	Column (bi) data Format: See Field 6 above.
12	Column (bk) data	405432	96 - 105	Column (bk) data Format: See Field 6 above.
13	Column (bl) data	5432	107 – 116	Column (bl) data Format: See Field 6 above.
14	End of Record Code	"XQ"	118 – 121	Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks.

Notes: All fields are separated by commas.

Certain items require accompanying <u>mandatory</u> footnotes and must be entered in the Footnote Text record(s). Record Type S1 requires mandatory footnotes for those data fields designated as "Irretrievable".

	1	2	3	4	5	б	7	8	9
123456789001234567890012345678900123456789001234567890012345678900123456789001234567890012345678900123456789001234567890012345678900123456789001234567890012345678900123456789000000000000000000000000000000000000									
Sample records:									
1005,	,"LBIL","S1	",0240.0,"	IL",	5432,	35432,	1358,	101358,	72816,	601358,
1006,	,"LBIL","S1	",0910.0,"	то",	5432,	35432,	1358,	101358,	72816,	601358,

 1
 1
 1

 9
 0
 1
 2

 67890123456789012345678901

 Continuation of sample records:

 405432,
 5432,"XQ"

 405432,
 5432,"XQ"

December 2006 Pa

Page 16 of 28

RECORD TYPE N1 (Table II) - SWITCHED ACCESS LINES IN SERVICE DATA RECORD

<u>Field</u>	Item	Example	Position	Description
1	Record Number	1007	1 – 4	The sequential number of this record within this data file plus 1000. Format: Right justified and space filled.
2	COSA	"LBIL"	6 – 11	The COSA code for the filing entity. Format: Include quotation marks.
3	Record Type	"N1"	13 – 16	Always contains the letter N capitalized and the number 1 with no space between them. Format: Include quotation marks.
4	Row Number	0240.0	18 – 23	Row numbers as identified on the Report Definition. Valid range: 0110.0 to 0910.0 Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to each row number.
5	Column (cb) data	"IL"	25 - 28	This field contains the data corresponding to column (cb) as shown on the Form Section of the Report Definition. See the State Row Numbers and Codes Reference Table for a list of state codes. Format: Left justified and space filled. Include quotation marks.
6	Column (cc) data	5432	30 - 39	This field contains the data corresponding to column (cc) as shown on the Form Section of the Report Definition. DO NOT override designated N/As. <u>Format</u> : Right justified and space filled. See Sections D and E for data entry and rounding conventions. All fields must be populated. If there are no data applicable to an open field, enter zero.
7	Column (cd) data	5432	41 - 50	Column (cd) data Format: See Field 6 above.
8	Column (ce) data	1358	52 - 61	Column (ce) data Format: See Field 6 above.

RECORD TYPE N1 (Table II) - SWITCHED ACCESS LINES IN SERVICE DATA RECORD (continued)

9	Column (ci) data	1358	63 – 72	Column (ci) data Format: See Field 6 above.
10	Column (cj) data	13580	74 – 83	Column (cj) data Format: See Field 6 above.
11	Column (ck) data	1358	85 – 94	Column (ck) data Format: See Field 6 above.
12	Column (cl) data	5432	96 - 105	Column (cl) data Format: See Field 6 above.
13	Column (cm) data	3086	107 – 116	Column (cm) data Format: See Field 6 above.
14	Column (cn) data	2716	118 – 127	Column (cn) data Format: See Field 6 above.
15	Column (co) data	5432	129 – 138	Column (co) data Format: See Field 6 above.
16	End of Record Code	"XQ"	140 - 143	Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks.

Notes: All fields are separated by commas.

Certain items require accompanying <u>mandatory</u> footnotes and must be entered in the Footnote Text record(s). Record Type N1 requires mandatory footnotes for those data fields designated as "Irretrievable". In addition, footnotes are required for any row/column data entry which contains UNE data. The footnotes must identify the types of UNE's (e.g., "UNE-P") included in the data.

1	2	3	4	5	6	7	8	9	
1234567890	1234567890	1234567890	123456789012	345678901234	456789012345	6789012345	67890123456	789012345	
Sample rec	Sample records:								
1007,"LBIL","N1",0240.0,"IL",			5432,	5432,	1358,	1358,	13580,	1358,	
1008,"LBIL	","N1",091	0.0,"ТО",	5432,	5432,	1358,	1358,	13580,	1358,	
1	1	1	1	1					
0	1	2	3	4					
6789012345	6789012345	6789012345	678901234567	890123					
Continuati	on of samp	le records	:						
5432	, 308	6, 27	16, 543	32,"XQ"					
5432	, 308	6, 27	16, 543	32,"XQ"					

Page 18 of 28

RECORD TYPE A2 (Table III) - ACCESS LINES IN SERVICE BY CUSTOMER DATA RECORD

Field	Item	Example	Position	Description
1	Record Number	1009	1 – 4	The sequential number of this record within this data file plus 1000. Format: Right justified and space filled.
2	COSA	"LBIL"	6 – 11	The COSA code for the filing entity. Format: Include quotation marks.
3	Record Type	"A2"	13 – 16	Always contains the letter A capitalized and the number 2 with no space between them. Format: Include quotation marks.
4	Row Number	0240.0	18 – 23	Row numbers as identified on the Report Definition. Valid range: 0110.0 to 0910.0 Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to each row number.
5	Column (fb) data	"IL"	25 – 28	This field contains the data corresponding to column (fb) as shown on the Form Section of the Report Definition. See the State Row Numbers and Codes Reference Table for a list of state codes. Format: Left justified and space filled. Include quotation marks.
6	Column (fc) data	135894	30 – 39	This field contains the data corresponding to column (fc) as shown on the Form Section of the Report Definition. DO NOT override designated N/As. Format: Right justified and space filled. See Sections D and E for data entry and rounding conventions. All fields must be populated. If there are no data applicable to an open field, enter zero.
7	Column (fd) data	5432	41 - 50	Column (fd) data Format: See Field 6 above.
8	Column (fe) data	4074	52 - 61	Column (fe) data Format: See Field 6 above.

RECORD TYPE A2 (Table III) - ACCESS LINES IN SERVICE BY CUSTOMER DATA RECORD (continued)

9	Column (ff) data	1358	63 – 72	Column (ff) data Format: See Field 6 above.
10	Column (fg) data	8148	74 – 83	Column (fg) data Format: See Field 6 above.
11	Column (fh) data	1358	85 - 94	Column (fh) data Format: See Field 6 above.
12	Column (fi) data	156264	96 - 105	Column (fi) data Format: See Field 6 above.
13	Column (fj) data	3086	107 – 116	Column (fj) data Format: See Field 6 above.
14	Column (fk) data	2716	118 – 127	Column (fk) data Format: See Field 6 above.
15	Column (fl) data	162066	129 – 138	Column (fl) data Format: See Field 6 above.
16	Column (fm) data	31274	140 - 149	Column (fm) data Format: See Field 6 above.
17	End of Record Code	"XQ"	151 – 154	Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks.

Notes: All fields are separated by commas.

Certain items require accompanying <u>mandatory</u> footnotes and must be entered in the Footnote Text record(s). Record Type A2 requires mandatory footnotes for those data fields designated as "Irretrievable". In addition, footnotes are required for any row/column data entry which contains UNE data. The footnotes must identify the types of UNE's (e.g., "UNE-P") included in the data.

1	2	3	4	5	6	7	8	9
12345678900123456789001234567890012345678900123456789001234567890012345678900123456789001234567890012345678900123456789000000000000000000000000000000000000								
Sample records:								
1009,"LBIL","A2",0240.0,"IL",			135894,	5432,	4074,	1358,	8148,	1358,
1010,"LBIL"	,"A2",0910	.0,"TO",	135894,	5432,	4074,	1358,	8148,	1358,
1	1	1	1	1	1			
0	1	2	3	4	5			
67890123456	7890123456	7890123456	7890123456	7890123456	78901234			
Continuation	n of sampl	e records:						
156264,	3086	, 271	6, 1620	66, 31	274,"XQ"			
156264,	3086	, 271	6, 1620	66, 31	274,"XQ"			

Page 20 of 28

Field	Item	Example	Position	Description
1	Record Number	1011	1 – 4	The sequential number of this record within this data file plus 1000. Format: Right justified and space filled.
2	COSA	"LBIL"	6 – 11	The COSA code for the filing entity. Format: Include quotation marks.
3	Record Type	"P1"	13 – 16	Always contains the letter P capitalized and the number 1 with no space between them. Format: Include quotation marks.
4	Row Number	0240.0	18 – 23	Row numbers as identified on the Report Definition. Valid range: 0110.0 to 0910.0 Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to each row number.
5	Column (eb) data	"IL"	25 – 28	This field contains the data corresponding to column (eb) as shown on the Form Section of the Report Definition. See the State Row Numbers and Codes Reference Table for a list of state codes. Format: Left justified and space filled. Include quotation marks.
6	Column (ec) data	5432	30 - 39	This field contains the data corresponding to column (ec) as shown on the Form Section of the Report Definition. DO NOT override designated N/As. <u>Format</u> : Right justified and space filled. See Sections D and E for data entry and rounding conventions. All fields must be populated. If there are no data applicable to an open field, enter zero.
7	Column (ed) data	5432	41 - 50	Column (ed) data Format: See Field 6 above.
8	Column (ee) data	1358	52 - 61	Column (ee) data Format: See Field 6 above.
9	Column (ef) data	1358	63 – 72	Column (ef) data Format: See Field 6 above.

RECORD TYPE P1 (Table IV) - TELEPHONE CALLS DATA RECORD

Report 43-08 - Automated Report Specifications

December 2006

Page 21 of 28

Field Item Example Position Description 10 Column (eg) data 2716 74 - 83Column (eg) data Format: See Field 6 above. 11 Column (eh) data Column (eh) data 13580 85 – 94 Format: See Field 6 above. 12 Column (ei) data 13580 96 - 105 Column (ei) data Format: See Field 6 above. 13 Column (ej) data 27160 107 - 116Column (ej) data Format: See Field 6 above. 118 - 121 14 "XQ" End of Record Code Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks.

RECORD TYPE P1 (Table IV) - TELEPHONE CALLS DATA RECORD (continued)

Notes: All fields are separated by commas.

Certain items require accompanying <u>mandatory</u> footnotes and must be entered in the Footnote Text record(s). Record Type P1 requires mandatory footnotes for those data fields designated as "Irretrievable".

	1	2	3	4	5	6	7	8	9
123456789	0123456789	901234567	89012345	678901234	5678901234	56789012345	6789012345	67890123456	789012345
Sample re	cords:								
1011,"LBI	L","P1",02	240.0,"IL	",	5432,	5432,	1358,	1358,	2716,	13580,
1012,"LBI	L","P1",09	910.0,"ТО	",	5432,	5432,	1358,	1358,	2716,	13580,

1 1 1 0 1 2 <u>67890123456789012345678901</u> Continuation of sample records: 13580, 27160,"XQ" 13580, 27160,"XQ"

RECORD TYPE C3 - CONFIDENTIAL TREATMENT RECORD

<u>Field</u>	Item	Example	Position	Description
1	Record Number (for <u>this</u> record)	1013	1 – 4	The sequential number of <u>this</u> record within this data file plus 1000. Format: Right justified and space filled.
2	COSA	"LBIL"	6 – 11	The COSA code for the filing entity. Format: Include quotation marks.
3	Record Type	"C3"	13 – 16	Always contains the letter C capitalized and the number 3 with no space between them. Format: Include quotation marks.
4	Record Number (for the confidential data)	1003	18 – 21	This field contains the record number of the record which contains the data for which the carrier is seeking confidential treatment. If the request is for the entire column(s) or the entire submission, use 9999. Format: Right justified and space filled.
5	Table Number	"I.A "	23 - 28	This field contains the table number (Roman numerals) of the table in which the confidential data appear. If the request is for the entire submission, enter "ZZZZ." Format: Include quotation marks. Left justified and space filled.
6	Row Number	0240.0	30 - 35	This field contains the row number of the row which contains the confidential data as identified in the Report Definition. If the request is for the entire column(s), an entire table or the entire submission, enter 9999.0. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to each row number.
7	Column Label	"C "	37 – 40	This field contains the column letter of the confidential data as identified in the Report Definition. If the request is for an entire row, an entire table, or the entire submission, enter "ZZ." If the request is for more than one column but less than the entire row, then populate this field and as many as needed of fields 8 through 26. Format: Include quotation marks. Left justified and space filled.

Report 43-08 - Automated Report Specifications

December 2006

RECORD TYPE C3 - CONFIDENTIAL TREATMENT RECORD (continued)

8	Second Column Label	"R "	42 – 45	
9	Third Column Label		47 – 50	Fields 8 through 26 are similar to Field 7 and are used when the request is for the same row and more than one column.
•				Otherwise, enter "".
•				
26	Twentieth Column Label	" "	132 – 135	
27	End of Record Code	"XQ"	137 – 140	Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks.

Note: All fields are separated by commas.

1	2	3	4	5	5	6	7	8		9	
1234567890	12345678900123456789000000000000000000000000000000000000										
Sample rec	ords:										
1013,"LBIL	","C3",1003	,"I.A ",024	10.0,"C ","	r"," "	'," ","	"," "	," ","	"," ","	","	","	",
1014,"LBIL	","C3",1005	,"I.B ",024	10.0,"zz","	"," "	'," ","	"," "	," ","	"," ","	","	","	",
1015,"LBIL	","C3",9999	,"II ",999	9.0,"CN","	"," "	'," ","	"," "	," ","	"," ","	","	","	",
1016,"LBIL	","C3",9999	,"ZZZZ",999	9.0,"zz","	"," "	'," ","	"," "	," ","	"," ","	","	","	",
1	1	1	1	1							
0	1	2	3	4							
7890123456	78901234567	89012345678	39012345678	90							
Continuati	on of sampl	e records:									
"","",	" "," ","	"," ","	"," ","X	Q "							
"","",	" "," ","	"," ","	"," ","X	Q "							
"","",	" "," ","	"," ","	"," ","X	Q "							
"","",	","","	"," ","	"," ","X	Q "							

Page 24 of 28

RECORD TYPE F3 - FOOTNOTE TEXT RECORD

Field	Item	Example	Position	Description
1	Record Number (for <u>this</u> record)	1017	1 – 4	The sequential number of <u>this</u> record within this data file plus 1000. Format: Right justified and space filled.
2	COSA	"LBIL"	6 – 11	The COSA code for the filing entity. Format: Include quotation marks.
3	Record Type	"F3"	13 – 16	Always contains the letter F capitalized and the number 3 with no space between them. Format: Include quotation marks.
4	Record Number (for the footnoted data)	1003	18 – 21	This field contains the record number of the record which contains the footnoted data. See Section F for Footnote structure guidelines. Format: Right justified and space filled.
5	Table Number	"I.A "	23 - 28	This field contains the table number (Roman numerals) of the table in which the footnoted data appear. See Section F for Footnote structure guidelines. Format: Include quotation marks. Left justified and space filled.
6	Row Number	0240.0	30 - 35	This field contains the row number of the row which contains the footnoted data as identified in the Report Definition. See Section F for Footnote structure guidelines. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to each row number.
7	Column Label	"C "	37 - 40	This field contains the column letter(s) of the footnoted data as identified in the Report Definition. See Section F for Footnote structure guidelines. Format: Include quotation marks. Left justified and space filled.
8	Footnote Number	1	42 – 44	The number of this particular footnote. Valid range: 1 to 999. Format: Right justified and space filled.

Page 25 of 28

RECORD TYPE F3 - FOOTNOTE TEXT RECORD (continued)

<u>Field</u>	Item	Example	Position	Description
9	Sequence Number	1	46 – 47	The sequence number of the record within the footnote. In other words, the order of the specific record in the sequence of records which, when combined, will provide the entire footnote. Valid range: 1 to 99. Format: Right justified and space filled.
10	Footnote Text	"Footnote text " (Spaces until pos. 104)	49-105	The text of the footnote or of the continuation line. Format: Include quotation marks at the beginning and end of this field and left justify within these quotation marks.
11	End of Record Code	"XQ"	107 – 110	Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks.

Notes: All fields are separated by commas.

Certain items require accompanying <u>mandatory</u> footnotes and must be entered in the Footnote Text record(s). Such items are listed below and specified in the appropriate section of the instructions for filing this report:

Record Types N1 and A2 require footnotes for any row/column data entry which contains UNE data

See Section F for detailed footnote content and structure guidelines.

				1	1
1	2	3	4	5 6 7 8 9 0	1
1234567890123	156789012345	67890123456	789012	2345678901234567890123456789012345678901234567890123456789012345678	390
Sample records	3:				
1017,"LBIL","	73",1003,"I.	A ",0240.0,	"C ",	1, 1, "Footnote text for footnote 1 ",">	KQ "
1018,"LBIL","	73",1003,"I.	A ",0240.0,	"C ",	1, 2,"continuation text for footnote 1 ",">	<u>.</u> KQ "
1019,"LBIL","	73",1003,"I.	A ",0240.0,	"C ",	1, 3,"last line of footnote 1. ",">	<u>.</u> KQ "
1020,"LBIL","	73",1003,"I.	A ",0240.0,	"D ",	2, 1,"Footnote 2 pertains to col D of Table I.A row 240.0 ",">	<u>.</u> KQ "
1021,"LBIL","	73",1005,"I.	в ",0240.0,	"ZZ",	3, 1, "Footnote 3 pertains to all cols. of Table I.B row 240.0", "X	<u>.</u> KQ "
1022,"LBIL","	73",9999,"II	",9999.0,	"CI",	4, 1, "Footnote 4 pertains to all rows of Table II column CI ", "A	KQ "

RECORD TYPE E4 - ERRATUM RECORD

<u>Field</u>	Item	Example	Position 1997	Description
1	Record Number (for <u>this</u> record)	1023	1 – 4	The sequential number of <u>this</u> record within this data file plus 1000. Format: Right justified and space filled.
2	COSA	"LBIL"	6 – 11	The COSA code for the filing entity. Format: Include quotation marks.
3	Record Type	"E4"	13 – 16	Always contains the letter E capitalized and the number 4 with no space between them. Format: Include quotation marks.
4	Record Number (for the corrected data)	1003	18 – 21	This field contains the record number of the record which contains the data which were corrected in this submission. See Section G for Errata structure guidelines. Format: Right justified and space filled.
5	Table Number	"I.A "	23 – 28	This field contains the table number (Roman numerals) of the table in which the corrected data appear. See Section G for Errata structure guidelines. Format: Include quotation marks. Left justified and space filled.
6	Row Number	0240.0	30 - 35	This field contains the row number of the row which contains the corrected data as identified in the Report Definition. See Section G for Errata structure guidelines. Format: Right justified and space filled, with one decimal place. Since all applicable row numbers are integers, append .0 to each row number.
7	Column Label	"C "	37 - 40	This field contains the column letter of the corrected data as identified in the Report Definition. See Section G for Errata structure guidelines. If more than one column but less that the entire row was corrected, then populate this field and as many as needed of fields 8 through 26. Format: Include quotation marks. Left justified and space filled.

Page 27 of 28

<u>RECORD TYPE E4 - ERRATUM RECORD</u> (continued)

<u>Field</u>	Item	Example	Position	Description
8	Second Column Label	"D "	42 - 45	
9	Third Column Label		47 – 50	Fields 8 thru 26 are similar to Field 7 and are used when the correction is in the same row and more than one column.
•				Otherwise, enter "".
26	Twentieth Col. Label		132 – 135	
27	Footnote Number	1	137 – 139	This field contains the footnote number that explains the correction. Format: Right justified and space filled.
28	End of Record Code	"XQ"	141 – 144	Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks.

Notes: All fields are separated by commas.

When an errata occurs, carriers must use higher submission numbers and a new data entry date to denote a new submission.

See Section G for detailed Errata content and structure guidelines.

	1	2	3	4	5		б		7		8		9	
12345678	90123456789	9012345678	8901234567	789012345678	3901234	15678	90123	45678	90123	45678	90123	45678	90123	456
Sample r	ecords:													
1023,"LB	IL","E4",10	003,"I.A	",0240.0,'	'C ","D ","	","	","	","	","	","	","	","	","	","	",
1024,"LB	IL","E4",10	ОО5,"I.В	",0240.0,'	'ZZ"," ","	","	","	","	","	","	","	","	","	","	",
1025,"LB	IL","E4",99	999,"II	",9999.0,"	'CI"," ","	","	","	","	","	","	","	","	","	","	",
1	1	1	1	1										
0	1	2	3	4										
78901234	789012345678901234567890123456789012345678901234													
Continua	Continuation of sample records:													
"","	"," "," '	"," ","	"," ","	", 1,"XQ'	•									
"","	"," "," '	"," ","	"," ","	", 3,"XQ'	•									
"","	"," "," '	"," ","	"," ","	", 4,"XQ'	•									

RECORD TYPE T1 - TRAILER RECORD

<u>Field</u>	Item	Example	Position	Description
1	Record Number	1026	1 – 4	The sequential number of this record within this data file plus 1000. Format: Right justified and space filled.
2	COSA	"LBIL"	6 – 11	The COSA code for the filing entity. Format: Include quotation marks.
3	Record Type	"T1"	13 – 16	Always contains the letter T capitalized and the number 1 with no space between them. Format: Include quotation marks.
4	Contact Person	"John Doe " (spaces until pos. 58)	18 – 59	The name of the person to contact if there are questions about the report. Format: Include quotation marks.
5	Telephone #	"(202) 555-1212 x123 "	61 - 82	The Contact Person's telephone number. Format: Include quotation marks.
6	End of Record Code	"XQ"	84 - 87	Always contains the letters XQ capitalized with no space between them to indicate the end of the record. Format: Include quotation marks.

Note: All fields are separated by commas.

	1	2	3	4	5	6	7	8	
123450	57890123456	578901234	56789012345	6789012345	56789012345	6789012345	5678901234	56789012345	567
Sample record:									
1026,"LBIL","T1","John Doe						","(202	2) 555-1212	2 x123 ","X	KQ "