

This document provides the instructions for FCC Report 43-05, the ARMIS Service Quality Report, which was adopted by the Commission in CC Docket No. 87-313. The instructions consist of the following five sections.

1. Reporting Procedures - details on the specific procedures to be followed when submitting this report to the Commission.
2. Report Definition - illustration of the rows and columns to be reported and their definitions.
  - a. Summary - description of the form and its reporting burden.
  - b. Form - illustration of the rows and columns to be reported.
  - c. Row Instructions - instructions for completing the rows to be reported.
  - d. Column Descriptions - description of the columns to be reported.
  - e. Certification - illustration of the certification page.
3. Automated Report Specifications - detailed automated data processing (ADP) specifications for the automated report to be filed.
4. Paper Report Specifications - specifications for the paper report to be filed.
5. COSA Code Table - list of four letter COSA codes (CO = Company, SA = Study Area).

**A. Introduction**

This document contains details on the specific procedures to be followed when submitting FCC Report 43-05, the ARMIS Service Quality Report, to the Commission.

**B. General Information**

1. FCC Report 43-05 was adopted by the Commission in the LEC Price Cap Order, Policy and Rules Concerning Rates for Dominant Carriers, Second Report and Order, CC Docket No. 87-313, 5 FCC Rcd 6786, 6827-30 (1990). See also Quality of Service Standards Order, Policy and Rules Concerning Rates of Dominant Carriers and Amendment of Part 61 of the Commission's Rules to Require Quality of Service Standards in Local Exchange Carrier Tariffs, Memorandum Opinion and Order, CC Docket No. 97-28, 12 FCC Rcd 8115 (1997). This report is prescribed for every incumbent local exchange carrier for whom price cap regulation is mandatory and every local exchange carrier that elects to be covered by the price cap rules.
2. Affected carriers shall file by April 1 for the previous calendar year.
3. The report shall be filed at the study area (jurisdiction) and holding company levels.
4. Each report and diskette must be clearly labeled to include the report number, company, study area, period, COSA code, version and submission number. The report number is 43-05, which identifies the filing as the ARMIS Annual Service Quality Report. The period identifies the year covered by the data. See the attached COSA Code Table (CO = Company, SA = Study Area) for a list of companies and their respective COSAs. The version refers to whether the filing is confidential, public or unrestricted. The submission number is defined as follows: submission 0 is for test data purposes only; submission 1 is for the first submission of a year's data. If there is a change in the data in either the automated or paper report, the carrier must resubmit both. A higher number (2, 3, etc.) and a new data entry date must be used each time a change occurs to denote a new submission. The automated and paper reports submission numbers must be the same. When correcting format errors, a new submission number is not required; however, the data entry date must be changed to reflect the date of the format change.
5. All correspondence and pleading shall identify the proceeding as CC Docket No. 87-313.
6. Each reporting carrier must validate its data by using the most recent edit check program(s), provided by the Commission, for the reporting year. When an error is detected, the carrier must correct the error prior to submitting the report to the

Commission. Once the carrier corrects its data so that the edit check program identifies no errors, the carrier should submit the ARMIS report along with a copy of the edit check printout to the Commission verifying that the program did not identify any errors.

C. **Where to File**

1. Carriers submitting FCC Report 43-05 should consult the schedule below which details the number of copies required and the location to which those copies should be delivered.
2. Carriers are reminded that they must serve a copy of both the paper report and the automated report (diskette) on the FCC's contractor for public records duplication.

<b>NUMBER OF COPIES</b>				
Address	Transmittal Letter	Edit Check Report	Paper Report	Automated Report (Diskette)
Federal Communications Commission Office of the Secretary 445 Twelfth Street, S.W.; TW-A325 Washington, D.C. 20554	1	—	—	—
Federal Communications Commission Reference Information Center (RIC) 445 Twelfth Street, S.W.; CY-A257 Washington, D.C. 20554	1	—	1	1
FCC Common Carrier Bureau Accounting Safeguards Division Reporting Management and Analysis Branch Attention: ARMIS 445 Twelfth Street, S.W.; 6-B201 Washington, D.C. 20554	1	1	1	1
International Transcription Service, Inc. (ITS) 1231 20th Street, N.W. Washington, D.C. 20036	1	—	1	1

D. **Footnotes**

1. If any data for the current period differ materially from those for the previous period

and the difference is not self-explanatory but was caused by unusual circumstances, the carrier must include footnote text to explain the specific circumstances. Certain items require accompanying footnotes and those items are specified in the appropriate sections of the instructions for filing the 43-05. Such footnotes are mandatory and must be entered in the Footnote Text Records and Footnote Table.

EXAMPLE:

Table I, Row 110 requires the reporting carrier to specify whether it is reporting number of orders or number of circuits in that row.

2. If the reporting carrier does not follow the procedures described in the row and column instructions of the attached Report Definition, it must explain any deviations from those procedures in an explanatory footnote. Such footnotes must provide detailed explanations of the procedures actually used by the carrier and its specific reasons for deviating from procedures prescribed by the Commission's Rules. This provision should not be interpreted to mean that deviations from the prescribed rules will automatically be approved by the Commission.

EXAMPLES:

Do not say, "Data are compiled using a more inclusive process than in previous filing."

Do say, "Data are compiled using a process that includes xxx, which was not included in previous filings. The impact of including xxx in this row inflates this number by x% over the previous reporting period."

Do not say, "This value was not calculated pursuant to the instructions."

Do, say "This value was calculated using the xxx method rather than the method described in the instructions because..."

Do not say, "Corrected Data."

Do say, "\$xxxx is changed to \$xxxx because ...".

Do not say, "Waiver" or "Waiver Granted."

Do say, "Waiver of Part xx.xxx was granted in CC Docket No. xx-xxx, X FCC, xxxx (1992) to allow Any Company to ....because...."

3. The footnote text must be included in the Footnote Text Records and the Footnote Table as specified in the Automated Report Specifications.

**E. Errata**

1. Carriers are under a legal obligation to correct any erroneous data discovered in FCC Report 43-05. Submissions containing corrected data must include references to indicate which data items were corrected since the previous submission. These references must be included in the Erratum Records and the Erratum Table as specified in the Automated Report and Paper Specifications. In addition, the carrier must include in the transmittal letter, a brief statement indicating the reason for the errata.

**F. Certification**

1. Carriers must certify the accuracy of the data submitted in FCC Report 43-05 by including a certification statement, signed by a corporate officer, as the last page of the paper report.
2. The text of the certification statement is included in the attached Report Definition.

**G. Waivers**

1. If a carrier determines that it will be unable to provide data required by FCC Report 43-05, it must file an application for waiver with the Commission following established Commission procedures. All such requests from a carrier should be included in a single application. The application must demonstrate good cause for reporting a different or lower level of detail, must establish the duration of the waiver requested, and must indicate how these deficiencies will be corrected.
2. Carriers should not act upon requests for waiver until waivers are granted. It is important that carriers be aware that waivers are not in effect until they are granted, in writing, by the Commission or under delegated authority.
3. Omission of individual data items or entries, without request for waiver, is unacceptable. One reason that compliance with the full requirements is so important is that omission of any single data entry by any carrier will jeopardize the accuracy of aggregate industry information.

**H. Extension of Filing Time**

1. Requests for extensions of filing time must be made in a timely manner. Requests received less than 72 hours prior to a filing date are prima facie unreasonable.

**I. Public Information**

1. The Public or Unrestricted Versions of the paper reports filed as Report 43-05 may be examined by the public at the FCC Reference Information Center (RIC), 445 Twelfth Street, S.W., Washington, D.C. Parties should contact the RIC at (202) 418-0270.
2. Copies of the Public or Unrestricted Versions of the paper or automated reports filed as FCC Report 43-05 may be obtained from the FCC's contractor for public records duplication, ITS. Parties should contact ITS at (202) 857-3800.
3. Copies of the detailed reporting procedures for this report may be obtained over the Internet, from the Commission's web site, at <http://www.fcc.gov/ccb/armis/>.

For further information regarding these procedures, contact:

Barbara Van Hagen  
FCC Common Carrier Bureau  
Accounting Safeguards Division  
(202) 418-0840

Approved by OMB  
 3060-0395  
 Edition Date: 12/1999

Estimated Burden Hours Per Response: 850 hours

SUMMARY

This document provides the Report Definition for FCC Report 43-05, the ARMIS Service Quality Report which must be provided annually by study area. It contains the following:

	<u>PAGE</u>
Table I - Interexchange Access Installation and Repair Intervals .....	3
Table II - Local Service Installation and Repair Intervals.....	4
Table III - Common Trunk Blockage .....	5
Table IV - Total Switch Downtime .....	6
Table IV-A - Occurrences of Two Minutes or More Duration Downtime .....	7
Table V - Service Quality Complaints.....	8
Table I Row Instructions .....	9
Table II Row Instructions .....	10
Table III Row Instructions .....	12
Table IV Row Instructions .....	13
Table IV-A Row Instructions.....	14
Table V Row Instructions .....	15
Table I Column Instructions .....	16
Table II Column Instructions.....	16
Table III Column Instructions .....	17
Table IV Column Instructions .....	17
Table IV-A Column Instructions .....	18
Table V Column Instructions .....	20
Certification.....	21

All percentage amounts must be entered in percent and rounded to 2 decimal places. All minutes, days and hours must be rounded to the nearest tenth. Number of Access Lines must be entered in whole numbers. All number of orders, circuits, trouble reports, no trouble found, trunk groups, switches, complaints, and incidents must be entered in whole numbers. All other amounts must be rounded to the nearest thousand.

All fields must be populated. If a data field equals the quantity zero, enter the numeral zero in that field. This is the only proper use of zero in this report. If a filing carrier has a waiver applicable to a certain field, it must treat the data for that field as “Irretrievable” and footnote the reason for that entry (including a cite to the waiver, and a note as to its duration). Items which need not be

reported because they do not apply are designated by N/A. DO NOT override N/As. If a reporting carrier should wish to apply data to a field containing an N/A, the carrier should enter the amount(s) and an explanation as a footnote to the field. The amount(s) must not be entered in an N/A'd field.

REMEMBER: Footnotes are mandatory in Table I, rows 0110 and 0114, Table II, row 0134, and in Table IV-A, column (t). Footnotes are mandatory for all "Irretrievable" entries.

When errata occur, carriers must include in the transmittal letter a brief statement indicating the reason for the errata. Other explanatory notes must be included in the footnote section of the filing.

NOTICE: The ARMIS Service Quality Report collects data designed to capture trends in service quality under price cap regulation and improves and standardizes existing reporting requirements for this purpose. The ARMIS Service Quality Report specifies information requirements in a consistent format and is essential to the FCC to monitor service quality under price cap regulation. Your response is mandatory.

Public reporting burden for this collection of information is estimated to average 850 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding any aspect of this collection of information, including suggestions for reducing the burden to the Federal Communications Commission, Office of Managing Director, Washington, D.C. 20554.

An agency may not conduct or sponsor and a person is not required to respond to a collection of information unless it displays a currently valid control number.

FCC Report 43-05  
 ARMIS SERVICE QUALITY REPORT

COMPANY: XXXXXXXXXXXXXXXX  
 STUDY AREA: XXXXXXXXXXXXXXXX  
 PERIOD: From mmm yyyy To mmm yyyy  
 COSA: XXXX

XXXX Version  
 Submission XXX  
 TABLE I  
 PAGE 1 OF 1

**TABLE I – INSTALLATION AND REPAIR INTERVALS  
 (Interexchange Access)**

ROW	CLASSIFICATION	COLUMN		
		Switched Access	Special Access	
			High Speed Special Access	All Special Access
	(aa)	(ab)	(ac)	

INSTALLATION INTERVALS:

0110	# Total Number of Orders or Circuits		N/A	
0111	# Missed for Customer Reasons (MCR)		N/A	
0112	% Commitments Met		N/A	
0114	Average Interval (in days)		N/A	

REPAIR INTERVALS:

0120	# Total Trouble Reports			
0121	Average Interval (in hours)			

**Legend:**

- # indicates items that are not dollars or percents
- % indicates items to be entered as a percent

FCC Report 43-05  
 ARMIS SERVICE QUALITY REPORT

COMPANY: XXXXXXXXXXXXXXXX  
 STUDY AREA: XXXXXXXXXXXXXXXX  
 PERIOD: From mmm yyyy To mmm yyyy  
 COSA: XXXX

XXXX Version  
 Submission XXX  
 TABLE II  
 PAGE 1 OF 1

**TABLE II – INSTALLATION AND REPAIR INTERVALS  
 (Local Service)**

ROW	CLASSIFICATION	COLUMN						
		Residence			Business			Total
		MSA	Non-MSA	Total	MSA	Non-MSA	Total	
		(ad)	(ae)	(af)	(ag)	(ah)	(ai)	(aj)

**INSTALLATION INTERVALS:**

0130	# Installation Orders							
0131	# Missed/Cust. Reasons (MCR)							
0132	% Commitments Met							
0134	Average Interval (in days)							

**REPAIR INTERVALS:**

0140	# Total Access Lines							
------	----------------------	--	--	--	--	--	--	--

**INITIAL TROUBLE REPORTS:**

0141	# Init. Trouble Reports							
0144	# Out-of-Svc. Trbl. Rpts.							
0145	Out-of-Svc. Rpr. Intvl. (in hours)							
0146	# All Other Trbl. Rpts.							
0147	All Other Rpr. Intvl. (in hours)							
0160	# Subsequent-Initial Trbl. Rpts.							

**REPEAT TROUBLE REPORTS:**

0142	# Repeat Trouble Reports							
0148	# Out-of-Svc. Trbl. Rpts.							
0149	Out-of-Svc. Rpr. Intvl. (in hours)							
0150	# All Other Trbl. Rpts.							
0151	All Other Rpr. Intvl. (in hours)							
0170	# Subsequent-Repeat Trbl. Rpts.							

**NO TROUBLE FOUND:**

0143	# Total No Trouble Found							
------	--------------------------	--	--	--	--	--	--	--

**Legend:**

- # indicates items that are not dollars or percents
- % indicates items to be entered as a percent

FCC Report 43-05  
 ARMIS SERVICE QUALITY REPORT

COMPANY: XXXXXXXXXXXXXXXX  
 STUDY AREA: XXXXXXXXXXXXXXXX  
 PERIOD: From mmm yyyy To mmm yyyy  
 COSA: XXXX

XXXX Version  
 Submission XXX  
 TABLE III  
 PAGE 1 OF 1

**TABLE III – COMMON TRUNK BLOCKAGE**

ROW	CLASSIFICATION	COLUMN
		Annual
		(ak)
0180	# Total Trunk Groups	
0181	# Groups Measured	
0185	# FGD Groups Exceeding Threshold 3 Mos.	
0186	# Other Groups Exceeding Threshold 3 Mos.	
0187	# FGD Groups Exceeding Threshold 1 Mo.	
0188	# Other Groups Exceeding Threshold 1 Mo.	
0189	# FGD Groups Exceeding DBO 3 Mos.	
0190	# Other Groups Exceeding DBO 3 Mos.	

**Legend:**

- # indicates items that are not dollars or percents
- % indicates items to be entered as a percent

FCC Report 43-05  
 ARMIS SERVICE QUALITY REPORT

COMPANY: XXXXXXXXXXXXXXXX  
 STUDY AREA: XXXXXXXXXXXXXXXX  
 PERIOD: From mmm yyyy To mmm yyyy  
 COSA: XXXX

XXXX Version  
 Submission XXX  
 TABLE IV  
 PAGE 1 OF 1

**TABLE IV - TOTAL SWITCH DOWNTIME**

ROW	CLASSIFICATION	COLUMN					
		Total Number Switches (an)	Switches With Downtime (ao)	Total Switch Downtime (ap)	Incidents Under 2 Minutes		
					Total (aq)	Unscheduled (ar)	% Unscheduled (as)
0200	MSA						
0201	Non-MSA						
0210	Switches Under 1000 Lines						
0211	Switches 1000-4999 Lines						
0212	Switches 5000-9999 Lines						
0213	Switches 10000-19999 Lines						
0214	Switches 20000 or More Lines						

FCC Report 43-05  
 ARMIS SERVICE QUALITY REPORT

COMPANY: XXXXXXXXXXXXXXXX  
 STUDY AREA: XXXXXXXXXXXXXXXX  
 PERIOD: From mmm yyyy To mmm yyyy  
 COSA: XXXX

XXXX Version  
 Submission XXX  
 TABLE IV-A  
 PAGE 1 OF 1

**TABLE IV-A – OCCURRENCES OF TWO MINUTES OR MORE DURATION DOWNTIME**

ROW	Cause (t)	CLLI Code (u)	Access Lines (v)	MSA (w)	Duration (x)	Date (y)	Time (z)
0220							
0221							
***							
319							
341							
342							
***							
1040							

\*\*\* Denotes a continuation of rows.

FCC Report 43-05  
 ARMIS SERVICE QUALITY REPORT

COMPANY: XXXXXXXXXXXXXXXX  
 STUDY AREA: XXXXXXXXXXXXXXXX  
 PERIOD: From mmm yyyy To mmm yyyy  
 COSA: XXXX

XXXX Version  
 Submission XXX  
 TABLE V  
 PAGE 1 OF 1

**TABLE V – SERVICE QUALITY COMPLAINTS**

ROW	CLASSIFICATION	COLUMN		
		Total	MSA	Non-MSA
		(da)	(db)	(dc)
0320	# Business Access Lines			
0321	# Federal Complaints-Business			
0322	# State Complaints-Business			
0330	# Residential Access Lines			
0331	# Federal Complaints-Residence			
0332	# State Complaints-Residence			

**Legend:**

- # indicates items that are not dollars or percents
- % indicates items to be entered as a percent

### General Instructions

For the purposes of this report, the terms switch, switching entity and entity are used interchangeably. The terms access lines, lines and lines in service are also used interchangeably. Switch counts and access line counts are updated annually, representing year-end counts. Roll-ups of 43-05 data will contain data with percentages and averages appropriately weighted. Data for individual study areas associated with each holding company requiring a weighted average will be multiplied by the weighting factor or parameter indicated below, summed, and divided by the total of the weighting parameter for all study areas.

Rows 0112 and 0114 (Percent Commitments Met and Average Interval) will be calculated as the weighted average of individual study area data using Row 0110 (Total Number of Orders or Circuits) as the weighting factor or parameter. Similarly, roll-ups for Row 0121 (Average Interval) will use Row 0120 (The Total Number of Trouble Reports) as the weighting factor; roll-ups of Rows 0132 and 0134 (Percent Commitments Met and Average Interval) will use Row 0130 (Installation Orders) as the weighting factor; Row 0145 (Out of Service Average Repair Interval) will use Row 0144 (Out of Service Initial Trouble Reports) as the weighting factor; Row 0147 (All Other Average Repair Interval) will use Row 0146 (All Other Initial Trouble Reports) as the weighting factor; Row 0149 (Out of Service Repeat Repair Interval) will use Row 0148 (Out of Service Repeat Trouble Reports) as the weighting factor and Row 0151 (Other Average Repair Interval) will use Row 0150 (Other Repeat Trouble Reports) as the weighting factor in calculating the weighted averages.

### Row Instructions

#### Table I

Row 0110 - Total Number of Orders or Circuits - Enter the total number of installation orders or circuits from Interexchange carriers/customers that were completed during the current reporting period on this row. This amount excludes installation orders or circuits not completed by the commitment date because the customer was not prepared to receive service on that date. (The amount of these exclusions is entered in Row 0111.) Enter in whole numbers. **The reporting carrier must include a footnote to indicate whether it is counting orders or circuits. This footnote is mandatory and must be entered in the Footnote Table.**

Row 0111 - Missed for Customer Reasons (MCR) - Enter the number of completed circuits or installation orders that were not completed by the commitment date because the customer was not prepared to receive service on that date. (Examples of MCR include, but are not limited to, the following situations: 1) customer not ready, 2) customer requested later date, 3) premises not ready, 4) customer not prepared to test, 5) no access to premises. Enter in whole numbers.

Row 0112 - % Commitments Met - Enter the percentage of commitments met during the current reporting period on this row. This amount is calculated by dividing the number of installation

orders or circuits from Interexchange carriers/customers completed by commitment date by the total number of installation orders or circuits (Row 0110). Enter in percent, rounded to 2 decimal places. NOTE: Commitment dates are based on the ILEC's installation intervals. The installation intervals for various kinds of installations are published by the ILECs and must be kept on file with the Commission. Commitment dates may be extended at the customer's request.

Row 0114 - Average Interval - Enter the average interval, expressed in business days, between the date the service order for Interexchange carriers/customers was placed and the date the service order was completed, for orders completed during the current reporting period. This amount excludes orders having commitment dates set by customers. Round to the nearest tenth. **If the average interval is reported as zero for any column when Row 0110 is greater than zero, the reporting carrier must include a footnote explaining the reason for the zero entry. This footnote is mandatory and must be entered in the Footnote Table.**

Row 0120 - Total Trouble Reports - Enter the total number of circuit-specific trouble reports referred to the ILEC by interexchange carriers/customers during the current reporting period. Enter in whole numbers.

Row 0121 - Average Interval - Enter the average interval, in hours to the nearest tenth based on a stopped clock, from the time of the reporting carrier's receipt of the trouble report to the time of acceptance by the complaining interexchange carrier/customer. This interval is defined as "Interval measured in clock hours, excluding only time when maintenance is delayed due to circumstances beyond the ILEC's control. Typical reasons for delay include, but are not limited to, premise access when a problem is isolated to the location or to absence of customer support to test facilities."

## Table II

Row 0130 - Installation Orders - Enter the total number of installation orders for local service customers for the current reporting period. This amount excludes installation orders not completed by the commitment date because the customer was not prepared to receive service on that date. Enter in whole numbers.

Row 0131 - Missed for Customer Reasons (MCR) - Enter the number of completed installation orders that were not completed by the commitment date because the customer was not prepared to receive service on that date. (Examples of MCR include, but are not limited to, the following situations: 1) customer not ready, 2) customer requested later date, 3) premises not ready, 4) customer not prepared to test, 5) no access to premises. Enter in whole numbers.

Row 0132 - % Commitments Met - Enter the percentage of commitments met during the current reporting period on this row. This amount is calculated by dividing the number of installation orders completed by commitment date by the total number of installation orders (Row 0130). Enter in percent, rounded to 2 decimal places.

Row 0134 - Average Interval - Enter the average interval, expressed in business days, between the date the service order was placed and the date the service order was completed during the current reporting period. This amount excludes all orders having commitment dates set by customers. Round to the nearest tenth. **If the average interval is reported as zero for any column when Row 0130 is greater than zero, the reporting carrier must include a footnote explaining the reason for the zero entry. This footnote is mandatory and must be entered in the Footnote Table.**

Row 0140 - Total Access Lines - Total end-of-year, in-service access lines in the study area. Access lines include all classifications of local exchange telephone service including, but not limited to, individual lines, party line access, PBX access, Centrex access, Coin access, Foreign Exchange access and WATS access. Access lines, as defined herein, is a more inclusive term than billable access lines as defined in ARMIS 43-01 and 43-04 reports. See row instructions for Rows 2090 through 2140 of the ARMIS 43-01 Report and Row 9010 of the ARMIS 43-04 Report for the definition of billable access lines. Enter in whole numbers.

Initial Trouble Reports - These are complaints concerning service quality made by customers or end users to ILECs. Such complaints concern problems that have not been reported to the ILEC within the previous thirty day period.

Subsequent Trouble Reports - These are customer trouble reports made to the ILEC on service quality problems, after the initial trouble report, but before the ILEC has resolved the initial trouble report. A trouble report may be “resolved” by closing it to “no trouble found.”

Row 0141 - Total Initial Trouble Reports - Enter the total number of initial trouble reports. This amount equals the total of Rows 0144 and 0146. Subsequent trouble reports are not included. Enter in whole numbers.

Row 0144 - Out-of-Service Initial Trouble Reports - Enter the number of initial out-of-service trouble reports received by the reporting carrier during the current reporting period. Out-of-service means that the trouble reported causes the customer to be totally without telephone service. Enter in whole numbers.

Row 0145 - Out-of-Service Average Repair Interval - Enter the average interval, expressed in hours to the nearest tenth measured on a running clock, between the time a trouble report entered in Row 0144 is received by the ILEC, and the time the trouble report is cleared. This interval is defined as “the total time from receipt of the customer trouble to clearing the trouble. Clearing represents the final disposition of the report, either repairing the problem or closing the report to another category, such as a no trouble found category.”

Row 0146 - All Other Initial Trouble Reports - Enter the number of all other initial trouble reports (complaints concerning static, interrupted calls, etc.) received by the reporting carrier during the

current reporting period. Enter in whole numbers.

Row 0147 - All Other Average Repair Interval - Enter the average interval, expressed in hours measured on a running clock, between the time a trouble report entered in Row 0146 is received by the ILEC, and the time the trouble report is cleared. Round to the nearest tenth.

Row 0160 - Subsequent Reports Related to Initial Trouble Reports - Enter the total number of initial subsequent trouble reports. Enter in whole numbers.

Repeat Trouble Reports - These are customer trouble reports concerning service quality that are received within thirty days after the resolution of an initial trouble report on the same line.

Subsequent Trouble Reports - These are customer trouble reports made to the ILEC on service quality problems, after the repeat trouble report, but before the ILEC has resolved the repeat trouble report. A trouble report may be “resolved” by closing it to “no trouble found.”

Row 0142 - Total Repeat Trouble Reports - Enter the total number of repeat trouble reports. This amount equals the total of Rows 0148 and 0150. Subsequent trouble reports are not included. Enter in whole numbers.

Row 0148 - Out-of-Service Repeat Trouble Reports - Enter the number of out-of-service repeat trouble reports received by the reporting carrier during the current reporting period. Enter in whole numbers.

Row 0149 - Out-of-Service Average Repair Interval - Enter the average interval, expressed in hours measured on a running clock, between the time a trouble report entered in Row 0148 is received by the ILEC, and the time the trouble report is cleared. Round to the nearest tenth.

Row 0150 - All Other Repeat Trouble Reports - Enter the number of other repeat trouble reports received by the reporting carrier during the current reporting period. Enter in whole numbers.

Row 0151 - All Other Average Repair interval - Enter the average interval, expressed in hours measured on a running clock, between the time a trouble report entered in Row 0150 is received by the ILEC and the time the trouble report is cleared. Round to the nearest tenth.

Row 0170 - Subsequent Reports Related to Repeat Trouble Reports - Enter the total number of repeat subsequent trouble reports. Enter in whole numbers.

Row 0143 - No Trouble Found - No trouble found refers to a trouble report investigation which finds no discernible problem. Enter the number of investigations which found no problem during the current reporting period. Enter in whole numbers.

Row 0180 - Total Trunk Groups - Enter the total number of common trunk groups for which the reporting carrier is responsible as of the end of the year. Common trunk groups are trunk groups between the ILEC end office and the ILEC access tandem that carry Feature Group B, C and D access traffic. IntraLATA traffic may also be carried on these groups. Enter in whole numbers.

Row 0181 - Groups Measured - Enter the number of common trunk groups measured as of the end of the year in this row. Enter in whole numbers.

Row 0185 - Feature Group D Groups Exceeding Servicing Threshold for Three Months - Enter the number of Feature Group D common trunk groups which have exceeded a servicing threshold of 2% for any three consecutive months during the reporting period. **Carriers using other thresholds must footnote them.** Enter in whole numbers.

Row 0186 - Other Groups Exceeding Servicing Threshold for Three Months - Enter the number of all other common trunk groups which have exceeded a servicing threshold of 3% for any three consecutive months during the reporting period. **Carriers using other thresholds must footnote them.** Enter in whole numbers.

Row 0187 - FGD Groups Exceeding Servicing Threshold for One Month - Enter the number of direct access trunk groups which have exceeded the interstate access tariff measured blocking threshold of 2% for any one month during the reporting period. Enter in whole numbers.

Row 0188 - Other Groups Exceeding Servicing Threshold for One Month - Enter the number of all other trunk groups which have exceeded the interstate access tariff measured blocking threshold of 3% for any one month during the reporting period. Enter in whole numbers.

Row 0189 - Feature Group D Groups Exceeding Design Blocking Objectives for Three Consecutive Months - Enter the number of Feature Group D common trunk groups, or mixed usage trunks that include any Feature Group D, which have exceeded an equipment design blocking objective of 0.5% for any three or more consecutive months during the reporting period. Enter in whole numbers.

Row 0190 - Other Groups Exceeding Design Blocking Objectives for Three Consecutive Months - Enter the number of all other common trunk groups which have exceeded an equipment design blocking objective of 1.0% for any three consecutive months during the reporting period. **Carriers using a different DBO must footnote it.** Enter in whole numbers.

#### Table IV

Row 0200 - MSA - This row represents all MSAs served within the study area. MSAs, or Metropolitan Statistical Areas, are designated by the Office of Management and Budget in a list released following each decennial census. An MSA includes at least one city with a minimum

population of 50,000, or a Census Bureau defined urbanized area of at least 50,000 population located in one or more counties that qualify and whose population is at least 100,000. See 55 Fed. Reg. 12154 (March 30, 1990). Use the rounding conventions specified in the column instructions when entering these data.

Row 0201 - Non-MSA - This row represents all areas in the study area which lie outside of any MSA. Use the rounding conventions specified in the column instructions when entering these data.

Row 0210 - Switches Under 1,000 Lines - Enter the number of switches, and associated data, serving fewer than 1,000 access lines. Use the rounding conventions specified in the column instructions when entering these data.

Row 0211 - Switches with 1,000 to 4,999 Lines - Enter the number of switches, and associated data, serving 1,000 to 4,999 access lines. Use the rounding conventions specified in the column instructions when entering these data.

Row 0212 - Switches with 5,000 to 9,999 Lines - Enter the number of switches, and associated data, serving 5,000 to 9,999 access lines. Use the rounding conventions specified in the column instructions when entering these data.

Row 0213 - Switches with 10,000 to 19,999 Lines - Enter the number of switches, and associated data, serving 10,000 to 19,999 access lines. Use the rounding conventions specified in the column instructions when entering these data.

Row 0214 - Switches with 20,000 or More Lines - Enter the number of switches, and associated data, serving 20,000 or more access lines. Use the rounding conventions specified in the column instructions when entering these data.

NOTE: The sum of Rows 0200 and 0201 equals the sum of Rows 0210 through 0214.

#### Table IV-A

##### General Instructions

No roll-ups are to be provided for this table because the essence of this table is to provide information on individual incidents: the cumulative data for the study area and the company are provided in Table IV and the roll-up of Table IV.

Rows 0220 through 1040 - Each of these rows, with the exception of Rows 0320 through 0340 which are in Table V, is provided for entry of one occurrence of switch downtime of two or more minutes in duration. For each occurrence use one row, entering the appropriate data in the columns provided. Include only those rows with data to be reported, but complete every item in those rows. Use the rounding conventions specified in the column instructions when entering these

data.

#### Table V

Service Quality Complaints - Service quality complaints are complaints pertaining to service quality filed with state or federal regulatory authorities. This term does not include complaints relating to billing, operator service providers, 900 or 976 services.

Row 0320 - Number of Business Access Lines - Enter the total number of business access lines as of December 31 of the calendar year being reported in the study area on this row. The data should agree with data reported on Row 0140, Table II. Enter in whole numbers.

Row 0321 - Federal Complaints from Business Users - Federal complaints are complaints filed with this Commission. Enter the number of federal complaints filed by business users on this row. Enter in whole numbers.

Row 0322 - State Complaints from Business Users - State complaints are complaints filed with state regulatory agencies. Enter the number of state complaints filed by business users on this row. Enter in whole numbers.

Row 0330 - Number of Residential Access Lines - Enter the total number of residential access lines as of December 31 of the calendar year being reported in the study area on this row. The data should agree with data reported on Row 0140, Table II. Enter in whole numbers.

Row 0331 - Federal Complaints from Residential Users - Enter the number of federal complaints filed by residential users on this row. Enter in whole numbers.

Row 0332 - State Complaints from Residential Users - Enter the number of state complaints filed by residential users on this row. Enter in whole numbers.

## Service Quality Report

## Column Descriptions

Table I

Interexchange - This table represents interexchange carrier customers placing installation orders or reporting trouble to the local exchange carrier during the current reporting period.

Column (aa) - Switched Access - Circuit from the incumbent local exchange carrier (ILEC) office to the interexchange carrier/customer Point of Presence (POP) for Feature Group B, C or D interstate service.

Special Access - Circuit from the ILEC facilities to the interexchange carrier POP or customer premises for voice grade service, WATS/800, metallic and telegraph services, audio or video program services, wideband services, DDS, high capacity, DS1, DS3, and switched Feature Group A services.

Column (ab) - High Speed Special Access - Circuit from the ILEC facilities to the interexchange carrier POP or customer premises for DS1, DS2, DS3 and other similar digital services.

Column (ac) - All Special Access - Enter all special access data, including those entered in column (ab), in this column.

Table II

Residence - Columns (ad), (ae) and (af) represent residential customers placing installation orders or reporting trouble to the local exchange carrier during the current reporting period.

Column (ad) - MSA - MSAs, or Metropolitan Statistical Areas, are designated by the Office of Management and Budget in a list following each decennial census. An MSA includes at least one city with a minimum population of 50,000 and its surrounding area, or a Census Bureau defined urbanized area of at least 50,000 population located in one or more counties that qualify and whose population is at least 100,000. See 55 Fed. Reg. 12154 (March 30, 1990). This amount represents all residential customers located within MSAs in the study area served by the reporting carrier.

Column (ae) - Non-MSA - This amount represents all residential customers located outside of all MSAs in the study area served by the reporting carrier.

Column (af) - Total - This amount represents all residential customers in the study area served by the reporting carrier (the sum or weighted average of columns (ad) and (ae), as applicable).

Business - Columns (ag), (ah) and (ai) represent local service business customers placing installation orders or reporting trouble to the local exchange carrier during the current reporting period.

Column (ag) - MSA - See column (ad) for the definition of MSA. This amount represents all local service business customers located within MSAs in the study area served by the reporting carrier.

Column (ah) - Non-MSA - This amount represents all local service business customers located outside of all MSAs in the study area served by the reporting carrier.

Column (ai) - Total - This amount represents all business customers in the study area served by the reporting carrier (the sum or weighted average of columns (ag) and (ah), as applicable).

Column (aj) - Total - This amount represents all customers (residential and business, MSA and Non-MSA) in the study area served by the reporting carrier (the sum or weighted average of columns (af) and (ai), as applicable).

#### Table III

Column (ak) - Annual - Report data on an annual basis displaying annual results.

#### Table IV

Switch Downtime - Switch downtime occurs when call processing capability for an end office is lost. Multiple serial outages at a single switch are to be counted as multiple individual outages if service is restored, even momentarily, between them.

Column (an) - Total Number of Switches - Switching entities (switches) are assemblies of equipment designed to establish connections between lines and trunks. Switching entities include local, class 5 switching machines and any associated remotes; e.g., a host end office and its three associated remotes will be reported as four switching entities. Switching entities designed exclusively for access tandem, class 4, or operator services are not reported here. There may be more than one switching entity per central office or wire center. Enter in whole numbers.

Column (ao) - Number of Switches With Downtime - This column represents the number of switches that experienced downtime during the current reporting period. In cases of multiple incidents of outage in the same switch, that switch would only be reported once. Enter in whole numbers.

Column (ap) - Total Switch Downtime - Switch downtime occurs when call processing capability for an end office is lost. Report all downtime, in cumulative minutes to the nearest tenth, in this column.

Incidents Under Two Minutes

Column (aq) - Total Incidents Under Two Minutes - This amount represents the number of incidents of downtime under two minutes in duration. Enter in whole numbers.

Column (ar) - Unscheduled - This amount represents the number of incidents of switch downtime under two minutes in duration that were not scheduled for routine maintenance or network upgrades. Scheduled downtime refers to those times when a switch is taken down at a predetermined time so that it may be upgraded or serviced. Such downtimes usually occur during non-busy hours. All other downtime incidents are unscheduled. Enter in whole numbers.

Column (as) - % Unscheduled - This amount represents the percent of downtime incidents under two minutes that are not scheduled for routine maintenance or network upgrades. (The ratio of column (ar) to column (aq), in percent). Enter in percent, rounded to 2 decimal places.

#### Table IV-A

Column (t) - Cause - This column is two spaces wide. Each condition that causes downtime is entered here as one of the following two-digit codes:

01 - scheduled - includes outages, restarts, phases, etc. resulting from scheduled or planned manual initializations. This includes such activities as parameter loads, software/firmware changes, and other OA&M activities.

02 - procedural errors - telco - installation or maintenance related

03 - procedural errors - telco - non installation or maintenance related (deviation from established procedures, or human error within established procedures; includes failure to respond)

04 - procedural errors - system vendors - includes errors in documentation/instruction

05 - procedural errors - other vendors - e.g., contractor, independent installation vendor

06 - software design - faulty or ineffective design, including faulty patches or software overrides provided by vendor

07 - hardware design - design deficiency or error. Does not include Product Change Notice (PCN) inappropriately delayed by vendor (= procedural error vendor) or telco (= procedural error telco), or PCN waived by telco (= procedural error telco)

08 - hardware failure - random hardware failure not related to design but due to inherent unreliability of system components

09 - acts of God - weather, natural disaster (including lightning, but not if lightning's effect due to bonding or grounding violations; then = procedural error vendor or telco)

10 - traffic overload - traffic load exceeds engineered capacity of system due to unforeseen external condition; not if due to system trouble, inadequate engineering, inadequate network management, system design deficiency

11 - environmental - contamination, leaks, temperature, etc.

12 - external power failure - use of this classification is rare because of existence of battery and other backup systems; does not include failures of converters, inverters internal to telco

13 - massive line outage - cable cut, other

14 - remote - loss of facilities between host and remote (if due to activities internal to host or remote; if external, assign other cause as appropriate - e.g., cable dig-up = procedural telco or procedural other vendor)

15 - other/unknown - **must be footnoted; if unknown, so state in footnote.**

Thus a carrier noting an unscheduled outage due to an external power failure would report simply "12." **Footnotes should be used to give further details when necessary. If a code other than the standard 11-digit code is used, it must be footnoted.**

Column (u) - CLLI Code - Enter the eleven-character CLLI (Common Language Location Identifier) code which identifies the switch that experienced downtime of two minutes or more in duration. Enter data for only one switch's outage incident on a row.

Column (v) - Access Lines - Total in-service access lines served by the switch. Enter in whole numbers.

Column (w) - MSA - See Table II, column (d) for the definition of MSA. Enter Y if the incident involved a switch that lies within an MSA in the study area served. Enter N if the incident involved a switch outside of all MSAs in the study area served.

Column (x) - Duration - Enter the duration of the outage in minutes, to the nearest tenth, in this column.

Column (y) - Date - Enter the date of the outage in this column using the format; mmddyyyy.

Column (z) - Time - Enter the time of the outage in this column using format hhmm for a 24 hour clock (e.g., 11:00 p.m. = 2300; noontime = 1200; 6:30 p.m. = 1830, etc.)

## Table V

Column (da) - Total - Enter the total number of access lines in the study area for rows 0320 and 0330 in this column; enter the total number of complaints in the study area for rows 0321, 0322, 0331 and 0332 in this column. The amount in this column equals the sum of columns (db) and (dc).

Column (db) - MSA - See Table II, column (ad) for the definition of MSA. Enter the appropriate MSA amounts for rows 0320, 0321, 0322, 0330, 0331 and 0332 in this column.

Column (dc) - Non-MSA - Enter the appropriate non-MSA amounts for rows 0320, 0321, 0322, 0330, 0331 and 0332 in this column.

CERTIFICATION

I certify that I am an officer of \_\_\_\_\_  
— ;  
that I have examined the foregoing report \_\_\_\_\_ and that to the best of my knowledge, information,  
and belief, all statements of fact contained in this report are true and that said report is an accurate  
statement of the affairs of the above named respondent in respect to the data set forth herein for the  
period from \_\_\_\_\_ to \_\_\_\_\_.

PRINTED NAME  
\_\_\_\_\_

POSITION  
\_\_\_\_\_

SIGNATURE  
\_\_\_\_\_

DATE  
\_\_\_\_\_

(Persons making willful false statements in this report form can be punished by fine or imprisonment under the Communications Act, 47 U.S.C. 220(e).)

CONTACT PERSON  
\_\_\_\_\_

TELEPHONE NUMBER  
\_\_\_\_\_